



BOSCH



PROFESSIONAL BLUE POWER TOOLS FOR TRADE AND INDUSTRY 2024



Scan to view the Live Catalogue

Visit Our Website
www.spspneumatictools.com

Email Us
staplespackagingsolutions@gmail.com

Sushil Mishra-
+91 7011218105

Sales:
+91 9811579961

Varun Tiwari-
+91 8595503657

Phone
011-47002673


Edition: February 2024




BOSCH

BeConnected is a simple way for users to stay connected through product registration.


Avail the best-in-class Bosch products with all the exciting benefits such as Paperless Warranty, Warranty Extension, Reward Points*, cashback*, Product Information and Seamless After Sales Service.




Scan the QR code on the lable of your Power Tool




Register on BeConnected and get benefited



Receive E-warranty instantly



Get product information, tutorial videos, customer reviews and more



You can even get discount coupons/cashback.



Simply scan and enjoy a world of benefits

BENEFITS

Anti-Counterfeit

Certified Bosch-made products only

Product Info (Video)

Valuable demos and tutorials on the product

Warranty Certificate

Quality products with certified assurances

Where to Buy/Service

Locate the nearest Bosch dealer to you

Promotions/Coupons

Win exciting rewards and prizes

Fleet Management

Manage your entire portfolio of products

Communication/Bosch Power Tools

Stay up to date with the latest from Bosch Power Tools

Ratings & Reviews






Share your valuable experience with us and your peers




* T&C Apply, periodic promotions



JOIN **BE**CONNECTED TO GET FREE WARRANTY EXTENSION!

-  Extended Warranty
-  Genuine Tool Check
-  Service Center Locator
-  Product Information
-  Promotional Offer



 **BeConnected**



**SCAN ME
TO REGISTER**



**NOW
ALL BOSCH PROFESSIONAL TOOLS
COME WITH 1 YEAR WARRANTY**



For more details, visit
www.bosch-pt.co.in or
the BeConnected app



BeConnected

CORDLESS



SCREWDRIVER

Bosch GO 2.0 Professional



Technical Specifications

HSN code	84672900
Part no.	06019H21L1
Battery voltage	3.6 V
Torque, max. (hard/soft)	5/2.5 Nm
No-load speed	360 rpm
Electronic brake	Yes
Smart stop	Yes
Tool holder	1/4" Inter HEX
Weight excl. battery	0.31 kg

Scope of supply:
1 USB cable,
PH1 & PH2 screw bit

MRP: ₹5,600



SCREWDRIVER

Bosch GO 2.0 Kit Professional



Technical Specifications

HSN code	84672900
Part no.	06019H2181
Battery voltage	3.6 V
Torque, max. (hard/soft)	5/2.5 Nm
No-load speed	360 rpm
Electronic brake	Yes
Smart stop	Yes
Tool holder	1/4" Inter HEX
Weight excl. battery	0.31 kg

Scope of supply:
Carrying case, Micro USB cable,
33-piece screwdriver bit set

MRP: ₹6,100



SCREWDRIVER

New! Bosch GO 3.0 Professional



Technical Specifications

HSN code	84672900
Part no.	06019H2281
Battery voltage	3.6V
Torque (min/hard/soft)	5/2 Nm
No-load speed	360 rpm
Electronic brake	Yes
Smart stop	Yes
Charging port	USB-C
Weight excl. battery	0.32 kg

Scope of supply:
Carrying case, Micro USB cable,
9 Pc Screwdriver Set

MRP: ₹6,800



ROTARY TOOL

GRO 12V-35 (Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06019C50K1
Battery voltage	12V
No-load speed	5,000/35,000 rpm
Weight	0.62 kg
Dimensions L x W x H	44 x 36 x 11.5 cm

Scope of supply:
5x cutting disc, 32 mm, Arbour, Housing adapter
key, Collet, 1/2 L-BOXX inlay for tool
cardboard box.

*Battery and charger not included MRP: ₹8,700



CUTTING



Technical Specifications

HSN code	84672900
Part no.	06019K10F1
Rated voltage	12V
Battery capacity*	2.0 Ah
Max. cutting diameter	25 mm
No. of cuts per charge**	4500
Weight with 12V/2.0Ah battery	1 kg
Weight w/o battery	0.83 kg

Scope of supply:
1x 12V 2.0 Ah Li-ion battery, 1 Charger and Carry case

MRP: ₹25,900

Pro Pruner Professional



CORDLESS

1

DRILL DRIVER



Technical Specifications

HSN code	84672100
Part no.	06019G80F1
Battery voltage	12V
No-load speed	0-400/0-1,500 rpm
Torque, max. (hard/soft)	30/14 Nm
Max. screw diameter	7 mm
Chuck size	10 mm
Drilling in wood/metal	20/10 mm
Weight incl. battery	0.8 kg

Scope of supply:
1 x 12V 2.0 Ah Li-ion battery, 1 Charger, Carry case

MRP: ₹7,900

GSR 120-LI (Single Battery) Professional



DRILL DRIVER



Technical Specifications

HSN code	84672100
Part no.	06019G80F0
Battery voltage	12V
No-load speed (1 ST /2 ND)	0-400/0-1,500 rpm
Torque (hard/soft)	30/14 Nm
Max. screw diameter	7 mm
Max. drilling (wood/steel)	20/10 mm
Chuck size	10 mm
Weight excl. battery	0.8 kg

Scope of supply:
2 x 12V 2.0 Ah Li-ion batteries, 1 Charger, Carry case, Accessory set, 6 Metal drill bit, 4 Wood drill bit, 10 Screw driver bit and 1 Screw driver bit holder

MRP: ₹12,600

GSR 120-LI Kit Professional



DRILL DRIVER



Technical Specifications

HSN code	84672100
Part no.	06019G9082
Battery voltage	12V
No-load speed	0-420/0-1,600 rpm
Torque, max. (hard/soft)	30/18 Nm
Max. screw diameter	8 mm
Max. drilling (wood/steel)	20/10 mm
Weight excl. battery	0.72 kg

Scope of supply:
Cardboard Box, *Battery and charger not included

MRP: ₹10,900

GSR 12V-30 (Solo) Professional



DRILL DRIVER

GSR 12V-35 HX (Solo) Professional



Technical Specifications

HSN code	84672100
Part no.	06019J9180
Battery voltage	12V
No-load speed (1st/2nd)	0-460/0-1,750 rpm
Torque (soft/hard)	20/35 Nm
Max. screw diameter	8 mm
Max. drilling (wood/steel)	32/10 mm
Chuck capacity, min./max.	0.8/10 mm
Weight excl. battery	0.57 kg

Scope of supply:

Cardboard Box,

*Battery and charger not included

MRP: ₹12,500



DRILL DRIVER

GSR 12V-15 FC Professional



Technical Specifications

HSN code	84672100
Part no.	06019F60F0
Battery voltage	12V
No-load speed (1st/2nd)	0 - 400/0 - 1,300 rpm
Torque (hard/soft)	30/15 Nm
Max. screw diameter	7 mm
Max. drilling (wood/steel)	19/10 mm
Chuck size	10 mm
Weight excl. battery	0.6 kg

Scope of supply:

Drill chuck adapter GFA 12-B,

Off-set angle adapter GFA 12-E,

Angle adapter GFA 12-W,

Hex adapter, 1 Charger,

2 x 2.0 Ah Li-Ion batteries,

Carry case

MRP: ₹28,300



DRILL DRIVER

GSR 185-LI Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06019K30F0
Battery voltage	18V
Head length	162 mm
No-load speed	0-500/1,900 rpm
Max. torque (hard/soft)	50/21 Nm
Chuck Size	13 mm
Max. drilling (wood/metal)	35/10 mm
Weight (w/2.0Ah)	1.3 kg
Chuck material	Metal

Scope of supply:

2 x 2.0 Ah Li-Ion batteries,

1 Charger, Carry case

MRP: ₹17,700



DRILL DRIVERS

GSR 18V-50 (Solo) Professional



Technical Specifications

HSN code	84672100
Part no.	06019H5082
Battery Voltage	18V
No-load speed (1st gear / 2nd gear)	0-460/0-1,800 rpm
Torque (soft/hard/max.)	28/50/50 Nm
Chuck Size	13 mm
Max. drilling (alum/wood/metal)	13/35/13 mm
Weight excl. battery	1 kg
Chuck material	Metal

Scope of supply:

Cardboard box,

*Battery and charger not included

MRP: ₹15,000



DRILL DRIVER

GSR 18V-50 Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06019H50F0
Battery voltage	18V
No-load speed	0 - 460/0 - 1,800 rpm
Torque, max. (hard/soft)	50/28 Nm
Max. drilling (wood/steel)	35/13 mm
Max. screw diameter	10 mm
Chuck material	Metal
Chuck Size	13 mm
Weight excl. battery	1 kg

Scope of supply:
Carry case, 1 Charger,
2 x 2.0 Ah LI-ion batteries

MRP: ₹28,300



1

CORDLESS

IMPACT DRILL DRIVER

GSB 120-LI Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06019G81F2
Battery voltage	12V
No-load speed (1st/2nd)	0-400/0-1,500 rpm
Torque (hard/soft)	30/14 Nm
Impact rate	0 - 18750 bpm
Max. drilling (wood/ metal/masonry)	20/10/8 mm
Weight with battery	1.1 kg

Scope of supply:
Carry case, 1 Charger,
2 x 2.0 Ah LI-Ion batteries,
Accessory set: 4 Wood drill bits,
4 Metal drill bits, 4 Masonry drill
bits, 10 Screw driver bits,
1 Screw bit holder

MRP: ₹13,700



IMPACT DRILL DRIVERS

New! GSB 185-LI Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06019K31F2
Battery voltage	18V
No-load speed (1st/2nd)	0-500/0-1,900 rpm
Weight (w/2.0Ah)	1.3 kg
Max. screw diameter	10 mm
Max. drilling (wood/metal/masonry)	35/10/10 mm
Chuck material	Metal
Chuck size	13 mm

Scope of supply:
2 x 2.0 Ah LI-ion batteries,
1 Charger, Carry case, 23-piece
drilling and screwdriving bit
set with holder

MRP: ₹19,800



IMPACT DRILL DRIVERS

New! GSB 183-LI Kit (2 Battery) Professional



Technical Specifications

HSN code	84672100
Part no.	06019K91F0
Battery voltage	18V
No-load speed (1st)	374-484 rpm
No-load speed (2nd)	1,402-1,815 rpm
Torque (hard/soft/max)	21/56/56 Nm
Max. screw diameter	10 mm
Torque settings	20
Weight incl. battery	1.5 kg

Scope of supply:
2 x 18V/2.0 Ah Li-ion batteries,
1 Charger, Carry case.

MRP: ₹16,000



IMPACT DRILL DRIVERS

New! GSB 183-LI Kit (1 Battery) Professional



Technical Specifications

HSN code	84672100
Part no.	06019K91F1
Battery voltage	18V
No-load speed (1st)	374-484 rpm
No-load speed (2nd)	1,402-1,815 rpm
Torque (hard/soft/max)	21/56/56 Nm
Max. screw diameter	10 mm
Torque settings	20
Weight excl. battery	1.2 kg

Scope of supply:
1 x 18V/2.0 Ah Li-ion batteries,
1 Charger, Carry case.

MRP: ₹12,000



BITURBO
BRUSHLESS

IMPACT DRILL DRIVERS

GSB 18V-150 C (Solo) Professional

1



BITURBO
BRUSHLESS



Technical Specifications

HSN code	84672100
Part no.	06019J51L0
Battery voltage	18V
Torque (soft/hard/max.)	84/100/150 Nm
No-load speed (1st/2nd gear)	0-550/0-2,200 rpm
Max. impact rate	30,000 bpm
Chuck capacity, min./max.	1.5/13 mm
Weight excl. battery	2.2 kg
Max drilling (wood/metal/masonry)	150/16/20 mm
Chuck material	Metal

Scope of supply:
Carry case L-BOXX 136,
Auxillary Handle
*Battery and charger not included

MRP: ₹30,900



CORDLESS

IMPACT DRIVER/WRENCH

GDR 120-LI Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06019F00F0
Battery voltage	12V
No-load speed (1st/2nd)	0-1,300/0-2,600 rpm
Torque (hard)	100 Nm
Max. screw diameter	8 mm
Rated impact rate	0-1,900/0-3,200 bpm
Bit holder	1/4" hexagon socket
Weight incl. battery	1.1 kg

Scope of supply:
2x 2.0 Ah Li-ion batteries,
1 Charger, 1 Carry case

MRP: ₹17,300



IMPACT DRIVER/WRENCH

GDR 12 V-EC Professional



Technical Specifications

HSN code	84672100
Part no.	06019E00F6
Battery voltage	12V
No-load speed	2,600 rpm
Torque (hard)	110 Nm
Max. screw diameter	M4-M12
Rated impact rate	0-3,100 bpm
Bit holder	1/4" internal hexagon

Scope of supply:
Carry case, 2 x 2.0 Ah Li-ion
batteries, 1 Charger

MRP: ₹28,700



IMPACT DRIVER/WRENCH

GDR 180-LI Professional



Technical Specifications

HSN code	84672100
Part no.	06019G51F0
Battery voltage	18V
No-load speed	0-2,800 rpm
Impact rate	0-3,600 bpm
Max. torque	160 Nm
Tool holder	1/4" Hex Uni
Screw diameter	M6-M14
Weight excl. battery	1.02 kg

Scope of supply:
2x 2.0 Ah Li-ion batteries,
1 Charger, Carry case

MRP: ₹30,500



IMPACT DRIVER / WRENCH

GD^X 18V-200 C Professional

Technical Specifications

HSN code	84672900
Part no.	06019G42F0
Battery voltage	18V
Torque max.	200 Nm
No-load speed	0-3,400 rpm
Screw Diameter	M6-M16
Bit holder	1/4" internal hexagon & 1/2" external square

Weight excl. battery 1.2 kg

Scope of supply:

Carry case, L-BOXX 136 with 2x 4.0 Ah LI-ion batteries

MRP: ₹41,200



IMPACT WRENCH

GD^S 18V-200 Professional

Technical Specifications

HSN code	84672100
Part no.	06019J23F0
Battery voltage	18V
Square drive	1/2 inch
No-load speed	0-3,400 rpm
Impact rate	0-4,200 bpm
Max. torque	200 Nm
Screw diameter	M6-M16
Weight excl. battery	1.1 kg

Scope of supply:

2x 4.0 Ah LI-ion batteries, 1 Charger, Carry case

MRP: ₹35,900



IMPACT WRENCH

GD^S 250-LI Professional

Technical Specifications

HSN code	84672900
Part no.	06019G61F0
Battery voltage	18V
Max. torque	250 Nm
No-load speed	0-2,400 rpm
Impact rate	0-3,300 bpm
Tool holder	1/2 inch Square drive
Screw size	M10-M18
Weight excl. battery	1.2 kg

Scope of supply:

2 x 4.0 Ah LI-ion batteries, 1 Charger, Carry case

MRP: ₹36,100



IMPACT WRENCH

GD^S 18V-400 (Solo) Professional

Technical Specifications

HSN code	84672100
Part no.	06019K00K1
Battery voltage	18V
Max. declared torque	400 Nm
Square drive	1/2 inch
No-load speed	0-2,500 rpm
Screw Diameter	M10-M20
Head length	172 mm
Weight (w/o battery)	1.25 kg

Scope of supply:

*Battery and charger not included, Carry case

MRP: ₹19,600



IMPACT WRENCH

GDS 18V-400 Professional

1



Technical Specifications

HSN code	84672100
Part no.	06019K00F0
Battery voltage	18V
Max. declared torque	400 Nm
Square drive	1/2 inch
No-load speed	0-2,500 rpm
Screw Diameter	M10-M20
Head length	172 mm
Weight Excl Battery	1.25 kg

Scope of supply:
Carry case, 1 Charger,
2 x 5.0 Ah Li-ion batteries

MRP: ₹49,500



CORDLESS

IMPACT WRENCH

New! GDS 18V-1050 H (Solo) Professional



BITURBO
BRUSHLESS

Technical Specifications

HSN code	84672100
Part no.	06019J85L1
Battery voltage	18V
Max. tightening torque	1,050 Nm
Max. breakaway torque	1,700 Nm
Square drive	3/4 inch
No-load speed	0-800/1,200/1,750 rpm
Impact rate	0-1,600/2,400/2,600 bpm
Torque	0.350/750/1050
Bolt diameter	M10-M24
Weight (w/o battery)	2.9 kg

Scope of supply:
*Battery and charger not
included, Carry case

MRP: ₹30,600



IMPACT WRENCH

GDS 18V-1050 H Professional



BITURBO
BRUSHLESS

Technical Specifications

HSN code	84672100
Part no.	06019J85F0
Battery voltage	18V
Max. tightening torque	1,050 Nm
Max. breakaway torque	1,700 Nm
Square drive	3/4 inch
No-load speed	0-800/1,200/1,750 rpm
Impact rate	0-1,600/2,400/2,600 bpm
Torque	0-350/750/1050
Bolt diameter	M10-M24
Weight (w/o battery)	2.9 kg

Scope of supply:
1 Charger, 2 x 5.0 Ah Li-ion
batteries, L-BOXX 136

MRP: ₹66,800



IMPACT WRENCH

New! GDS 18V-1600 HC (Solo) Professional



Technical Specifications

HSN code	84672100
Part no.	06019M1080
Battery voltage	18V
Max Declared Torque	1600 Nm
Square drive	3/4 inch
Speed Setting	3
No Load Speed	0-800/1300/1750 rpm
Impact rate	0-1550/2200/2350 bhp
Screw Diameter	M16-M33
Connectivity feature	Yes

Scope of supply:
Carton Box

MRP: ₹41,000



ROTARY HAMMER 1-2 KG

New! GBH 185-LI Professional



Technical Specifications

HSN code	84672900
Part no.	06119240F0
Battery voltage	18V
Impact energy	1.9 J
No-load speed	0-1,050 rpm
Impact rate	0-4,675
Max. drilling diameter in concrete	04-22 mm
Max. drilling diameter in steel	13 mm
Max. drilling diameter in wood	20 mm
Bare tool weight with aux. handle	2.3 kg
Recommended battery	GBA 18V 4.0 Ah

Scope of supply:
2 x 4.0 Ah Battery,
1 Charger and Carry case

MRP: ₹44,400



INTEGRATED DUST EXTRACTOR **New! GDE 12 Dust Extr for GBH 185 Professional**




Technical Specifications

HSN code	85081100
Part no.	1600A02BWO
Maximum drilling depth	100 mm
Max. drill bit length	165 mm
Drilling diameter	4-12 mm
Weight	1.1 kg

*This is not Tool, It is Dust Extractor
which fits into GBH 185 Li for dust free drilling.

Scope of supply:
Carton box

MRP: ₹8,000



ROTARY HAMMER 4 KG

GBH 18V-34 CF (Solo) Professional



Technical Specifications

HSN code	84672100
Part no.	0611914082
Battery voltage	18V
Max. impact energy	5.8 J
Rated speed	0-500 rpm
Impact rate at rated speed	0-2,900 bpm
Max. drilling diameter in metal	13 mm
Max. drilling diameter in wood	40 mm
Max drilling diameter in concrete	34 mm
Weight (w/o battery)	4.9 kg

Scope of supply:
*Battery & charger not included, **MRP: ₹84,300**
Carry case



SMALL ANGLE GRINDER

GWS 18V-10 (100 mm) Kit Professional



Technical Specifications

HSN code	84672900
Part no.	06019J40F0
Battery voltage	18V
Grinding spindle thread	M10
No-load speed	9,000 rpm
correct weight	2.1 kg
Disc. diameter	100 mm

Scope of supply:
2 x 5.0 Ah Li-ion Batteries, 1 Charger, Handle
keyless Protection guard
clamping unit, Carry case

MRP: ₹47,700



SMALL ANGLE GRINDER

GWS 180-LI (100 mm) Kit Professional



Technical Specifications

HSN code	84672900
Part no.	06019H90F0
Battery voltage	18V
No-load speed	(15t/2") 11,000 rpm
Spindle size	M10
Disc diameter	100 mm
Grip size front/back	185/156
Weight w/o battery	1.4 kg
Weight w/o 4.0 battery	2.0 kg

Scope of supply:

Standard auxiliary handle, keyless Protection guard, clamping nut, Back flange, Tom hole spanner, 2 x 4.0 Ah Li-ion Batteries, GAL 18V-40 charger x 1,

MRP: ₹39,500



1

CORDLESS

SMALL ANGLE GRINDER

GWS 180-LI (Solo)(100 mm) Professional



Technical Specifications

HSN code	84672900
Part no.	06019H90K0
Battery voltage	18V
No-load speed (1st/2nd)	11,000 rpm
Spindle size	M10
Disc diameter	100 mm
Grip size front/back	185/156
Weight w/o battery	1.4 kg
Weight w/o 4.0 battery	2.0 kg

Scope of supply:

*Battery and charger not included, Cardboard Box

MRP: ₹16,700



SMALL ANGLE GRINDER

GWX 180-LI (125 mm)(Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06019H91K0
Battery voltage	18V
No-load speed	11,000 rpm
Grinding/cutting disc, diameter	125 mm
Grinding spindle thread	M14
Weight excluding battery	1.6 kg

Scope of supply:

*Battery and charger not included, Cardboard box

MRP: ₹18,700



SMALL ANGLE GRINDER

GWS 18V-10 (125 mm)(Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06019J4002
Battery voltage	18V
No-load speed	9,000 rpm
Grinding/cutting disc, diameter	125 mm
Grinding spindle thread	M14
Weight excluding battery	2.1 kg





Scope of supply:

Cardboard box,
*Battery and charger not included

MRP: ₹21,800



Improved pruning efficiency, with the pull of a trigger!

-  *Sharp and durable blades which always cut cleanly.*
-  *Easy and safe to use with double safety switch.*
-  *4500 cuts from just 1 hour of fast charging.*
-  *Portable and lightweight for continuous use.*



BLOWER

GBL 18V-120 (Solo) Professional

1



Technical Specifications

HSN code	84145920
Part no.	06019F51L0
Battery voltage	18V
Max. air speed	75 m/s
Max. airflow	120 m ³ /h
No-load speed	17,000 rpm
Weight excluding battery	1.1 kg

Scope of supply:
4x Accessories (Nozzle, Extension tube, Deep hole nozzle, Dust collection tube), Carton box
MRP: ₹9,900
*Battery and charger not included



CORDLESS

CIRCULAR SAW

GKS 185-LI (Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06016C12L1
Voltage	18V
Blade size/bore size	165/20 mm
No-load speed	5,000 rpm
Cutting depth, 90°/45°	57/41mm
Weight w/o battery	2.8 kg
Bevel capacity max.	50°

Scope of supply:
1x circular saw blade 165x 1.5/1.0x 20 mm,
1x parallel guide, Carton box
MRP: ₹19,800
*Battery and charger not included



PLANNER TOOL

New! GHO 185-LI (Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06015B5080
Battery voltage	18V
No-load speed	14,000 rpm
Planing depth	2.6 mm
Planing width	82 mm
Rebating depth	9 mm
Double chipping	Yes
Weight excl. battery	2.4 kg

Scope of supply:
2 Nos Planner Blade & Carton Box
MRP: ₹16,900



RIVET GUN

GRG 18V-16 C (Solo) Professional



Technical Specifications

HSN code	84672200
Part no.	06019K5080
Battery voltage	18V
Motor	Brushless
Pulling force	16,000 N
Stroke length	25 mm
Rivet diameter	3.0-6.4 mm
Weight excl. battery	1.6 kg
Scope of supply:	
	4 pcs Nose piece
	12mm Wrench, Belt clip,
	HMI Connectivity
	*Battery and charger not included

MRP: ₹78,800



ALL PURPOSE/RECIPSAW

GSA 18V-LI Compact (Solo) Professional



Technical Specifications

HSN code	84672200
Part no.	06016A5080
Battery voltage	18V
Cutting depth in wood	200 mm
Stroke lengths	21 mm
Cutting depth in metal profiles and metal pipes	100 mm
Stroke rate (1 st gear/2 nd gear)	0-3,050 spm
Weight	2 kg

Scope of supply:

*Battery and charger not included
Cardboard box, Inlay for L-BOXX 136,
1 x reciprocating saw blade S 922 AF,
1 x reciprocating saw blade S 922 EF,
1 x reciprocating saw blade S 922 HF

MRP: ₹28,500



ALL PURPOSE/RECIPSAW

GSA 18V-32 (Solo) Professional



*Product available till stocks last



Technical Specifications

HSN code	84672200
Part no.	06016A8108
Battery Voltage	18V
Cutting depth in wood	230 mm
Stroke lengths	32 mm
Cutting depth in metal profiles and metal pipes	175 mm
Stroke rate (1 st gear/2 nd gear)	0-2,500 spm
Weight excl. battery	3.5 kg

Scope of supply:

*Battery and charger not included
Cardboard box,
1 x reciprocating saw blade S 1110 VF

MRP: ₹65,500



ALL PURPOSE/RECIPSAW

New! GSA 185-LI (Solo) Professional



Technical Specifications

HSN code	84672200
Part no.	06016C00L0
Voltage	18V
No-load stroke rate	0-2,900 min ⁻¹
Stroke length	28 mm
Dimensions (LxWxH)	450 x 96 x 170
Weight w/o battery	2 kg
Cutting depth (wood)	230 mm

Scope of supply:

*Battery and charger not included
1x S 123 x "Progressor for wood"
1x S 2345 x "Progressor for metal"
Carton Box

MRP: ₹21,500



RANDOM ORBIT SANDER

GEX 185-LI (Solo) Professional

1

CORDLESS



Technical Specifications

HSN code	84672900
Part no.	06013A5080
Battery voltage	18V
No-load speed	6,000-10,000
Sanding sheet diameter	125 mm
Height	135 mm
Sanding stroke	2.5 mm
Vibration	2.2 m/s ²
Weight	0.93 kg

Scope of supply:
1x Dust Bag,
*Battery charger not included

MRP: ₹10,500



SCREWDRIVER

GTB 185-LI (Solo) Professional




Technical Specifications

HSN code	84672900
Part no.	06019K70L1
Battery voltage	18V
No-load speed	0-4,500
Soft torque	5.2 Nm
Weight (w/o batt w/2.0Ah batt)	0.95 1.3 kg
Dimension (L/W/H)	261/56/222

Scope of supply:
Cardboard box
1x screwdriver bit PH 2,
1x belt clip, 1x bit holder,
*Battery charger not included

MRP: ₹14,300



JIGSAW

GST 185-LI (Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06015B30L3
Battery voltage	18V
Stroke length	26 mm
Cutting depth	125 mm
Bladeholder	SDS
LED	Yes
Weight (w/4.0 Ah battery)	2.6 kg
Chuck Size	13 mm

Scope of supply:
1x jigsaw blade T 144 D,
Speed for Wood,
*Battery charger not included

MRP: ₹15,700



VACUUM CLEANER

GAS 18V-1 (Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06019C62L0
Battery voltage	18V
Weight excl. battery	1.3 kg
Container volume	0.7 l
Filter surface area	55 cm ²
Max. airflow rate (turbine)	10 l/s
Max. vacuum pressure (turbine)	60 mbar

Scope of supply:
1x Floor nozzle, 1x Flexible extension tube,
1x Crevice nozzle and
2x Suction tubes,
*Battery charger not included

MRP: ₹10,000



BATTERY/CHARGERS



BATTERY

GBA 12V 2.0 Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A00F6X
Battery voltage	12V
Battery capacity	2.0 Ah ^o
Weight	0.18 kg

Suitable for

- 10.8V
 - 12.0V
- Bosch cordless tools range
(Tubular battery version)

MRP: ₹3,900

BATTERY

GBA 18V 2.0 Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A001CG
Battery voltage	18V
Battery capacity	2.0 Ah
Weight	0.35 kg

Suitable for

- All 18V
- Bosch cordless tools range

MRP: ₹6,300

BATTERY

GBA 18V 4.0 Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A00163
Battery voltage	18V
Battery capacity	4.0 Ah
Weight	0.6 kg

Suitable for

- All 18V
- Bosch cordless tools range

MRP: ₹9,600

BATTERY

New! GBA 18V 5.0 Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A001Z9
Battery voltage	18V
Battery capacity	5.0 Ah
Weight	0.62 kg

Suitable for

- All 18V
- Bosch cordless tools range

MRP: ₹10,200

BATTERY

New! ProCORE 18V 4.0 Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A0193L
Battery voltage	18V
Battery capacity	4.0 Ah
Weight	0.51 kg

Suitable for

- All 18V
- Bosch cordless tools range

MRP: ₹12,000

BATTERY

ProCORE 18V 8.0 Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A0193N
Battery voltage	18V
Battery capacity	8.0 Ah
Weight	0.95 kg

MRP: ₹22,300

Suitable for

- All 18V

Bosch cordless tools range

CHARGER

New! GAL 12V-20 Professional



Technical Specifications

HSN code	85044030
Part no.	1600A021L7
Charge current	2 A
Charging time min.	24 min
Input voltage	230V
Model	Li-Ion quick charger
Weight, approx.	0.4 kg

MRP: ₹3,275

Suitable for charging of

10.8V

12.0V

Bosch tubular batteries

CHARGER

GAL 12V-40 Professional



Technical Specifications

HSN code	85044030
Part no.	1600A022V0
Charge current	4 A
Charging time min.	24 min
Input voltage	230V
Model	Li-Ion quick charger
Weight, approx.	0.4 kg

MRP: ₹3,600

Suitable for charging of

- 10.8V

- 12.0V

Bosch tubular batteries

CHARGER

GAL 18V-40 Professional



Technical Specifications

HSN code	85044030
Part no.	1600A022V1
Battery charging voltage	14.4-18V
Charge current	4 A
Charging time min.	36 min
Model	Li-Ion quick charger
Weight, approx.	0.55 kg

MRP: ₹4,600

Suitable for charging of

- 14.4V

- 18.0V

STARTER KITS

GAL 12V-40 + 2x GBA 12V 2.0Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A022V3
Battery 1 capacity	2.0 Ah
Battery voltage	12V
Battery 1 weight	0.185 kg
Cell type	Li-Ion
Battery charging voltage	12V
Charge current	4 A
Charge time at bat. cap.	24/35 min
2.0 Ah(80%/100%)approx.	
Charger weight	0.45 kg

MRP: ₹10,100

Suitable for charging of

- 12.0V

Bosch tubular batteries

STARTER KITS

GAL 18V-40 + 2x GBA 18V 2.0Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A022V4
Battery 1 capacity	2.0 Ah
Battery voltage	18V
Battery 1 weight	0.35 kg
Cell type	Li-Ion
Battery charging voltage	14.4- 18V
Charge current	4A
Charge time at bat. cap. 2.0 Ah (80%/100%) approx.	24/35 min
Charger weight	0.55 kg

MRP: ₹16,900

Suitable for charging of

- 18.0V

STARTER KITS

GAL 18V-40 + 2x GBA 18V 4.0Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A022V2
Battery 1 capacity	4.0 Ah
Battery voltage	18V
Battery 1 weight	0.6 kg
Cell type	Li-Ion
Battery charging voltage	14.4-18V
Charge current	4A
Charge time at bat. cap. 4.0 Ah (80%/100%) approx.	48/65 min
Charger weight	0.55 kg

MRP: ₹23,300

Suitable for charging of

- 18.0V

PRO CORE 18V MAXIMUM PERFORMANCE AND RUN-TIME WITH FLEXIBLE POWER SYSTEM

Available in THREE CLASSES

COMPACT



PERFORMANCE



ENDURANCE



FLEXIBLE POWER SYSTEM:

100% COMPATIBLE

WITH ALL BOSCH PROFESSIONAL 18 V TOOLS

87%

More Power

30%

Faster Material Removal

DEMOLITION HAMMERS



DEMOLITION HAMMER >5 KG

GSH 500 Hex Professional

3



Technical Specifications

HSN code	84672100
Part no.	06113386F1
Input power	1,100 W
Impact rate at rated speed	2,900 bpm
Impact energy	7.8 J
Tool holder	17 Hex mm
Side handle	Straight handle
Weight	5.6 kg

Scope of supply:
Auxiliary handle,
2 Chisel, Carry case

MRP: ₹28,300



DEMOLITION HAMMER >5 KG

GSH 500 MAX Professional



Technical Specifications

HSN code	84672100
Part no.	06113387F0
Input power	1,100 W
Impact rate at rated speed	2,900 bpm
Impact energy	7.8 J
Tool holder	SDS MAX
Side handle	Straight handle
Weight	5.7 kg

Scope of supply:
Auxiliary handle,
1 Chisel, Carry case

MRP: ₹36,000



DEMOLITION HAMMER >5 KG

GSH 5 Professional



Technical Specifications

HSN code	84672100
Part no.	06113370F0
Rated power input	1,100 W
Impact energy	7.5 J
Rated speed	2,850 bpm
Weight without cable	5.6 kg

*with vario lock feature for chisel adjustment

Scope of supply:
Pointed chisel, Carry case,
Cleaning cloth, Grease tube,
Straight handle

MRP: ₹49,500



*Product available till stocks last



DEMOLITION HAMMER <11 KG

GSH 11 E Promo Professional



Technical Specifications

HSN code	84672100
Part no.	06113168F2
Power input	1,500 W
Impact rate	900-1,890 bpm
Impact energy	16.8 J
Weight	10.1 kg

Scope of supply:
Auxiliary handle, Carry case,
Grease tube, 1 Nos R-Tech pointed chisel,
1 Nos R-Tech Flat Chisel

MRP: ₹63,100



DEMOLITION
HAMMERS

DEMOLITION HAMMER > 11 KG

GSH 11 VC Professional



HEAVY DUTY



Technical Specifications

HSN code	84672100
Part no.	06113360FO
Power input	1,700 W
Impact energy	23 J
Impact rate at rated speed	900-1,700 bpm
Weight without cable	11.4 kg

Scope of supply:
Auxiliary handle, carrying case,
Grease tube, machine cloth,
Pointed chisel

MRP: ₹1,10,300



DEMOLITION HAMMER > 14 KG

New Launch! GSH 14 C Professional



HEAVY DUTY



Technical Specifications

HSN code	84672100
Part no.	06113440FO
Power input	1,750 W
Impact rated at rate speed	1,900 Bpm
Impact energy (EPTA)	28 J
Width x length x height	140 x 750 x 280
Weight	14.6 kg
Tool holder	22 mm HEX

Scope of supply:
1 x Pointed chisel,
1 x Grease tube,
1 x Cleaning cloth,
1 x Auxiliary handle and carrying case

MRP: ₹1,04,400



DEMOLITION HAMMER > 16 KG

GSH 16-30 Professional



HEAVY DUTY



Technical Specifications

HSN code	84672100
Part no.	06113351FO
Power input	1,750 W
Impact rate	1,300 Bpm
Impact energy	41 J
Weight	16.9 kg
Tool holder	30 mm HEX

Scope of supply:
Carrying handle, Trolley,
Grease tube, Machine cloth,
Pointed chisel

MRP: ₹1,54,600



DEMOLITION HAMMER > 27 KG

GSH 27 VC Professional



HEAVY DUTY



Technical Specifications

HSN code	84672100
Part no.	061130A0FO
Rated power input	2,000 W
Impact energy	62 J
Impact rate at rated speed	1,000 bpm
Weight	29.5 Kg
Tool holder	28 mm HEX

Scope of supply:
Carton Box

MRP: ₹3,06,900



DEMOLITION
HAMMERS



ROTARY HAMMERS

ROTARY HAMMERS



ROTARY HAMMER 1-2 KG



Technical Specifications

HSN code	84672100
Part no.	06112A60F0
Rated input power	720 W
Impact energy	2 J
Impact rate at rated speed	0-4,800 bpm
Drilling diameter concrete, hammer drill bits	4-22 mm
Max. drilling diameter in (metal/wood/concrete)	13/30/22 mm
Tool holder	SDS Plus
Weight	2.3 kg

Scope Of Supply: Carrying Case **MRP: ₹11,100**

GBH 220 Professional



ROTARY HAMMER 1-2 KG



Technical Specifications

HSN code	84672100
Part no.	06112721F1
Power input	790 W
Impact energy	2.7 J
Drilling capacity	24 mm
Max. drilling diameter in (metal/wood/concrete)	13/30/24 mm
No-load speed	1,300 rpm
Impact rate	4,200 bpm
Weight	2.8 kg

Scope of supply: Carry case **MRP: ₹17,200**

GBH 2-24 DRE Professional



ROTARY HAMMER 1-2 KG



Technical Specifications

HSN code	84672100
Part no.	0611251755
Drilling diameter in concrete	4-26 mm
Drilling diameter in steel	13 mm
Drilling diameter in wood	30 mm
Core bits masonry	68 mm
Power input	800 W
No-load speed	0-900 rpm
Single impact energy	0-3 J
Weight	2.7 kg

Scope of supply: Auxiliary handle, Depth gauge, Carry case **MRP: ₹21,200**

GBH 2-26 RE Professional



ROTARY HAMMER 1-2 KG



Technical Specifications

HSN code	84672100
Part no.	06112537F0
Drilling diameter in concrete	4-26 mm
Drilling diameter in steel	13 mm
Drilling diameter in wood	30 mm
Core bits masonry	68 mm
Power input	800 W
No-load speed	0-900 rpm
Single impact energy	2.7 J
Weight	2.7 kg

Scope of supply: Drill Chuck + SDS plus Adapter, Carry case **MRP: ₹22,900**

GBH 2-26 DRE + DRILL CHUCK Professional



ROTARY HAMMER 1-2 KG

GBH 2-28 DV Professional



Technical Specifications

HSN code	84672100
Part no.	06112671F0
Drilling diameter in concrete	4-28 mm
Drilling diameter in steel	13 mm
Drilling diameter in wood	30 mm
Core diameter masonry	68 mm
Rated power input	850 W
No-load speed	0-1,300 rpm
Impact rate at rated speed	0-5,100 bpm
Impact energy	0-3.2 J
Weight	2.9 kg

Scope of supply:
Auxiliary handle, Depth gauge,
Carry case

MRP: ₹25,800



ROTARY HAMMER 4 KG

GBH 4-32 DFR Professional



Technical Specifications

HSN code	84672100
Part no.	06113321F0
Drilling diameter in concrete	6-32 mm
Drilling diameter in steel	13 mm
Drilling diameter in wood	32 mm
Power input	900 W
No-load speed	0-800 rpm
Impact rate	0-3,600 bpm
Impact energy	4.2 J
Weight	4.7 kg

Scope of supply:
Auxiliary handle, Carry case,
Depth stop,
SDS-plus quick-change chuck

MRP: ₹49,900



ROTARY HAMMER 5 KG AND MORE

GBH 5-40 D Professional



Technical Specifications

HSN code	84672100
Part no.	06112690F0
Drilling diameter in concrete	12-40 mm
Rated power input	1,100 W
Impact energy	8.5 J
Impact rate at rated speed	1,500-2,900 bpm
Rated speed	170-340 rpm
No-load Speed	0-760 rpm
Weight	6.8 kg

Scope of supply:
Carrying cases, Cleaning cloth,
Grease tube, Auxiliary handle

MRP: ₹65,300



ROTARY HAMMER 8 KG


GBH 8-45 DV Professional

4



Technical Specifications

HSN code	84672100
Part no.	06112650F0
Rated power input	1,500 W
Impact energy	12.5 J
Impact rate at rated speed	1,380-2,760 bpm
Rated speed	0-305 rpm
Drilling diameter concrete, Hammer drill bits	12-45 mm
Optimum range of applications in concrete with hammer drill bits	20-40 mm
Drilling diameter in concrete with breakthrough drill bits	80 mm
Weight without cable	8.9 kg



Scope of supply:
Grease tube, Cleaning cloth
Carrying case

MRP: ₹1,18,300


ROTARY HAMMER 12 KG

GBH 12-52 DV Professional



Technical Specifications

HSN code	84672100
Part No.	06112660F0
Input Power	1,700 W
Max. Impact Energy	19 J
Impact rate at rated speed	1,750-2,150 bpm
Rated Speed	0-220 rpm
Drilling diameter in concrete With hammer drill bits	12-52mm
Weight	11.9 kg




Scope of supply:
Carrying case, Grease tube,
Machine cloth,
Auxiliary handle

MRP: ₹1,41,400



DIAMOND/STONE CUTTER

DIAMOND
TECHNOLOGY



DIAMOND/STONE CUTTER

GDC 120 Professional

5



*Product available till stocks last



Technical Specifications

HSN Code	84672900
Part No.	06013930F1
Rated Power Input	1,200 W
No-load Speed	12,000 rpm
Tool Blade	4 Inch
Cutting Depth (At 90°)	34 mm
Cord Length	1.5 m
Net Weight	2.8 kg

Scope of supply:

1x Hex key,
1x Hexagon socket wrench,
Cardboard box

MRP: ₹6,300



DIAMOND/STONE CUTTER

New! GDC 141 Professional



Technical Specifications

HSN Code	84672900
Part no.	06013A41F0
Rated Power Input	1,450 W
No-load Speed	12,000 rpm
Max. Cutting Disc Diameter	125 mm
Max. Cutting Depth	40 mm
Weight	3 kg

Scope of supply:

1x Hex key, 1x Hexagon socket wrench,
Cardboard box

MRP: ₹7,600



DIAMOND/STONE CUTTER

GDC 140 Professional



Technical Specifications

HSN Code	84672900
Part no.	06013A40F1
Rated Power Input	1,400 W
No-load Speed	12,000 rpm
Max. Cutting Disc Diameter	115 mm
Max. Cutting Depth	35 mm
Weight	3 kg

Scope of supply:

1x Hex key, 1x Hexagon socket wrench,
Cardboard box

MRP: ₹6,500



**DIAMOND
TECHNOLOGY**

ANGLE GRINDERS

ANGLE GRINDERS



SMALL ANGLE GRINDER 4"



Technical Specifications

HSN code	84672900
Part no.	060137505F
Power input	670 W
No-load speed	11,000 rpm
Grinding spindle thread	M10
Disc diameter	100 mm
Weight	2.8 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹4,100

GWS 600 Professional



SMALL ANGLE GRINDER 4"



Back Switch



Technical Specifications

HSN code	84672900
Part no.	06013943F0
Power input	800 W
Disc diameter	100 mm
No-load speed	11,000 rpm
Spindle diameter	M10
Weight	1.7 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange,

MRP: ₹5,500

GWS 800 Professional



SMALL ANGLE GRINDER 4"

New! GWS 800 Promo Professional



Back Switch



Technical Specifications

HSN code	84672900
Part no.	06013943F2
Power input	800 W
Disc diameter	100 mm
No-load speed	11,000 rpm
Spindle diameter	M10
Weight	1.7 kg


Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange,
2 Cutting & 1 Grinding Wheel

MRP: ₹5,500



SMALL ANGLE GRINDER 4"

GWS 750-100 Professional



Technical Specifications

HSN code	84672900
Part no.	06013940F3
Power input	750 W
Disc diameter	100 mm
No-load speed	11,000 rpm
Spindle diameter	M10
Weight	1.8 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹5,600



SMALL ANGLE GRINDER 4"

GWS 900-100 Professional



Technical Specifications

HSN code	84672900
Part no.	06013960F1
Rated power input	900 W
Disc diameter	100 mm
No-load speed	11,000 rpm
Spindle diameter	M10
Weight	1.9 kg

Scope of supply:

Wrench, Protective guard,
Auxiliary handle

MRP: ₹6,900



SMALL ANGLE GRINDER 5"

GWS 6-125 Professional



Technical Specifications

HSN code	84672900
Part no.	060137515A
Rated power input	670 W
No-load speed	11,000 rpm
Grinding spindle thread	M14
Disc diameter	125 mm
Weight without cable	1.9 kg

Scope of supply:

Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹6,100



SMALL ANGLE GRINDER 5"

GWS 900-125 S Professional



Technical Specifications

HSN code	84672900
Part no.	06013961F0
Rated input power	900 W
No-load speed	2,800-11,000 rpm
Disc diameter	125 mm
Grinding spindle thread	M14
Weight	1.9 kg

Scope of supply:

Wrench,
Protective guard,
Auxiliary handle

MRP: ₹9,000



SMALL ANGLE GRINDER 5"

New! GWS 12-125 S Professional



Technical Specifications

HSN code	84672900
Part no.	06013A60F0
Rated input power	1,200 W
No-load speed	2,800-11,000 rpm
Grinding spindle thread	M14
Disc diameter	125 mm
Weight	2.2 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹10,400



SMALL ANGLE GRINDER 5"

GWS 14-125 CI Professional




Technical Specifications

HSN code	84672900
Part no.	06018242F1
Power input	1,400 W
No-load speed	11,000 rpm
Grinding spindle thread	M14
Disc diameter	125 mm
Weight without cable	2.2 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹13,000



SMALL ANGLE GRINDER 5"

GWS 18-125 L Professional



Technical Specifications

HSN code	84672900
Part no.	06017A30F1
Power input	1,800 W
No-load speed	11,500 rpm
Grinding spindle thread	M14
Disc diameter	125 mm
Weight without cable	2.5 kg

Scope of supply:
Wrench, Protective guard,
Auxiliary handle

MRP: ₹22,900



ANGLE GRINDER with X-LOCK

GWX 17-125 S Professional



Technical Specifications

HSN code	84672900
Part no.	06017C40F2
Power input	1,700 W
No-load speed	2,800-11,500 rpm
Disc diameter	125 mm
Wire cup brush, diameter	75 mm
Weight	2.5 kg

Scope of supply:
Wrench, Protective guard,
Auxiliary handle

MRP: ₹23,300



CYCLON TECH

CYCLON
TECH



- **RESTART PROTECTION**
Prevents accidental restarts
- **OVERLOAD PROTECTION**
Prevents motor burnout
Under extended overload conditions

LARGE ANGLE GRINDER 7"

GWS 24-180 JZ Professional

6



Technical Specifications

HSN code	84672900
Part no.	06018C23F0
Power input	2,400 W
No-load speed	8,500 rpm
Disc diameter	180 mm
Grinding spindle thread	M14
Weight	5.8 kg

Scope of supply:

Two-hole spanner, Backing flange, Locking nut, Cardboard box, Protective cover, Auxiliary handle

MRP: ₹20,400



LARGE ANGLE GRINDER 7"

GWS 30-180 B Professional



Technical Specifications

HSN code	84672900
Part no.	06018G00F0
Power input	2,800 W
No-load speed	8,500 rpm
Disc diameter	180 mm
Grinding spindle thread	M14
Weight	5.7 kg

Scope of supply:

Two-hole spanner, Backing flange, Locking nut, Cardboard box, Protective cover, Auxiliary handle

MRP: ₹39,200



LARGE ANGLE GRINDER 9"

GWS 2200-230 Professional



Technical Specifications

HSN code	84672900
Part no.	06018C10F0
Rated power input	2,200 W
No-Load speed	6,500 rpm
Grinding spindle	M14
Disc diameter	230 mm
Weight	5.2 kg

Scope of supply:

Auxiliary handle, Guard, Round nut, Pin spanner, Clamping flange

MRP: ₹15,300



LARGE ANGLE GRINDER 9"

GWS 30-230 B Professional



Technical Specifications

HSN code	84672900
Part no.	06018G10F0
Power input	2,800 W
No-load speed	6,500 rpm
Grinding spindle thread	M14
Disc diameter	230 mm
Weight without cable	5.9 kg

Scope of supply:

Auxiliary Handle, Guard, Round nut, Pin Spanner, Clamping Flange

MRP: ₹42,300



ANGLE GRINDERS

LARGE ANGLE GRINDER 7"

GWS 24-180 Professional



Technical Specifications

HSN code	84672900
Part no.	06018C20F0
Power input	2,400 W
No-load speed	8,500 rpm
Grinding spindle thread	M14
Disc diameter	180 mm
Weight without cable	5.7 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹19,900



LARGE ANGLE GRINDER 7"

GWS 2200-180 Professional



Technical Specifications

HSN code	84672900
Part no.	06018C00F0
Rated power input	2,200 W
No-Load speed	8,500 rpm
Grinding spindle	M14
Disc diameter	180 mm
Weight	5.2 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹14,000



LARGE ANGLE GRINDER 9"

GWS 24-230 Professional



Technical Specifications

HSN code	84672900
Part no.	06018C30F0
Power input	2,400 W
No-load speed	6,500 rpm
Grinding spindle thread	M14
Disc diameter	230 mm
Weight without cable	5.8 kg

Scope of supply:
Auxiliary Handle, Guard,
Round nut, Pin Spanner,
Clamping Flange

MRP: ₹21,800



LARGE ANGLE GRINDER 9"

GWS 24-230 JZ Professional




Technical Specifications

HSN code	84672900
Part no.	06018C33F0
Power input	2,400 W
No-load speed	6,500 rpm
Grinding spindle thread	M14
Disc diameter	230 mm
Weight	6 Kg

Scope of supply:
Two-hole spanner, Backing flange,
Locking nut, Cardboard box,
Protective cover,
Auxiliary handle

MRP: ₹22,300





SPECIALITY TOOLS



AAC BLOCK CUTTER

New! GAC 250 Professional

7



Technical Specifications

HSN Code	84672200
Part No.	06012B60F0
Power Input	1,200 W
No-load chain speed	max. 12 m/s
Chain bar length	335 mm
Max. cutting capacity	250 mm
Tool weight	4.7 kg

Scope of supply:

- Carton box
- 1x Guide rail,
- 1x Saw chain,
- 1x Sprocket wheel, Protective cover

MRP: ₹22,300



SPECIALITY TOOLS

BLOWER

GBL 620 Professional



*Product available till stocks last



Technical Specifications

HSN Code	84145920
Part No.	06019805F0
Power Input	620 W
No-load Speed	16,000 rpm
Volumetric Flow Rate	3.5 m ³ /min.
Standard Accessories	1 Nozzle
Weight Without Cable	1.7 kg

Scope of supply:

- 1x Nozzle

MRP: ₹5,000



BLOWER

New! GBL 650 Professional



Technical Specifications

HSN code	85081100
Part no.	06019M40F0
Input power	650 W
No-load Speed	16,000 rpm
Flow Rate	3.7 m ³ /min.
Weight	1.7 kg

Scope of supply:

- 1x Nozzle

MRP: ₹4,700



BLOWER

GBL 82-270 Professional



Technical Specifications

HSN code	85081100
Part no.	06019804F5
Input power	820 W
No-load Speed	16,000 rpm
Flow Rate	4.5 m ³ /min.
Weight	2.25 kg

Scope of supply:

- Deep Hole Nozzle
- Standard Nozzle
- Extension nozzle
- Flexible Connection
- Dust bag

MRP: ₹8,000



HEAT GUN



Technical Specifications

HSN code	84672900
Part no.	060194D0FO
Power input	1,800 W
Max. temperature	60/350/50° C
Air flow rate	350/350/550 lpm
Over-heat Protection	Yes
Weight	0.75 kg

Scope of supply: Hot Air Nozzle **MRP: ₹4,300**

GHG 180 Professional



HEAT GUN



Technical Specifications

HSN code	84672900
Part no.	06012A62FO
Power input	2,000 W
Temperature range	50-630°C
Adjustable temperature Steps	Yes
Air flow rate	150-500 litre/min.
Durability	600 h
Weight	0.65 kg

Scope of supply: Glass Protection Nozzle, Surface nozzle, welding shoe, Reduction nozzle, Reflector nozzle. **MRP: ₹12,100**

GHG 20-63 Professional



HEAT GUN




Technical Specifications

HSN code	84672900
Part no.	06012A64FO
Power input	2,000 W
Temperature max.	50-630°C
Adjustable temp steps	Yes
Air flow rate	~150/500 litre/min.
Infinitely variable airflow control	No
Durability	500-750 h
Weight	0.55 kg

Scope of supply: Carton Box **MRP: ₹13,700**

GHG 20-60 Professional



METAL SURFACE FINISH



Technical Specifications

HSN code	84672900
Part no.	06013A20FO
Power	950 W
Variable speed	600-2,100 rpm
Grinding spindle thread	M 14
Stick pad diameter	ø165 mm
Max. accessory diameter	180 mm
Weight	2.3 kg

Scope of supply: Sponge pad, Stick pad M14 & M16 adapter, Wrench, Auxiliary handle, Auxiliary plate **MRP: ₹12,900**

GPO 950 Professional



METAL SURFACE FINISH

GPO 12 CE (Promo) Professional



Technical Specifications

HSN code	84672900
Part no.	06013890F1
No-load speed	750-3,000 rpm
Grinding spindle thread	M 14
Rubber sanding plate	180 mm
Power input	1,250 W
Weight	2.5 kg

Scope of supply:
M14/M16 adapter,
Auxiliary handle, Spacer disc,
Auxiliary D-handle,
Wrench, Polishing pads

MRP: ₹20,700



RECIPSAW

GSA 120 Professional



Technical Specifications

HSN code	84672200
Part no.	06016B10F0
Power input	1,200 W
Stroke rate	0-3,000 per min.
Stroke length	29 mm
Blade change	SDS
Max. cutting depth in wood	220 mm
Max. cutting depth in metal	20 mm
Weight	3.7 kg

Scope of supply:
1 x reciprocating saw blade
S 1126 BEF, Allen key

MRP: ₹20,600



RECIPSAW

GSA 1300 PCE Professional




Technical Specifications

HSN code	84672200
Part no.	060164E2F0
Power input	1,300 W
Stroke rate at no load	0-2,900 spm
Stroke length	28 mm
Cutting depth in wood	220 mm
Cutting depth in metal	20 mm
Profiles and metal pipes	175 mm
Weight	4.1 kg

Scope of supply:
Carrying case,
1 x reciprocating saw blade S 2345 X,
1 x reciprocating saw blade S 123 XF

MRP: ₹27,600



DRYWALL SANDER

GTR 550 Professional



Technical Specifications

HSN code	84672900
4 Part no.	06017D40F0
Power input	550 W
No-load speed	340-910 rpm
Sanding pad diameter	215 mm
Sanding sheet diameter	225 mm
Weight	4.8 kg

Scope of supply:
Carry case, 1 x soft pad set,
1 x sanding sheet,
3 x cable clip

MRP: ₹40,300



VACUUM CLEANER



*Blowing Hose has to be purchased separately

Technical Specifications

HSN code	85081100
Part no.	06019E51F0
Power input	1,100 W
Container (gross/net)	15/8 L
Max. airflow	53 L/Sec
Max. vacuum pressure	270 mbar
Weight	6 kg

Scope of supply:

Crevice nozzle, Carton box, 3M anti-static hose, Elbow, Tubes (2pcs), Plastic bags, Floor nozzle set

MRP: ₹23,100

GAS 15 PS Professional



VACUUM CLEANER



*Blowing Hose has to be purchased separately

Technical Specifications

HSN code	85081100
Part no.	060197C0F0
Power input	1,250 W
Vacuum pressure	200 mbar
Air Flow	63 L/Sec
Dust tank capacity gross	25 L
Tank capacity net dry/wet	21/16 L
Main filter class	H13 HEPA
Weight	9 kg

Scope of supply:

3M Hose, Elbow, Crevice nozzle, Floor nozzle set, Adapter, Tubes (2 pcs), Plastic bags (5 pcs)

MRP: ₹27,100

GAS 12-25 Professional



VACUUM CLEANER



Technical Specifications


HSN code	85081100
Part no.	06019C30F0
Max. power input (Turbine)	1,200 W
Container volume, gross	35 L
Container volume, net	23 L
Container volume, net, water	19.2 L
Filter surface area	6,150 cm ²
Max. volume flow rate (Turbine)	74 L/sec
Max. vacuum pressure (Turbine)	254 mbar
Weight	11.6 kg

Scope of supply:

Brown box, Hose with BIA nozzle 3 m, 35 mm diameter, Elbow, Crevice nozzle, Floor nozzle set, Disposal bag, Tool sleeve, SFC+ module

MRP: ₹90,700

GAS 35 L SFC+ Professional



VACUUM CLEANER



Technical Specifications

HSN code	85081100
Part no.	06019M00F0
Max. power input (Turbine)	1,200 W
Container volume, gross	40 L
Container volume, net	28 L
Vacuum turbine (Kpa)	24
Airflow turbine (L/sec)	80
Speed Adjustment	Yes
HMI	Yes
Weight	14 kg

MRP: ₹X,XXX

COMING SOON New! GAS 400 Professional



VACUUM CLEANER



Technical Specifications

HSN code	85081100
Part no.	06019C33F0
Max. power input (Turbine)	1,200 W
Container volume, gross	55 L
Container volume, net	43 L
Container volume, net, water	40 L
Filter surface area	6.150 cm ²
Max. volume flow rate (Turbine)	74 L/sec
Max. vacuum pressure (Turbine)	254 mbar
Weight	16.2 kg

*Tool Socket for connecting Power Tools.
 Scope of supply:
 5 m anti-static hose, Elbow,
 Crevice nozzle, Floor nozzle set,
 Disposal bag, Tool sleeve

MRP: ₹1,38,500

GAS 55 M AFC Professional



SMALL ANGLE GRINDER - CONCRETE



Technical Specifications

HSN code	84672900
Part no.	06017760F0
Rated power input	1,500 W
No-load speed	9,300 rpm
Grinding spindle thread	M 14
Grinding head, diameter	125 mm
Weight	2.6 kg

*Tool comes with 1 No. Bosch Concrete grinding wheel

Scope of supply:
 Clamp key, Carry case,
 Diamond grinding head,
 3 x replacement brush rings

MRP: ₹85,200

GBR 15 CAG Professional



PAINT AND CEMENT PUTTY MIXER



Technical Specifications

HSN code	84798200
Part no.	06011C40F0
Power input	1,400W
No-load speed	480/750 rpm
Torque, max.	35/23 Nm
Tool holder	M14
Speed selection	2 speed
Soft start	Yes
Carbon brush	Yes
Weight	4.2 kg

Scope of supply:
 1 Carton box, 1 Sitrer

MRP: ₹10,700


New! GRW 140 Professional



ROTARY & IMPACT DRILLS

DRILLS

08



ROTARY DRILL

GBM 350 Professional




Technical Specifications

HSN code	84672100
Part no.	06011A95F1
Power input	350 W
No-load speed	0-2,000 rpm
Drilling capacity steel	10 mm
Drilling capacity wood	20 mm
Electronic switch	Yes
Reversible	Yes
Weight	1.2 kg
Scope of supply:	
Keyed chuck 10 mm	MRP: ₹3,600



ROTARY DRILL

GBM 13 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06014775F0
Power input	600 W
No-load speed	0-2,600 rpm
Chuck capacity	1.5-13 mm
Drilling diameter in steel	13 mm
Drilling diameter in aluminium	13 mm
Drilling diameter in wood	30 mm
Weight	1.7 kg
Scope of supply:	
Keyed chuck 13 mm	MRP: ₹7,400



ROTARY DRILL/STIRRER

GBM 1600 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06011B00F1
Power input	850 W
No-load speed	0-630 rpm
Rated torque	11 Nm
Lock-on button	Yes
Stirrer capacity	160 mm
Wood drilling	40 mm
Metal drilling	16 mm
Weight	3 kg
Scope of supply:	
Auxiliary handle	MRP: ₹17,500



ROTARY DRILL

GBM 50-2 Professional



Technical Specifications

HSN code	84672100
Part no.	06011B40F0
Power input	1,200 W
No-load speed	50-255/100-510 rpm
Annular cutter	Ø 50 mm
Max. twist drill	Ø 23 mm
Max. thread	M 16
Magnetic force	14,000 N
Weight	14.7 kg
Scope of supply:	
Carry case, MT2 drill drift, Hex key, Safety strap, Reduction sleeve, Pilot pin, Adapter for annular cutter, Cooling tank with hose, Cooling tank holder	MRP: ₹1,29,900



IMPACT DRILL



Technical Specifications

HSN code	84672100
Part no.	06012161FK
Input Power	450 W
Impact Rate	0-41,600 bpm
No-load speed	0-2,600 rpm
Max. drill capacity: masonry	10 mm
Max. drill capacity: steel	8 mm
Max. drill capacity: wood	20 mm
Weight	1.5 kg

MRP: ₹4,300

GSB 450 Professional



IMPACT DRILL



*Product available till stocks last



Technical Specifications


HSN code	84672100
Part no.	06011A03F0
Input power	500 W
No-load speed	0-2,600 rpm
Impact rate	0-25,700 bpm
Rated torque	1.5 Nm
Max. drill capacity: masonry	13 mm
Max. drill capacity: steel	10 mm
Max. drill capacity: wood	25 mm
Weight	1.5 kg

MRP: ₹4,800

GSB 501 Professional



IMPACT DRILL



Technical Specifications

HSN code	84672100
Part no.	06011A03F0
Rated input power	600 W
No-load speed	0-3000 rpm
Impact rate at no-load speed	0-48000 bpm
Chuck capacity	13 mm
Weight	1.7 kg
Rated torque	1.4 Nm

Scope of supply:
Auxiliary handle, Depth gauge, Keyed chuck 13 mm


MRP: ₹4,600

GSB 600 Professional



IMPACT DRILL

New! GSB 600 (100 Pcs Kit) Professional



Technical Specifications

HSN code	84672100
Part no.	06011A03F1
Rated input power	600 W
No-load speed	0-3000 rpm
Impact rate at no-load speed	0-48000 bpm
Chuck capacity	13 mm
Weight	1.7 kg
Rated torque	1.4 Nm

Scope of supply:
100 pcs accessory set

MRP: ₹9,350



IMPACT DRILL

New! GSB 600 Wrap Set Professional

8



Technical Specifications

HSN code	84672100
Part no.	06011A03F2
Rated input power	600 W
No-load speed	0-3000 rpm
Impact rate at no-load speed	0-48000 bpm
Chuck capacity	13 mm
Weight	1.7 kg
Rated torque	1.4 Nm

Scope of supply:
4 Pcs Concrete Drill Bits, **MRP: ₹7,000**
4 Pcs Metal Drill Bits, 10 Pcs Screw-driver Bits, 4 Pcs Wood Drill Bits




IMPACT DRILL

GSB 13 RE Professional



*Product available till stocks last



Technical Specifications


HSN code	84672100
Part no.	06012171F3
Rated input power	600 W
No-load speed	0-2,800 rpm
Impact rate at no-load speed	0-44,800 bpm
Chuck capacity	13 mm
Weight	1.8 kg
Rated torque	1.8 Nm

Scope of supply:
Auxiliary handle, **MRP: ₹12,300**
Depth gauge, Keyed chuck 13 mm



IMPACT DRILL

GSB 16 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06012281F0
Rated input power	750 W
No-load speed	0-3,250 rpm
Chuck capacity	13 mm
Impact rate at no-load speed	0-48,500 bpm
Weight	1.8 kg

Scope of supply:
Auxiliary handle, **MRP: ₹12,300**
Chuck key, Depth gauge



IMPACT DRILL

GSB 20-2 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06011A21F1
Power input	800 W
No-load speed (1/2" Gear)	1,100/3,000 rpm
Impact Rate	48,000 bpm
Max. drilling diameter (18/24 gear) Brickwork	20/16 mm
Steel	13/6 mm
Wood	40/25 mm
Weight	2.5 kg

Scope of supply:
Auxiliary handle, **MRP: ₹18,600**
Chuck key, Depth gauge



DRILLS

IMPACT DRILL

GSB 500 RE Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06012161F8
Power input	500 W
No-load speed, 1 st gear	0-2,600 rpm
Impact rate at no-load speed	0-41,600 bpm
Chuck capacity, min./max.	1.5-10 mm
Weight	1.5 kg

Scope of supply:
100 Pc Kit in carrying case
with drill machine

MRP: ₹8,800



IMPACT DRILL

GSB 10 RE Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06012161F4
Power input	500 W
No-load speed	0-2,600 rpm
Impact rate at no-load speed	0-41,600 bpm
Drilling diameter in masonry wall	10 mm
Drilling diameter in steel	8 mm
Drilling diameter in wood	20 mm
Chuck capacity	1-10 mm
Weight	1.5 kg

Scope of supply:
Keyed chuck 10 mm,
100 Pc Kit in carrying case
with drill machine

MRP: ₹8,800





CHOPSAWS



BENCH TOP CUT-OFF SAW

GCO 220 Professional



Technical Specifications

HSN code	84672200
Part no.	0601B373F0
Input power	2,200 W
No-load speed	3,800 rpm
Disc diameter	355 mm
Cutting capacity rectangle	100 x 196 mm
Cutting capacity square	119 x 119 mm
Cutting capacity round	129 x 129 mm
Cutting capacity L-profile	130 x 130 mm
Weight	14 kg

Scope of supply:
Cutting disc

MRP: ₹19,000



BENCH TOP CUT-OFF SAW

New! GCO 230 Professional



Technical Specifications

HSN code	84672200
Part no.	0601B560F0
Input power	2,300 W
No-load speed	4,100 rpm
Cutting capacity(L-profile)	137 mm
Cutting capacity(square bar)	120 x 120 mm
Cutting capacity(rectangle)	100 x 200 mm
Cutting capacity(L-profile)	137 mm
Weight	13.5 kg

Scope of supply:
Cutting disc

MRP: ₹20,300



BENCH TOP CUT-OFF SAW

GCO 14-24 Professional



Technical Specifications

HSN code	84672200
Part no.	0601B371F0
Input power	2,400 W
Cutting capacity rectangle	100 x 196 mm
Cutting capacity square	119 x 119 mm
Cutting capacity L-profile	130 x 130 mm
No-load speed	3,800 rpm
Disc diameter	355 mm
Weight	17 kg

Scope of supply:
Cutting disc

MRP: ₹23,100



BENCH TOP CUT-OFF SAW

GCO 14-24 J Professional



Technical Specifications

HSN code	84672200
Part no.	0601B372F0
Rated power input	2,400 W
No-load speed	3,800 rpm
Saw blade diameter	355 mm
Saw blade bore	25.4 mm
Cutting capacity at rectangle	100 x 196 mm
Cutting capacity at square	119 x 119 mm
Cutting capacity at L-profile	130 x 130 mm
Weight	18.1 kg

Scope of supply:
Cutting disc

MRP: ₹25,000



METALWORKING



STRAIGHT GRINDER

GGG 3000 L Professional



Technical Specifications

HSN code	84672900
Part no.	06012240F0
Power input	300 W
No-load speed	0-28,000 rpm
Collet chuck diameter max.	8 mm
Spindle collar diameter	41 mm
Weight without cable	1.4 kg

Scope of supply:
Collet chuck, Lock nut,
Spanner

MRP: ₹11,900



STRAIGHT GRINDER

GGG 28 LCE Professional



*Product available till stocks last



Technical Specifications

HSN code	84672900
Part no.	06012211F0
Power input	650 W
No-load speed	10,000-28,000 rpm
Tool holder Up to	8 mm
Weight without cable	1.6 kg

Scope of supply:
Clamping unit,
13 mm spanner,
19 mm spanner

MRP: ₹32,300



STRAIGHT GRINDER

New! GGG 30 LS Professional



Technical Specifications

HSN code	84672900
Part no.	06012B50F0
Power input	750 W
No-load speed	17,000-33,000 rpm
Collet diameter supplied	6 mm
Weight without cable	1.7 kg

Scope of supply:
Carton box, 1 x Wrench

MRP: ₹29,900



BT GRINDERS



Technical Specifications

HSN code	84672900
Part no.	060127A3FO
Power input	350 W
No load speed	3,000 rpm
Disc diameter	150 mm
Grinding disc width	20 mm
Grinding disc bore	20 mm
Weight	10 kg

Scope of supply:
Grinding wheel, Normal grit, Grit 24,
Grinding wheel, Normal grit, Grit 60

MRP: ₹15,000

GBG 35-15 Professional



BT GRINDERS



Technical Specifications

HSN code	84672900
Part no.	060127A4FO
Power input	600 W
No load speed	(50/60Hz) 3,600 rpm
Disc diameter	200 mm
Grinding disc width	25 mm
Grinding disc bore	32 mm
Weight	15 kg

Scope of supply:
Grinding wheel,
Normal grit, Grit 24,
Grinding wheel, Normal grit, Grit 60

MRP: ₹23,900

GBG 60-20 Professional



IMPACT WRENCH



Technical Specifications

HSN code	84672100
Part no.	06014351F3
Power input	920 W
Torque max. (hard/soft)	1,000/500 Nm
Rated speed	860 rpm
Tool holder	1" Sq. Drive
Bolt diameter Max.	M 30
Weight	7.3 kg

Scope of supply:
Auxiliary handle,
Hanging loop

MRP: ₹1,55,800

GDS 30 Professional





WOODWORKING

WOODWORKING



CIRCULAR SAW

New! GKS 130 Professional



Technical Specifications

HSN code	84672200
Part no.	06016C30F0
Power input	1,300 W
Blade diameter/bore size	184/20 mm
No-load speed	5,220-6,380 rpm
Max. depth of cut at	0° 64 +/-1
Cutting depth at	90° 64 mm
Cutting depth at	45° 45 mm
Weight	3.9kg

Scope of supply:

Parallel guide,
Circular saw blade, Allen key

MRP: ₹11,400



CIRCULAR SAW

GKS 190 Professional



Technical Specifications

HSN code	84672200
Part no.	06016230F1
Power input	1,400 W
No-load speed	5,200 rpm
Saw blade bore	20 mm
Saw blade diameter	184 mm
Cutting depth	(90°) 67 mm
Cutting depth	(45°) 48 mm
Weight without cable	4.1 kg

Scope of supply:

Parallel key WAF 5,
Parallel guide, Saw blade

MRP: ₹16,600



CIRCULAR SAW

GKS 235 Turbo Professional



Technical Specifications

HSN code	84672200
Part no.	06015A20F0
Power input	2,050 W
No-load speed	0-5,300 rpm
Saw blade bore	25 mm
Saw blade diameter	235 mm
Cutting depth	(90°) 85 mm
Cutting depth	(45°) 65 mm
Weight without cable	7.6 kg

Scope of supply:

Allen Key, Wrench,
Saw blades

MRP: ₹21,600



JIGSAW

GST 680 Professional



Technical Specifications

HSN code	84672200
Part no.	06015B40F0
Power input	500 W
Stroke rate at no load	800-3,100 spm
Cutting depth	68 mm
Weight	2.08 kg

Scope of supply:
1 Wood blade, 1 Allen key

MRP: ₹6,100



JIGSAW

GST 90 BE Professional



Technical Specifications

HSN code	84672200
Part no.	060158F0F0
Power input	650 W
No-load stroke rate	500-3,100 spm
Cable length	2.5 m
Cutting depth in wood	90 mm
Cutting depth in aluminium	20 mm
Cutting depth in non-alloyed steel	10 mm
Weight	2.6 kg

Scope of supply:
Dust extraction set,
Carry case, Hex key WAF 5,
Anti-splinter guard,
5 x jigsaw blade T 144 D

MRP: ₹22,100



TABLE SAW

GTS 254 Professional



Technical Specifications

HSN code	84672200
Part no.	0601B450F0
Cutting depth	0"/45" 80/55 mm
Rip cut capacity	545 mm
Power	1,800/15A
Saw blade diameter	254 mm
Overload/restart protection	Yes
Table size	55 x 555 mm
Weight with stand	11.1 kg

Scope of supply:
Wood disc, Metal stand

MRP: ₹41,200



COMPOUND MITRE SAW

New! GCM 254 Professional

11



*With Blade



Technical Specifications

HSN code	84672200
Part no.	0601B520F0
Power input	1,750 W
Cutting capacity, 0°	90 mm
Cutting capacity, 45° incline	130 mm
No-load speed	5,000 rpm
Saw blade diameter	255 mm
Saw blade bore	25.4 mm
Weight	11.5 kg

Scope of supply:
Allen key, Pro-Prevnes,
Wrench, Carton box

MRP: ₹31,500



PLANER

GHO 6500 Professional



Technical Specifications

HSN code	84672900
Part no.	06015960F0
Power input	650 W
No-load speed	16,500 rpm
Planing width	82 mm
Max. cutting depth	2.6 mm
Weight	2.8 kg

Scope of supply:
Allen key, Parallel guide,
Sharpening device for HSS blade,
Setting gauge for HSS blade

MRP: ₹12,100



PLANER

GHO 26-82 D Professional



Technical Specifications

HSN code	84672900
Part no.	06015A40F0
Power input	710 W
No-load speed	18,000 rpm
Recess	9 mm
Cutting width	82 mm
Max. cutting depth	2.6 mm
Weight	2.8 kg

Scope of supply:
Dust box, Parallel guide
Auxiliary blade

MRP: ₹16,900



PLANER

GHO 10-82 Professional



Technical Specifications

HSN code	84672900
Part no.	06015940F1
Power input	710 W
Adjustable rebating depth	0-9 mm
No-load speed	16,500 rpm
Cutting width	82 mm
Cutting depth max.	1mm
Weight without cable	2.5 kg

Scope of supply:
Guide bracket,
Single-ended open-jaw
spanner, Stop bracket

MRP: ₹13,400



RANDOM ORBITAL SANDER

New! GEX 125 Professional



Warranty

Technical Specifications

HSN code	84672900
Part no.	06013A80F0
Power input	290 W
Sanding pad diameter	125 mm
No-load speed	7,500-12,000 rpm
Orbital stroke rate	15,000-24,000 opm
Eccentricity	1.3 mm
Weight	1.4 kg

Scope of supply:
Dust box, Sanding disc

MRP: ₹7,100



RANDOM ORBITAL SANDER

GEX 125-1 AE Professional

HEAVY
DUTY

Warranty

Technical Specifications

HSN code	84672900
Part no.	06013875F2
Power input	250 W
Sanding pad diameter	125 mm
No-load speed	7,500-12,000 rpm
Orbital stroke rate	15,000-24,000 opm
Eccentricity	1.25 mm
Oscillating circuit diameter	2.5 mm
Weight	1.3 kg

Scope of supply:
Dust Box, Sanding disc

MRP: ₹11,100



RANDOM ORBITAL SANDER

GEX 34-150 Professional

HEAVY
DUTY

Warranty

Technical Specifications

HSN code	84672900
Part no.	06013728F0
Power input	340 W
No-load speed	4,500-12,000 rpm
Orbital stroke rate	9,000-24,000 opm
Orbit diameter	4 mm
Pad diameter	150 mm
Weight	2.4 Kg

Scope of supply:
Vac Adapter, Dust bag,
Medium Pad 150mm

MRP: ₹23,400





 Professional



DRYWALL SCREWDRIVER

GTB 650 Professional



Technical Specifications

HSN code	84672100
Part no.	06014A20F0
Power input	650 W
No-load speed	0-5,000 rpm
Torque, max.	12 Nm
Bit holder	1/4" internal hexagon
Weight	1.4 kg

Scope of supply:
Carry case

MRP: ₹13,400



STORAGE SOLUTIONS



STORAGE BOXES

i-BOXX 53



Technical Specifications

HSN code	39231090
Part number	1600A001RV
Material	Plastic
Application	For use with L-Boxx 3D
Weight	0.81 kg

Scope of supply:
Thin drawer for L-BOXX-3D

MRP: ₹3,100



STORAGE BOXES

i-BOXX 72




Technical Specifications

HSN code	39231090
Part number	1600A001RW
Material	Plastic
Application	For use with L-Boxx-3D
Weight	0.87 kg

Scope of supply:
Thin drawer for L-BOXX-3D

MRP: ₹3,000



STORAGE BOXES

L-BOXX 102 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012FZ
Material	ABS
Suitable for	All types of Power Tools
Weight	1.8 kg

MRP: ₹4,300



STORAGE BOXES

L-BOXX 136 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012G0
Material	ABS
Application	For use with L-Boxx-3D
Weight	2.2 kg

MRP: ₹4,400



STORAGE BOXES

L-BOXX 238 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012G2
Material	ABS
Weight	2.8 kg



MRP: ₹6,000



STORAGE BOXES

L-BOXX 374 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012G3
Material	ABS
Suitable for	All types of Power Tools
Weight	3.0 kg



MRP: ₹8,000



STORAGE BOXES

L-BOXX Mini 2.0 Professional



Technical Specifications

HSN code	39231090
Part number	1600A007SF
Material	PP
Maximum load	1.5 kg
Weight	0.3 kg



MRP: ₹1,400




STORAGE BOXES

L-BOXX 306 Professional



Technical Specifications

HSN code	39231090
Part number	1600A001RU
Material	ABS
Product Type	LS-BOXX Tool Storage
Weight	3.85 kg



MRP: ₹10,100



STORAGE BOXES

LT-BOXX 170 Professional



Technical Specifications

HSN code	39231090
Part number	1600A00222
Material	ABS
Weight	2.3 kg



MRP: ₹6,800

TOOL BAG

MEDIUM TOOL BAG - 48 x 28 x 30



Technical Specifications

HSN code	42021990
Part number	1600A003BJ
Length	480 mm
Width	300 mm
Height	280 mm
Weight	1.5 kg



MRP: ₹3,700

TOOL BAG

LARGE TOOL BAG - 55 x 35 x 35



Technical Specifications

HSN code	42021990
Part number	1600A003BK
Length	550 mm
Width	350 mm
Height	350 mm



MRP: ₹4,300



Symbols and their meaning.



Guide Rail
For precise cuts.



"Plus-clean" System
Electromagnetic filter cleaning for clean filter surfaces and lasting suction power.



Removable Cable



Handle



Carrying Case



Slim Grip
Slim Grip



Spindle Lock
Faster, easier disc tool changing.



High Torque



Adjustable Cutter Clearance
Screw to adjust the cutter clearance according to sheet thickness.



L-BOXX
Intelligent system for transport and storage.



2 in 1 Dual Tool Holder
Easily switch between screwdriving and bolting applications



Bosch SDS System
Fast, tool-free changing of application tools.



Bosch SDS-pro System
For fast, tool-free changing of grinding discs.



SDS-plus Tool Holder
Optimum power transfer. For Rotary Hammers in the 2Kg; 4kg class.



SDS-max Tool Holder
Optimum power transfer. For Rotary Hammers and Demolition Hammers from the 5kg class onwards.



Electronic
Speed preselection for adjusting to suit any application.



Constant Electronic
Power booster for heavy loads. Constant speed, even under load.



Torque Control
Torque preselection for uniform screwdriving of a large number of screws.



Anti-Rotation
Interruption of power transfer.



Overload Clutch



Forward/Reverse Rotation
For inserting and removing screws.



Lithium-ion Technology
No self-discharge. No memory effect.



Anti-rotation Protective Guard
Stands firm, even if the disc breaks.



Brake System
The brake reduces the run-out time of the disc by up to 80%.



Kick-Back Stop
More protection: the tool shuts down when jammed.



Restart Protection
Prevents the tool from automatically starting up after a power cut.



Dust Extraction
Directly into the integral dust bag on the machine and/or using an all-purpose dust extractor.



Direct Cooling
For high overload capability and a long service life.



Starting Current Limitation
For a safe start.



Saw Blade Pendulum Action
Adjustable 3-stage or 4-stage saw blade pendulum action.



INOX
For a perfect finish on stainless steel



Easy-Fit
A perfect fit for paper with hook and loop fastening and for rolls of paper.



Fine Depth Adjustment
Scale accurate to 1/10 mm for precise routing work.



Turbo Blower
Blower for optimum view of the cutting line.



Double Insulation



Speed



Light Weight



Auto-Lock
For fastest possible tool changes with one hand.



Turbo Power
More power for faster working.



Woodrazor
Extremely sharp blades and an exact fit.



Laser Class 3R
Laser class for various measuring tools.



Laser Class 2
Laser class for measuring tools.



Bosch Wood Protection System
For preventing damage.



Bosch Full Force Technology
For eliminating wasted power and space.



Vibration Control
Patented vibration damping system.

Part Number	Category	Model Number	HSN Code	MRP ₹
CORDLESS				
06019H21L1	Screwdriver	Bosch GO 2.0	84672900	5,600
06019H2181	Screwdriver	Bosch GO 2.0 Kit	84672900	6,100
06019H2181	Screwdriver	New! Bosch GO 3.0	84672900	6,100
06019G80F1	Drill Driver	GSR 120-Li (Single Battery)	84672100	7,900
06019G80F0	Drill Driver	GSR 120-Li Kit	84672100	12,600
06019G9082	Drill Driver	GSR 12V-30 (Solo)	84672100	10,900
06019J9180	Drill Driver	GSR 12V-35 HX (Solo)	84672100	12,500
06019F60F0	Drill Driver	GSR 12V-15 FC	84672100	28,300
06019F81F0	Drill Driver	(Till Stock last) GSR 180-Li	84672100	19,500
06019k31f2	Drill Driver	New! GSR 185-Li Kit	84672100	17,700
06019H5082	Drill Driver	GSR 18V-50 Solo	84672100	15,000
06019H50F0	Drill Driver	GSR 18V-50 Kit	84672100	28,300
06019G81F2	Impact Drill Driver	GSB 120-Li Kit	84672100	13,700
06019F83F0	Impact Drill Driver	GSB 180-Li	84672100	20,600
06019K31F2	Impact Drill Driver	New! GSB 185-Li Kit	84672100	19,800
06019J51L0	Drill Driver	GSB 18V-150 C (Solo)	84672100	30,900
06019F00F0	Impact Wrench	GDR 120-Li Kit	84672100	17,300
06019E00F6	Impact Wrench	GDR 12 V-EC	84672100	28,700
06019G51F0	Impact Wrench	GDR 180-Li	84672100	30,500
06019G42F0	Impact Wrench	GDX 18V-200 C	84672900	41,200
06019J23F0	Impact Wrench	GDS 18V-200	84672100	35,900
06019G61F0	Impact Wrench	GDS 250-Li	84672900	36,100
06019K00K1	Impact Wrench	GDS 18V-400 (Solo)	84672100	19,600
06019K00F0	Impact Wrench	GDS 18V-400	84672100	49,500
06019M1080	Impact Wrench	New! GDS 18V-1600 HC	84672900	41,000
06019J85F0	Impact Wrench	GDS 18V-1050 H	84672100	66,800
06019J85F0	Impact Wrench	New! GDS 18V-1050 H (Solo)	84672100	30,600
06119240F0	Rotary Hammers 1-2 Kg	New! GBH 185-Li	84672100	44,400
1600A02BWO	Integrated Dust Extractor	New! GDE 12	85081100	8,000
0611914082	Rotary Hammers 4 Kg	GBH 18V-34 CF (Solo)	84672100	84,300
06019C50K1	Rotary Tool	New! GRO 12V-35 (Solo)	84672900	8,700
06019J40F0	Small Angle Grinder	GWS 18V-10 (100 mm) Kit	84672900	47,700
06019H90F0	Small Angle Grinder	GWS 180-Li (100 mm) Kit	84672900	39,000
06019H90K0	Small Angle Grinder	GWS 180-Li (Solo) (100 mm)	84672900	16,700
06019H91K0	Small Angle Grinder	New! GWX 180-Li (Solo) (125mm)	84672900	18,700
06019J4002	Small Angle Grinder	GWS 18V-10 (125 mm) (Solo)	84672900	21,800
06019F51L0	Blower	GBL 18V-120 (Solo)	84145920	9,900
06015B5080	Planer	New! GHO 185-Li (Solo)	84672900	16,900
06019K10F1	Cutting	New! Pro Pruner	84672900	25,900
06016C12L1	Circular Saws	GKS 185-Li (Solo)	84672900	19,800
06019K5080	Rivet Gun	New! GRG 18V-16 C (Solo)	84672200	78,800
06016A5080	All Purpose/Recipsaw	GSA 18V-Li Compact (Solo)	84672200	28,500
06016A8108	All Purpose/Recipsaw	GSA 18V-32 (Solo)	84672200	65,500
06016C00L0	All Purpose/Recipsaw	New! GSA 185-Li (Solo)	84672200	21,500
06013A5080	Random Orbit Sander	GEX 185-Li (Solo)	84672900	10,500
06019K70L1	Drywall Screwdriver	GTB 185-Li (Solo)	84672900	14,300
06015B3 0L3	Jigsaw	GST 185-Li (Solo)	84672900	15,700
06019C62L0	Vacuum Cleaner	GAS 18V-1 (Solo)	84672900	10,000
BATTERY				
1600A00F6X	Battery	GBA 12V 2.0 Ah	85076000	3,900
1600A001CG	Battery	GBA 18V 2.0 Ah	85076000	6,300
1600A00163	Battery	GBA 18V 4.0 Ah	85076000	9,600
1600A001Z9	Battery	GBA 18V 5.0 Ah	85076000	10,200
1600A0193L	Battery	ProCORE 18V 4.0 Ah	85076000	12,000
1600A0193N	Battery	ProCORE 18V 8.0 Ah	85076000	22,300
1600A021L7	Charger	New! GAL 12V-20	85044030	3,275
1600A022V0	Charger	GAL 12V-40	85044030	3,600
1600A022V1	Charger	GAL 18V-40	85044030	4,600
1600A022V3	Starter Kits	GAL 12V-40 + 2x GBA 12V 2.0Ah	85076000	10,100
1600A022V4	Starter Kits	GAL 18V-40 + 2x GBA 18V 2.0Ah	85076000	16,900
1600A022V2	Starter Kits	GAL 18V-40 + 2x GBA 18V 4.0Ah	85076000	23,300

Part Number	Category	Model Number	HSN Code	MRP ₹
-------------	----------	--------------	----------	-------

DEMOLITION HAMMERS

06113386F1	Demolition Hammer<5 Kg	GSH 500 Hex	84672100	28,300
06113387F0	Demolition Hammer<5 Kg	GSH 500 MAX	84672100	36,000
06113370F0	Demolition Hammer<5 Kg	GSH 5	84672100	49,500
06113168F2	Demolition Hammer<11 Kg	GSH 11 E Promo	84672100	63,100
06113360F0	Demolition Hammer<11 Kg	GSH 11 VC	84672100	1,10,300
06113440F0	Demolition Hammer<14 Kg	New! GSH 14 C	84672100	1,04,400
06113351F0	Demolition Hammer>16 Kg	GSH 16-30	84672100	1,54,600
061130A0F0	Demolition Hammer>27 Kg	GSH 27 VC	84672100	3,06,900

ROTARY HAMMERS

06112A60F0	Rotary Hammer 1-2 Kg	New! GBH 220	84672100	11,100
06112721F1	Rotary Hammer 1-2 Kg	GBH 2-24 DRE	84672100	17,200
0611251755	Rotary Hammer 1-2 Kg	GBH 2-26 RE	84672100	21,200
06112537F0	Rotary Hammers 1-2 Kg	GBH 2-26 DRE + Drill Chuck	84672100	22,900
06112671F0	Rotary Hammers 1-2 Kg	GBH 2-28 DV	84672100	25,800
06113321F0	Rotary Hammers 4 Kg	GBH 4-32 DFR	84672100	49,900
06112690F0	Rotary Hammer 5 Kg and more	GBH 5-40 D	84672100	65,300
06112650F0	Rotary Hammer 5 Kg	GBH 8-45 DV	84672100	1,18,300
06112660F0	Rotary Hammers 12 Kg	GBH 12-52 DV	84672100	1,41,400

DIAMOND TECHNOLOGY

06013930F1	Stone Cutter	(Till stock last) GDC 120	84672900	6,300
06013A40F1	Stone Cutter	GDC 140	84672900	6,500
06013931F1	Stone Cutter	New! GDC 141	84672900	7,600

GRINDERS

060137505F	Mini Grinder 4"	GWS 600	84672900	4,100
06013943F0	Mini Grinder 4"	GWS 800	84672900	5,500
06013943F2	Mini Grinder 4"	New! GWS 800, + 2 Cutting, 1 Grinding	84672900	5,500
06013940F3	Mini Grinder 4"	GWS 750-100	84672900	5,600
06013960F1	Mini Grinder 4"	GWS 900-100	84672900	6,900
060137515A	Mini Grinder 5"	GWS 6-125	84672900	6,100
06013961F0	Mini Grinder 5"	GWS 900-125 S	84672900	9,000
06013961F0	Mini Grinder 5"	GWS 12-125 S	84672900	10,400
06018242F1	Mini Grinder 5"	GWS 14-125 CL	84672900	13,000
06017A30F1	Mini Grinder 5"	GWS 18-125 L	84672900	22,900
06017C40F2	Mini Grinder with X-LOCK	GWX 17-125 S	84672900	23,300
06018C00F0	Large Angle Grinder 7"	GWS 2200-180	84672900	14,000
06018C20F0	Large Angle Grinder 7"	New! GWS 24-180	84672900	19,900
06018C23F0	Large Angle Grinder 7"	New! GWS 24-180 JZ	84672900	20,400
06018G00F0	Large Angle Grinder 9"	New! GWS 30-180 B	84672900	39,200
06018C10F0	Large Angle Grinder 9"	GWS 2200-230	84672900	15,300
06018G10F0	Large Angle Grinder 9"	New! GWS 30-230 B	84672900	42,300
06018C30F0	Large Angle Grinder 9"	New! GWS 24-230	84672900	21,800
06018C23F0	Large Angle Grinder 7"	New! GWS 24-230 JZ	84672900	22,300

SPECIALITY TOOLS

06012B60F0	AAC Block Cutter	New! GAC 250	84672200	22,300
06019805F0	Blower	(Till Stock last) GBL 620	84145920	5,000
06019M40F0	Blower	New! GBL 650	85081100	4,700
06019804F5	Blower	GBL 82-270	85081100	8,000
060194D0F0	Heat Gun	GHG 180	84672900	4,300
06012A62F0	Heat Gun	GHG 20-63	84672900	12,100
06012A64F0	Heat Gun	GHG 20-60	84672900	13,700
06013A20F0	Metal Surface Finish	GPO 950	84672900	12,900
06013890F1	Metal Surface Finish	GPO 12 CE (Promo)	84672900	20,700
06016B10F0	Recipsaw	GSA 120	84672200	20,600
060164E2F0	Recipsaw	GSA 1300 PCE	85081100	27,600
06017D40F0	Drywall Sander	New! GTR 550	85081100	40,300
06019E51F0	Vacuum Cleaner	GAS 15 PS	85081100	23,100
060197C0F0	Vacuum Cleaner	GAS 12-25	85081100	27,100
06019C30F0	Vacuum Cleaner	GAS 35 L SFC +	85081100	90,700
06019M00F0	Vacuum Cleaner	New! GSA 400	85081100	XX,XXX
06019C33F0	Vacuum Cleaner	GAS 55 M AFC	85081100	1,38,500
06017760F0	Concrete Grinder	GBR 15 CAG	84672900	85,200
06011C40F0	Mixer	New! GRW 140	84798200	10,700

Part Number	Category	Model Number	HSN Code	MRP ₹
DRILLS				
06011A95F1	Rotary Drill	GBM 350	84672100	3,600
06014775F0	Rotary Drill	GBM 13 RE	84672100	7,400
06011B00F1	Rotary Drill	GBM 1600 RE	84672100	17,500
06011B40F0	Rotary Drill	GBM 50-2	84672100	1,29,900
06012161FK	Impact Drill	GSB 450	84672100	4,300
06012161FD	Impact Drill	(Till stock last) GSB 501	84672100	4,800
06012171F3	Impact Drill	New! GSB 600	84672100	4,600
06012171F8	Impact Drill	GSB 600 RE Kit	84672100	9,375
06011A03F1	Impact Drill	New! GSB 600 Wrap Set	84672100	7,000
06012171F3	Impact Drill	(Till stock last) GSB 13 RE	84672100	7,425
06012281F0	Impact Drill	GSB 16 RE	84672100	12,300
06011A21F1	Impact Drill	GSB 20-2 RE	84672100	18,600
06012171F8	Impact Drill	(Till stock last) GSB 600 RE Kit	84672100	9,375
06012161F8	Impact Drill	GSB 500 RE Kit	84672100	8,800
06012161F4	Impact Drill	GSB 10 RE Kit	84672100	8,800
06012171F6	Impact Drill	(Till stock last) GSB 13 RE Kit	84672100	9,725
CHOPSAWS				
0601B373F0	Bench Top Cut-off Saw	GCO 220	84672200	19,000
0601B560F0	Bench Top Cut-off Saw	New! GCO 230	84672200	20,300
0601B371F0	Bench Top Cut-off Saw	GCO 14-24	84672200	23,100
0601B372F0	Bench Top Cut-off Saw	GCO 14-24 J (Soft-Start)	84672200	25,500
METALWORKING				
06012240F0	Straight Grinder	GGs 3000 L	84672900	11,900
06012241F0	Straight Grinder	(Till stock last) GGS 5000 L	84672900	14,300
06012211F0	Straight Grinder	(Till stock last) GGS 28 LCE	84672900	32,300
06012211F0	Straight Grinder	New! GGS 30 LS	84672900	29,900
06012B50F0	Bench Grinder	GBG 35-15	84672900	15,000
060127A4F0	Bench Grinder	GBG 60-20	84672900	23,900
06014351F3	Impact Wrench	GDS 30	84672100	1,55,800
WOODWORKING				
06016C30F0	Circular Saw	New! GKS 130	84672200	11,400
06016230F1	Circular Saw	GKS 190	84672200	16,600
06015A20F0	Circular Saw	GKS 235 Turbo	84672200	21,600
06015130F0	Jigsaw	GST 680	84672200	6,100
060158F0F0	Jigsaw	GST 90 BE	84672200	22,100
0601B450F0	Table Saw	GTS 254	84672200	41,200
0601B305F0	Table Saw	(Till stock last) GTS 10 J	84672200	1,13,200
0601B520F0	Compound Mitre Saw	New! GCM 254	84672200	31,500
06015960F0	Planer	GHO 6500	84672900	12,100
06015940F1	Planer	GHO 10-82	84672900	13,400
06015A40F0	Planer	GHO 26-82 D	84672900	16,900
06013A80F0	Random Orbital Sander	New! GEX 125	84672900	7,100
06013875F2	Random Orbital Sander	GEX 125-1 AE	84672900	11,100
06013728F0	Random Orbital Sander	GEX 34-150	84672900	23,400
06012A80F1	Orbital Sander	New! GSS 140	84672900	4,775
06012980F0	Orbital Sander	GSS 2300	84672900	9,400
06016A00F0	Router	GKF 550	84672900	8,900
06016B70F0	Router	GOF 130	84672900	16,100
06014A20F0	Screwdriver	GTB 650	84672100	13,400
STORAGE SOLUTIONS				
1600A001RV	Storage Boxes	i-BOXX 53	39231090	3,100
1600A001RW	Storage Boxes	i-BOXX 72	39231090	3,000
1600A012FZ	Storage Boxes	L-BOXX 102	39231090	4,300
1600A012G0	Storage Boxes	L-BOXX 136	39231090	4,400
1600A012G2	Storage Boxes	L-BOXX 238	39231090	6,000
1600A012G3	Storage Boxes	L-BOXX 374	39231090	8,000
1600A007SF	Storage Boxes	L-BOXX Mini 2.0	39231090	1,400
1600A001RU	Storage Boxes	L-BOXX 306	39231090	10,100
1600A00222	Storage Boxes	LT-BOXX 170	39231090	6,800
1600A003BJ	Tool Bag	TOOL BAG - 48 x 28 x 30	42021990	3,700
1600A003BK	Tool Bag	TOOL BAG - 55 x 35 x 35	42021990	4,300

TERMS AND CONDITIONS

- Traditional Trade Price list, subjected to change without any prior notice.
- Standard TT discount is applicable on List Price/Promo List Price.
- Promo prices are subjected to meeting minimum ordering quantity.
- All prices mentioned above are excluding GST. Current rate of GST is 18% and will be charged additionally.
- HSN code and EAN codes are indicative. For more details, please follow the invoice.
- In case of any dispute, system prices will be considered as final prices. Before placing the order, kindly check the latest price in B2B.
- This price list supersedes all previous prices communicated.
- MRP on the tools may be different based on manufacturing/imported date.
- In case if any products not listed above and available in stock, you may contact PT-BE/MKR-IN for pricing prior to invoicing.
- In case of any disputes PT-BE/MKR-IN & PT-BE/SAD decision is final & are subject to Bangalore jurisdiction.



BOSCH

Professional

1 year warranty from the date of purchase*

HEAVY DUTY

1 year warranty from the date of purchase*

WARRANTY TERMS AND CONDITIONS

Power Tools from Bosch are guaranteed against all materials and manufacturing defects for a period of 1 year from the date of purchase. In the event of failure of the tools due to material and manufacturing defects, we undertake to repair the tools free of charge, provided we are satisfied that:


- ▶ The Power Tool has not been tampered with.
- ▶ The failure has occurred due to manufacturing/material defects.
- ▶ The Power Tool has been purchased from an accredited dealer.
- ▶ The claim has been referred to one of the Bosch Authorized Service Centres along with the Power Tool, guarantee card and original tool purchase receipt or invoice.


This warranty does not cover:


- ▶ All normal wear and tear parts like carbon brush, bearings, o-rings etc.
- ▶ Installation to wrong voltage, over load and wrong application.
- ▶ Use other than in accordance to handling instructions.
- ▶ Unauthorized repair carried out.
- ▶ Damage due to any unit caused by accident, misuse, wilful damage, normal wear, claims arising from loss, fire or other calamities caused by nature or in any way being tampered with.

*Check with Local Bosch representative for Hot Air Gun Warranty.











Pneumatic Tools

Let's Get In Touch

Visit Our Website
www.spspneumatictools.com

Email Us
staplespackagingsolutions@gmail.com

Sushil Mishra-
+91 7011218105

Sales-
+91 9811579961

Sushil Mishra-
+91 7011218105

Phone
011-47002673