



Professional Tools



Contact Us

Sales-+91 9811579961 Varun Tiwari-+91 8595503657 Sushil Mishra+91 7011218105

Phone-011-47002673

Email Us

staplespackagingsolutions@gmail.com

Wisit Our Website spspneumatictools.com



Professional Tools Made Affordable



LITHIUM-ION BATTERY TOOLS

Same Battery 580+ too 203



CORDED POWER TOOLS





GENERATORS WELDING MACHINE







Professional Tools Made Affordable



SMALL CONSTRUCTION EQUIPMENT





GARDEN TOOLS



WATER PUMPS



POWER TOOLS ACCESSORIES



HAND TOOLS



MEASURING TOOLS



SAFETY PRODUCTS









Cordless screwdriver

CSDLI0442

Voltage: 4V
Hex shank: 1/4"
No-load speed: 240rpm
Max torque: 4N.m
Two positions adjustable handle
Charging via USB type-C cable(cable sold separately)
Integrated work light
Include:
16 Pcs 25mm Cr-V bits+holder
2 Pcs 50mm Cr-V bits+holder, 1 Pcs connector
Packed by carrying case

LIST PRICE	Qty/Ctn
1532	20



Cordless screwdriver

CSDLI0802

Voltage: 8V Hex shank:6.35mm(1/4") No-load speed: 220rpm, Max.torque: 6Nm, Torque settings: 15+1 Two positions adjustable handle Charging via USB type-C cable(cable sold

Charging via USB type-C cable(cable sold separately) Integrated LED work light Include: 10 Pcs 25mm Cr-V bits+holder (SL4 VSL6PH1H2PH3PH3PT1PZ2PZ3T20TZ5) 1 Pcs 60mm connector, 4 Pcs HSS drill bits with Hex shank(2.0V2.5\3.0\4.0), 1 Pcs CRV PH2, 1 Pcs CRV 6 Packed by canvas bag

LIST PRICE	Qty/Ctn
3016	20



Cordless drill

CDLI 124 15

Voltage:12V No-load speed:0-750rpm Max torque:20Nm Chuck capacity:0.8-10mm Torque settings:15+1 Integrated LED work light Include: 1 Pcs Cr-V 65mm bit 1 Pcs 1-5Ah battery pack(FBLI12152) 1 Pcs charger(FCLI12071), Charge volts: 220-240V-50/60Hz Packed by color box

LIST PRICE	Qty/Ctn
3038	10



CDLI 122 08

Voltage:12V
No-load speed:0-400/0-1500rpm
Max torque:20NM
Chuck capacity:0.8-10mm
Torque settings:15+1
Mechanical 2-speed gear
Include:
1 Pcs Cr-V 65mm bit
2Pcs 1.5Ah battery pack(FBLI12152), 1 Pcs
charger(FCLI12071)
Charge volts: 220-240V~50/60Hz , Integrated
work light
Packed by carrying case

LIST PRICE	Qty/Ctn
4402	5



0 65A

Lithium-Ion I	natte

FBL 112 15 2

Voltage:12V Lithium-ion 1.5Ah battery One battery fits all S12 multiple tools Packed by color box



ry pack



FCL 112 07 1

Input voltage:220-240V~50/60Hz Output voltage:12V Output current:0.65A Packed by color box

T PRICE	Qty/Ctn	(D)
469	20	
		Cordless drill

S12 battery charger

Cordless drill

Voltage:12V No-load speed:0-750rpm Max torque:20Nm Chuck capacity:0.8-10mm Torque settlings:15+1 Include: 1 Pcs Cr-V 65mm bit 1 Pcs 1.5Ah battery pack(FBLI12151) 1 Pcs charger(FCLI12071) Charge volts:220-240V-50/60Hz Integrated work light LED battery power indicator Packed by color box

LIST PRICE Qty/Ctn 10 3924



CDLI 121 8

LIST

Voltage:12V No-load speed:0-750rpm No-load speed:0-750rpm Max torque:20NM Plastic chuck Chuck capacity:0.8-10mm, Torque set-tings:15-1 Integrated work light LED battery power indicator Include:

Include: 1pcs 1.5Ah battery pack(FBLI12151), 1pcs charger(FCLI12071) Charge Volts:220-240V~50/60Hz , 1pcs Cr-V

65mm bit Packed by color box

LIST PRICE	Qty/Ctn
2905	10



Lithium-Ion battery pack

FBL 112 15 1

CDLI 121 1

Voltage:12V

Voltage:12V Lithium-ion 1.5Ah battery LED battery power indicator Packed by color box

LIST PRICE	Qty/Ctn
1698	20







CDLI 200 51

Voltage:20V No-load speed:0-400/0-1500rpm Max torque:45NM Chuck capacity:0.8-10mm Torque settings:15+1 Mechanical 2-speed gear Include: 1 Pcs Cr-V 65mm bit, 1 Pcs 1.5Ah battery

pack(FBLI20015) 1 Pcs charger(FCLI2001), Charge volts: 220-240V-50/60Hz Integrated work light, LED battery power

indicator
Packed by color box

LIST PRICE	Qty/Ctn
4834	5







Cordless drill

CDL120028

Voltage:20V Voltage:20V No-load speed:0-400/0-1500rpm Max torque:45NM Chuck capacity:0.8-10mm Torque settings:15+1 Mechanical 2-speed gear

Include: 1 Pcs Cr-V 65mm bit, 2 Pcs 1.5Ah battery

pack(FBLI20015) 1 Pcs charger(FCLI2001), Charge volts: 220-240V~50/60Hz

Integrated work light, LED battery power indicator
Packed by carrying case

LIST PRICE	Qty/Ctn
7000	5



CDLI 200 51 8

Voltage: 20V

Vollage, 20V No-load speed: 0-400/0-1500rpm Max torque: 45Nm, Plastic chuck Chuck capacity: 0.8-10mm, Torque settings:

Mechanical 2-speed gear, Spindle lock func-

Integrated LED work light, LED battery power indicator Include:

1 Pcs 2.0Ah battery pack(FBLI20011), 1 Pcs

charger(FCLI2001) Charge volts: 220-240V~50/60Hz , 1 Pcs Cr-V 65mm bit

LIST PRICE	Qty/Ctn
5201	5



Cordless drill

CDLI 200 52 8

Voltage: 20V No-load speed: 0-400/0-1500rpm Max torque: 45Nm

Plastic chuck, Chuck capacity: 0.8-10mm Torque settings: 15+1, Mechanical 2-speed gear Spindle lock function, Integrated LED work

light Include: 47 Pcs accessories, 2 Pcs 2.0Ah battery pack

(FBLI20011)

(FBLIZUOTT) 1 Pcs charger(FCLI2001), Charge volts: 220-240V–50/60Hz Packed by carrying case

LIST PRICE	Qty/Ctn
7528	5



Compact Brushless Cordless Drill

Cordless drill

CDLI 206 02 1

Brushless motor Voltage: 20V No-load speed: 0-550/0-2000rpm Max torque: 60Nm Metal chuck Chuck capacity: 13mm(1/2") Torque settings: 22+1 Auto-lock keyless chuck Mechanical 2-speed gear Spindle lock function Integrated LED work light Include: 1 Pcs Cr-V 65mm bit

Charger sold separately LIST PRICE Qty/Ctn



Compact Brushless Cordless Drill

CDLI 206 02

Brushless motor Voltage: 20V

No-load speed: 0-550/0-2000rpm, Max torque:

60Nm Metal chuck, Chuck capacity: 13mm Torque settings: 22+1, Auto-lock keyless

Mechanical 2-speed gear, Spindle lock func-

Integrated LED work light, LED battery power indicator Include: 2 Pcs 2.0Ah battery pack(FBLI20011), 1 Pcs

charger(FCLI2001)

LIST PRICE	Qty/Ctn
8438	5



CIDLI 20 14 52

Voltage: 20V No-load speed: 0-400/0-1500rpm Max impact rate: 22500bpm Max torque: 45Nm Metal chuck Chuck capacity: 0.8-10mm Torque settings: 18+1+1 Mechanical 2-speed gear Spindle lock function

Auto-lock keyless chuck 1 Include: 47 Pcs accessories 3 Pcs masonry drill bits 2 Pcs 2.0Ah battery pack(FBLI20011)

	, ,	•	,	
LIST PRICE			Qty/Ctn	
8904			5	



Cordless impact drill

CIDLI 20 60 2

Brushless motor

Voltage: 20V No-load speed: 0-550/0-2000rpm Max impact rate: 30000bpm Max torque: 60Nm, Metal chuck, Chuck

capacity: 13mm Torque settings: 22+1+1, Mechanical 2-speed

gear Spindle lock function, Auto-lock keyless chuck

Spindle lock function, Auto-lock Reyless chuck Integrated work light, LED battery power indicator Include: 2 Pcs 2.0Ah battery pack(FBLI20011), 1 Pcs charger(FCLI2001), Charge volts: 220-240V–50/60Hz,

LIST PRICE	Qty/Ctn
8992	5

With 1pcs lithium-ion impact wrench (CIWLI2038)



CIDLI 20 02 15 Voltage:20V

Voltage:20V No-load speed:0-400/0-1500rpm Max impact rate:22500rpm Max torque:45Nm Chuck capacity:0.8-10mm Torque settings:18+1+1 Mechanical 2-speed gear Include: 1 Pcs Cr-V 65mm bit 3 Pcs masonry drill bits 2 Pcs 2.0Ah battery pack(FBLI2001) 1 Pcs charger(FCLI2001E) Charge volts:220-240V~50/60Hz

LIST PRICE	Qty/Ctn
10750	5



Cordless 2 Pcs combo kit

COSLI 23 011

Voltage:20V

With 1pcs work lamp(HWLI35261) Lithium-ion impact wrench(CIWLI2038): Brushless motor, Voltage:20V, Square No-load speed:0-1300/0-2300rpm, Impact Max torque:300Nm, Integrated LED work light Work lamp(HWLI35261) Using Li-polymer rechageable battery Lumens: Max:300±10%,Low:75±10% LED power dissipation:3.5W

LIST PRICE	Qty/Ctn
10828	6



CIWLI 20 01

Integrated work light

Brushless motor Brusniess motor
Voltage:20V
Square drive:1/2"
No-load speed:0-1300/0-2100rpm
Impact rate:0-2000/0-3300bpm
Max torque:300Nm
Integrated LED work light Include:

Include: 3 Pcs sockets(17,19,21mm) 1 Pcs belt clip 2 Pcs 2.0Ah battery pack(FBLI2001) 1 Pcs charger(FCLI2001E) Charge volts:220-240V-50/60Hz Packed by canvas bag

LIST PRICE	Qty/Ctn
10846	5







Cordless impact wrench

CIWLI2040

Brushless motor
Square drive: 1/2"
No-load speed: 0-1600/0-1900/0-2300rpm
Impact rate: 0-2100/0-2500/0-2900bpm
Fastening torque: 400Nm
Nut-Busting torque: 550Nm
Integrated LED work light
Include:
1 Pcs 20V charger(FCLI2001)
Charge volts: 220-240V-50/60Hz
2 Pcs 2.0Ah battery pack(FBLI20011)
3 Pcs sockets(17,19,21mm)
Packed by carrying case

LIST PRICE	Qty/Ctn
10375	5

12205 BL 400N-m 2.0Ah

Cordless impact wrench

CIWLI 20 50

Brushless motor
Voltage: 20V
Square drive: 1/2"
No-load speed: 0-1200/0-1800/0-2200rpm
Impact rate: 0-2400/0-2800/0-3300bpm
Fastening torque: 500Nm
Nut-Busting torque: 550Nm
Integrated LED work light
Include:
1 Pcs belt clip
3 Pcs sockets(21,22,24mm)
2 Pcs 4 0Ab hattery pack(FBI (20021)

2 Pcs 4.0Ah battery pack(FBLI20021) 1 Pcs charger(FCLI2001) Charge volts:220-240V~50/60Hz

LIST PRICE	Qty/Ctn
13834	5



Cordless dr ive ratchet

Cordless impact wrench

CIWLI 20 85

Brushless motor Voltage:20V Square drive:1/2" Square drive:1/2"
No-load speed: 0-1600/0-2100/0-2400rpm Impact rate: 0-1500/0-1800/0-2200bpm Fastening torque:850Nm
Nut-Busting torque:850Nm
Nut-Busting torque:1000Nm Integrated LED work light Include:
3 Pcs deep sockets(22,24,27mm)
1 Pcs belt clip
2 Pcs 4.0Ah battery pack(FBLI2002)
1 Pcs charger(FCLI2001E)
Charge volts:220-240V-50/60Hz

LIST PRICE	Qty/Ctn
17984	4



C DRLI2060151

Voltage: 20V Max.torque: 65Nm Square Drive: 3/8"

N Include speed: 250rpm 3 Pcs sockets(13,17,19mm)

Battery and charger sold separately Packed by color box

LIIST PRIICE	Qtty//Cttn
	Ω
5104 6	0





CDRLI 20 601 52

Voltage: 20V Max.torque: 65Nm Square Drive: 3/8" No-load speed: 250rpm Include: Include: 3 Pcs sockets(13,17,19mm) 1 Pcs 2.0Ah battery pack(FBLI2001) 1 Pcs charge(FCLI2001E) Charge volts: 220-240V–50/60Hz Packed by carrying case

LIST PRICE	Qty/Ctn
8854	5



COSLI230702

Voltage:20V
With 1 pcs lithium-ion cordless drill
(CDL!200528)
With 1 pcs lithium-ion impact wrench
(CIWL!2038)
Lithium-ion cordless drill(CDL!200528):
No-load speed: 0-400/0-1500rpm
Max torque: 45Nm
Plastic chuck
Chuck capacity: 0.8-10mm
Torque settings: 15+1
Mechanical 2-speed gear
Spindle lock function
Lithium-ion impact wrench(CIWL!2038): Voltage:20V

LIST PRICE	Qty/Ctn
12035	4







Cordless angle grinder

CAGLI 21 10 4

Brushless Motor Voltage:20V No-load speed:3000/6000/9000rpm Disc diameter:100mm Spindle thread:M10 Disc not included Battery and charger sold separately Packed by color box

LIST PRICE	Qty/Ctn
4399	6

2203 14 Battery and charger 100mm sold separately

CAGLI 20 10 08

Brushless Motor Voltage:20V No-load speed:3000/8500rpm Disc diameter:100mm Spindle thread:M10 Disc not included Battery and charger sold separately Packed by color box

LIST PRICE	Qty/Ctn
5679	6

2203 BLW

Battery and 100mm charger sold separately

Cordless rotary hammer

CRHLI 16 01

Voltage:20V No-load speed: 0-900rpm Impact rate: 0-5100bpm Impact rate: 0-31000 Impact energy: 1.5J Max.drilling capacity: Concrete: 16mm Steel: 10mm Wood: 20mm Include: 3 Pcs drills Battery and charger sold separately Integrated work light SDS plus chuck system Packed by color box

LIST PRICE	Qty/Ctn
6789	4

2303 16mm Battery and charger sold separately n

Cordless rotary hammer

Cordless circular saw

Cordless angle grinder

CRHLI 20 208

Brushless motor
Voltage: 20V
No-load speed: 0-1100rpm
Impact rate: 0-5400bpm
Impact energy: 2.0J
Max.drilling capacity:
Concrete: 22mm
Stool: 12mm Steel: 13mm Wood: 28mm SDS Plus chuck system Integrated LED work light Include: 3 Pcs drill bits(6,8,10mm)

LIST PRICE	Qty/Ctn
6011	1



and charge sold separately

Cordless rotary hammer

CRHLI 20 228

Brushless motor Voltage:20V No-load speed:0-1100rpm Impact rate:0-5000bpm Impact energy:2.5J Max.drilling capacity: Concrete: 26mm Steel: 13mm Wood: 30mm SDS plus chuck system Include: 3 Pcs drills 1 Pcs chisel Battery and charger sold separately

LIST PRICE	Qty/Ctn
9243	4

P205 PL	26mm
African II	
Battery and charger sold separately	EPI)

CSLI1851

1 Pcs chise

Brushless motor Voltage: 20V No-load speed: 4800rpm Blade diameter: 185mm(7-1/4") Arbor size:20mm Cutting capacity: 45° degree: 45mm 90° degree: 65mm Adjustable cutting depth Adjustable bevel cutting Include: 1 Pcs 185mm saw blade Battery and charger sold separately Packed by color box

LIST PRICE	Qty/Ctn
8660	4



Cordless circular saw

CSLI18511

Brushless motor No-load speed: 4800rpm Blade diameter: 185mm(7-1/4") Arbor size:20mm Cutting capacity: 45° degree: 45mm 90° degree: 65mm Adjustable cutting depth Adjustable bevel cutting Include: 1 Pcs 185mm saw blade 1 Pcs Hex key

LIST PRICE	Qty/Ctn
12624	4

Pcs 4.0Ah battery pack(FBLI20021)	
LIST PRICE	Qty/Ctn
12624	4



TSB1853

2 Pcs/set Size: 185mm(7-1/4") Teeth quantity: 24T Arbor: 20mm Reduction ring: 16mm Matrix thickness: 1.0mm Better for Lithium-ion circular saw Suitable for lithium-ion circular saw CSLI1851 Wood cutting Packed by double blister

LIST PRICE	Qty/Ctn
878	50



Cordless jig saw

CJSLI 65 08

Voltage:20V No-load speed:2400rpm Cutting capacity: Wood: 65mm Metal: 8mm With 1pcs saw blade Battery and charger sold separately Packed by color box

LIST PRICE	Qty/Ctn
4993	5



CJSLI 85 01

Voltage:20V No-load speed:2400rpm Cutting capacity:

Wood: 80mm Metal: 8mm With 5pcs saw blades Battery and charger sold separately Packed by color box

LIST PRICE	Qty/Ctn
6944	5







Cordless reciprocating saw

CRSLI1152

Voltage:20V No-load speed:0-2800rpm Cutting capacity:

Metal:8mm Wood:115mm

With 1pcs metal saw blade With 1pcs wood saw blade Battery and charger sold separately Packed by color box

LIST PRICE	Qty/Ctn
5257	4

PROS and charger sold separately

Cordless mini chain saw CGSLI2068

Brushless motor Voltage:20V Bar length:6"(15cm) Chain speed:11m/s Auto lubrication

Include: 1 Pcs 6" saw chain 1 Pcs 6" chain saw bar

1 Pcs wrench

Battery and charger sold separately Packed by color box

LIST PRICE	Qty/Ctn
9684	5



Cordless polisher

AP LI2 00 1

Brushless motor Voltage:20V No-load Speed:500-2800rpm Polishing pad diameter:150mm Spindle thread:M14 Variable Speed control Digital display Battery and charger sold separately Packed by color box

LIST PRICE	Qty/Ctn
10881	6

150mm

Battery and charger 150mm sold separately

Cordless heat gun

HGLI 20 02 5

Voltage:20V Temperature:300/550°C Airflow:100/200 L/min Charge volts:220-240V~50/60Hz Include:

- 1 Pcs 4.0Ah Battery pack (FBLI2002) 1 Pcs charger (FCLI2001E)
- 1 Pcs reduction nozzle

- 1 Pcs reflection nozzle 1 Pcs reflector nozzle 1 Pcs flat nozzle Packed by carrying case

LIST PRICE	Qty/Ctn
8272	5



Cordless spray gun

CS GLI 20 03

Voltage: 20V Voltage: 20V Spraying pressure: 0.1-0.2Bar Max.flow: 800ml/min Max.viscosity: 120DIN-s Container capacity: 800ml 1 Pcs viscosity measuring cup 1 Pcs nozzle cleaning needle 2 Pcs copper nozzle
Battery and charger sold separately
Packed by color box

LIST PRICE	Qty/Ctn
3169	8

LIST PRICE	Qty/Ctn
3169	8

Max.	
Viscosity:	
Battery and charger sold separately	1 2 2 C

CPWLI2008

Voltage:20V Max Pressure:24.8Bar Flow rate:2.2L/min Auto stop system
Battery and charger sold separately
1 set 6-pattern spray gun
1 pcs 6m water inlet hose with quick connector

1 self suction connector 1 pcs 400ml foam produce

1 pcs portable bag Packed by color box

LIST PRICE	Qty/Ctn
5810	2



Cordless blower

Cordless brad nailer

CAB LI 20 018

Voltage: 20V No-load speed:0-9000/0-18000rpm Max air volume:2.7m³/min 2 speed adjustment Variable speed trigger
Battery and charger sold separately
Packed by color box

LIST PRICE	Qty/Ctn
2765	4



Battery and charger sold separately

CAB LI 20 028 1

Voltage: 20V No-load speed: 18000rpm Max air volume: 2.7m³/min Include: 1 Pcs 2.0Ah battery pack(FBLI20011) 1 Pcs charger(FCLI2001) Charge volts: 220-240V-50/60Hz Packed by color box

LIST PRICE	Qty/Ctn
4669	4



Cordless blower

Cordless blower

CAB LI 20 323

Voltage: 20V No-load speed: 15000rpm Average air volume:8.5m3/min Maximum air speed:115km/h Battery and charger sold separately Packed by color box

LIST PRICE	Qty/Ctn
3498	2

8.5m/min 8.5m²lmin Battery and charger

sold separately

CBNLI 35 05

Voltage:20V Nail type: F15-F35 Drive rate: 3 nails/s Magazine capacity: 105pcs Include: 1000 Pcs brad nails (35mm) fpcs air nozzle fpcs pin Packed by plastnic box Suitable for: ANA18201,ANA18251,ANA18301,ANA18351

LIST PRICE	Qty/Ctn
11620	6







Cordless grass trimmer

Cordless hedge trimmer

CGTLI20018

Voltage:20V No-load speed:8200rpm Cutting diameter:300mm Line dia:1.6mm twisted Line length:5m Edging function Battery and charger sold separately Packed by color box

LIST PRICE	Qty/Ctn
4384	2

2303 300mm Bettery and charger sold

Cordless grass trimmer

CGTLI20301

Voltage:20V
No-load speed:8200rpm
Cutting diameter:300mm
Line dia:1.6mm twisted
Line length:5m
Edging function
Include:
1 Pcs safety goggles
1 Pcs PU Coated Gloves
1 Pcs PU Coated Gloves
1 Pcs Cardon Street Gloves
1 Pcs Cardon Street Gloves
1 Pcs Charger(FCLI2001E)
Charge volts: 220-240V-50/60Hz
Packed by color box

LIST PRICE	Qty/Ctn
6917	2



Cordless gauge straight shear

CHTL120461

Voltage:20V
Maximum speed :2800spm
Blade cutting length:460mm
Maximum cutting diameter:18mm
Laser cut blade
Include:
1 Pcs Safety goggles
1 Pcs PU coated gloves
1 Pcs 2:0Ah battery pack(FBLI2001)
1 Pcs charger(FCLI2001E)
Charge volts: 220-240V-50/60Hz
Packed by color box

LIST PRICE	Qty/Ctn
8162	2

ンソリゴ 460mm 2.0Ah

CSSLI20258

Brushless Motor Voltage:20V Cutting diameter:25mm Include:

Include: 1 Pcs oil bottle(empty) 1 Pcs sharping stone 1 Pcs sheath

Battery and charger sold separately Packed by Color box

LIST PRICE	Qty/Ctn
8245	6



and charger sold separately

Hea dlam p

Cordless portable lamp

HHL013AAA5

Brightness::100 lumens Use alkaline 3AAA battery Max 91m beam distance IPX4 raining resistant Packed by color box

LIST PRICE	Qty/Ctn
420	24

100 Lumens



Battery sold separately



CWLI2023

Voltage:20V LED power dissipation:1.5W Lumens:150±10% Battery and charger sold separately Packed by double blister

LIST PRICE	Qty/Ctn
836	12



Cordless vacuum cleaner

Cordless work lamp

CWL12025

Voltage:20V LED power dissipation:20W Lumens: High:1800 Low:900 Battery and charger sold separately Packed by color box

LIST PRICE	Qty/Ctn
3055	6



sold separately Lithium-Ion battery pack

CVLI201261

Voltage:20V Dust Capacity:0.5L Vacuum Pressure:≥9kpa With 1 pcs crevice nozzle With 1 pcs dust brush Packed by color box

LIST PRICE	Qty/Ctn
2404	8

0.5L20115 ≥9kPa Battery and charger sold separately

Lithium-Ion battery pack FBL 120 02

FBL I20 01 1

Voltage:20V Lithium-ion 2.0Ah battery LED battery power indicator One battery fits all P20S multiple tools Packed by color box

LIST PRICE	Qty/Ctn
2235	20



2.04h



Voltage:20V Lithium-ion 4.0Ah battery LED battery power indicator One battery fits all P20S multiple tools Packed by color box

LIST PRICE	Qty/Ctn
4131	12

24113









2.0Ah 28

Lithium-Ion battery pack

FBL12003

Voltage:20V Lithium-ion 5.0Ah battery LED battery power indicator One battery fits all P20S multiple tools Packed by color box



5-0Ah الارايان



P20S battery charger

Cordless glue gun

Cordless hydraulic crimping tool

Impact drill

FCLI2001

Input voltage:220-240V-50/60Hz Output voltage:20V Output current:2A Packed by color box

LIST PRICE	Qty/Ctn
1188	20



P20S Lithium-Ion battery and charger kit

FBCPK1222

Voltage: 20V
With 2pcs lithium-ion battery pack(FBLI20011)
With 1pcs charger(FCLI2001)
Lithium-ion battery pack(FBLI20011):
Lithium-ion battery pack(FBLI20011):
Lithium-ion 2.0Ah battery
LED battery power indicator
One battery fits all P20S multiple tools
Fast intelligent charger(FCLI2001):
Input voltage: 220-240V-50/60Hz
Output voltage: 220
Output voltage: 220
Output current: 2A
Packed by double blister

LIST PRICE	Qty/Ctn
5260	10

CGG LI2 00 1

Voltage:20V Voltage:20V Gluing capacity:15-18g/min Glue stick diameter:11.2mm Heat-up time: 60s With 3 pcs 150mm glue sticks Battery and charger sold separately Packed by double blister

LIST PRICE	Qty/Ctn
1553	36



and charger sold separately

Cordless tile vibration machine

CTVLI2010

CRCLI 20 02

Voltage:20V Vibrational frequency:0-10000rpm Adsorbability:50kg Battery and charger sold separately Packed by color box



-	Battery
m()	and charger
100	sold separately

CTL 120 02

Drill voltage: 20V crimping range:16-400mm Crimping force:120KN Crimp cycle:6-18s(depend on the size of cable) Stroke:42mm 2pcs 20V Cordless 4.0Ah batteries LED usage count display ACCESSORIES: Crimping dies:16,25,35,50,70,95,120,150,185,240,300,4 00mm2 With 2pcs battery pack(FBLI2002)
With 1pcs 2Hr charger(FCLI2001E)

viai rpes zrii endiger(i etizoore)				
LIST PRICE	Qty/Ctn			
125810	1			



ordless hyd	Iraulic cabl	e cutter
-------------	--------------	----------

Drill voltage: 20V Max cutting diameter:85mm Cutting force:60KN Stroke:86mm 2pcs 20V Cordless 4.0Ah batteries LED usage count display Charge volts:220V-240V~50/60Hz ACCESSORIES: With 1pcs blade

With 1pcs blade
With 2pcs battery pack(FBLI2002)
With 1pcs 2Hr charger(FCLI2001E)
With 1set Sealing ring of cylinder With 1set Sealing ring of safety with 1set valve With 1set hydraulic fluid

LIST PRICE	Qty/Ctn		
125810	1		



ED50028

Voltage:220-240V~50/60Hz Input power:500W No-load speed:0-3300rpm Max.drilling capacity:10mm Variable speed control Froward/Reverse switch With 1set extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
2352	5

500W **■ 10mm**

Electric drill

ED500 28 2

Voltage:220-240V-50/60Hz Input power:500W No-load speed:0-3300rpm Max.drilling capacity: 10mm 10mm keyless chuck Variable speed control Froward/Reverse switch With 1set extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
2352	5



ID6808

Voltage:220-240V-50/60Hz Input power:680W No-load speed:0-3000rpm Max.drilling capacity:13mm Variable speed control Forward/Reverse switch Hammer function Packed by color box

LIST PRICE	Qty/Ctn
2430	10







Impact drill

ID7108

Voltage: 220-240V~50/60Hz Input power: 710W No-load speed: 0-3000rpm Max.drilling capacity: 13mm Variable speed control Forward/Reverse switch Hammer function Packed by color box

LIST PRICE	Qty/Ctn
2968	10

710W <Ⅲ 13mm meco

MARCS SET

ID211008

Voltage:220-240V-50/60Hz Input power:1100W No-load speed:0-1200rpm/0-3000rpm Max.drilling capacity:16mm Variable speed control Forward/Reverse action Hammer function Aluminum 2 mechanical gear box With 1set extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
7442	
1442	5

Impact drill

Mixer

1100W < 11 dmm 16 mm



115 Pcs tools set

Mixer

HKTHP11151

115 Pcs Tools Set 1 Pcs 680W Impact Drill (ID6808) 220-240V~50/60Hz,13mm key chuck Include:
1 Pcs 8Oz Claw Hammer
1 Pcs 7" Combination Pliers
1 Pcs 6" Adjustable Wrench
1 Pcs 51.5.5x100 Screwdriver
1 Pcs 91.1100 Screwdriver
1 Pcs 3M Steel measuring tape
4 Pcs Wood Drill bits 4,56.8mm
5 Pcs Twist Drill bits 2,34,5.6mm
5 Pcs Masonry Drill bits 4,56,8.10mm
1 Pcs 9mm Snap-off blade knife Include:

п	•	-	2	. Jap	٠	Didde		

Pcs 9mm Snap-off	blade knife
LIST PRICE	Qty/Ctn
5392	4

MX11008

Voltage:220-240V-50/60Hz Input power:1100W No-load speed:0-680rpm Max.drilling capacity:16mm Froward/Reverse action Aluminum gear box With 1pcs mixing pad With 1set extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
C2C2	
6363	1



Mixer

Angle grinder

Angle grinder

MX214008

Voltage:220-240V-50/60Hz Input power:1400W No-load speed:0-500rpm/0-750rpm Mixing pad thread:M14 Aluminum gear box Integrated work light With 1pcs mixing pad With 1set extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
0120	
9130	2

1400W

MX218008

Voltage:220-240V-50/60Hz Input power:1800W No-load speed:180-480rpm/250-680rpm Mixing pad thread:Hex13 Aluminum gear box Twin paddles with quick fix system With 2pcs mixing pads With 15et extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
1 1100	
14186	2



Twin paddlos with quick fix system

Impact wrench

IW10508

Voltage:220-240V~50/60Hz Input power:1050W Input power: 1050W
No-load speed:2300rpm
Max torque:550NM
Square drive:172"
Aluminum gear box with rubber
With 6pcs sockets(17,18,19,21,23,24mm)
With 1pcs 125mm adaptor
With 1pcs total carbon brushes With 1set extra carbon brushes Packed by BMC

LIST PRICE 9684	Qty/Ctn
9084	2

1050W 550N.m

rod M14



AG71 18 2

Voltage: 220-240V-50/60Hz Input power: 710W No-load speed: 12000rpm Disc diameter: 100mm Spindle thread: M10 With 1pcs auxiliary handle Disc not included Packed by color box

LIST PRICE	Qty/Ctn
2739	10



Angle grinder

AG75 02 82

Voltage:220-240V-50/60Hz Input power:750W No-load speed:12000rpm Disc diameter:100mm Spindle thread:M10 With 1pcs auxiliary handle Disc not included Packed by color box

LIST PRICE	Qty/Ctn
2892	10



AG90 02 82

Voltage:220-240V~50/60Hz Input power:900W No-load speed:12000rpm Disc diameter:100mm Spindle thread:M10 With 1 pcs auxiliary handle Disc not included Packed by color box

LIST PRICE	Qty/Ctn
3144	6

Ø100mm(4") 100mm(4")





Angle grinder

Voltage:220-240V-50/60Hz Input power:900W No-load speed:12000rpm Disc diameter:125mm Spindle thread:M14 With 1 pcs auxiliary handle Disc not included Packed by color box

AG90028

LIST PRICE Qty/Ctn 3333

AG900285



Voltage:220-240V-50/60Hz Input power:900W No-load speed:5000-12000rpm Disc diameter:125mm Spindle thread:M14 With 1pcs auxiliary handle Variable speed control Disc not included Packed by color box

LIST PRICE Qty/Ctn 3916 6

Angle grinder



125mm(5")

Angle grinder

Polisher

AG11 00 38

Voltage: 220-240V-50/60Hz Input power: 1100W No-load speed: 12000rpm Disc diameter: 125mm Spindle thread: M14 With 1pcs auxiliary handle Disc not included Packed by color box

LIST PRICE Qty/Ctn

1100W Ø125mm(5")



AG20 00 18

Voltage:220-240V-50/60Hz Input power:2000W No-load speed:8450rpm Disc diameter:180mm Spindle thread:M14 With 1pcs auxiliary handle With 1set extra carbon brushes Disc not included Packed by color box

LIST PRICE	Qty/Ctn
7621	2

2000W Ø180mm(7~)

180mm(7")

Straight grinder

Angle grinder

SG11 00 8

Voltage: 220-240V-50/60Hz Input power: 1100W No-load speed: 5000rpm Disc diameter: 150mm Spindle thread: M14 Include: 1set extra carbon brushes 1 Pair Gloves Packed by color box

LIST PRICE	Qty/Ctn
8926	2

Ø150mm



AP140016

Voltage:220-240V-50/60Hz Input power:1400W No-load speed:1500-3600rpm Polishing pad diameter:180mm Spindle Type: M14 Variable speed control Lockon switch Aluminum gear box With 1pcs D-handle With 1pcs hook&loop polishing pad With 1pcs polishing bonnet With 1set extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
7200	
7289	1









Reciprocating saw

RS8008

Voltage:220-240V~50/60Hz Rated power:750W No-load speed:900-3300rpm Max.cutting depth:

Wood:115mm Steel:8mm Aluminum:12mm

SDS blade change chuck With 1pcs metal saw blade With 1pcs wood saw blade With 1pcs hex key With 1set extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
6630	
0050	4

750W

RS12001

Voltage:220-240V~50/60Hz Input power: 1200W No-load speed:1000~2800rpm Max.cutting depth: Wood:210mm Steel:20mm Aluminum:10mm

Variable speed control Integrated work light 4 step pendulum function SDS blade change chuck With 1pcs metal saw blade With 1pcs wood saw blade With 1set extra carbon brushes

LIST PRICE	Qty/Ctn
9711	
9/11	4

Reciprocating saw



Rotary hammer

RGH6 528

Voltage:220-240V~50/60Hz Input power:650W No-load speed:0-1700rpm Impact rate:0-5500bpm Impact energy:1.7] Max.drilling capacity:

Concrete:22mm Steel:10mm Wood:25mm

SDS plus chills With 1set extra carbon brushes Packed by BMC

LIST PRICE	Qty/Ctn
5156	4

22mm(7/8") 650W



RGH9 028

Voltage:220-240V~50/60Hz Input power:800W No-load speed:0-1100rpm Impact rate:0-4000bpm Impact energy:2.5] Max.drilling capacity:

Concrete:26mm Steel:13mm Wood:30mm

SDS plus chuck system
With 3 drills and 2 chisels
With 1 set extra carbon brushes
Packed by BMC

LIST PRICE	Qty/Ctn
6285	4

Rotary hammer



Rotary hammer

RGH9 528

Voltage:220-240V-50/60Hz Input power:950W No-load speed:0-1050rpm Impact rate:0-4670bpm Impact energy:2.5] Max.drilling capacity:

Concrete:28mm Steel:13mm Wood:30mm

SDS plus chuck system With 3 drills and 2 chisels With 1set extra carbon brushes Packed by BMC

LIST PRICE	Qty/Ctn
8267	4

28mm 950W



With tpcs keyless quick-change chuck

RH10 506

Voltage:220-240V~50/60Hz Input power:1050W No-load speed:1100rpm Impact rate:3800bpm Impact energy:4.5J Max.drilling capacity:

Concrete:26mm Steel:13mm Wood:40mm

SDS plus chuck system With 3 drills and 2 chisels Packed by BMC

LIST PRICE	Qty/Ctn
7264	2

Rotary hammer



Rotary hammer

RH15 002 8

Voltage:220-240V~50/60Hz Input power:1500W No-load speed:850rpm Impact rate:4400bpm Impact energy:5.5J Max.drilling capacity: Concrete:32mm Steel:13mm Wood:40mm SDS plus chuck system Anti-vibration system With 3 drills and 2 chisels With 1set extra carbon brushes Packed by BMC

LIST PRICE 8979	Qty/Ctn
89/9	2

32mm(1-1/4")



RH15 003 8

Voltage:220-240V-50/60Hz Input power:1500W No-load speed:950rpm Impact rate:4500bpm Impact energy;5.5] Max.drilling capacity:

Concrete:32mm Steel:13mm Wood:40mm

SDS plus chuck system Anti-vibration system With 3 drills and 2 chisels Packed by BMC

LIST PRICE	Qty/Ctn
8992	2

Rotary hammer

Demolition breaker

32mm(1-1/4")



Rotary hammer

RH16 008

Voltage:220-240V~50/60Hz Input power:1600W No-load speed:550rpm Impact rate:3850bpm Impact energy:9.0J Max.drilling capacity: Concrete:38mm Core bit:100mm SDS MAX chuck system Chisel-locking system
Anti-vibration system
With 2 drills and 2 chisels With 1set extra carbon brushes Packed by BMC

LIST PRICE	Qty/Ctn
15768	2

38mm

PDB130018

Voltage:220-240V~50/60Hz Input power:1300W Impact rate:3800bpm Impact force:20J Anti-vibration system HEX chuck system 7Kgs demolition breaker With 2pcs chisels With 1set extra carbon brushes Packed by BMC

LIST PRICE	Qty/Ctn
11884	2

4300W 7kg(15.4lbs)



Demolition breaker

PDB15006

Voltage:220-240V-50/60Hz Input power:1500W Impact rate:1000-1900bpm Impact force:62-5] Anti-vibration system Auto-stop carbon brushes Constant electronics power Chisel-locking system JDS-MAX chuck system 10kgs demolition breaker With 2pcs chisels With 1set extra carbon brushes Packed by BMC

LIST PRICE	Qty/Ctn
24146	1



PDB17008

Voltage:220-240V-50/60Hz Input power:1700W Impact rate:1400bpm Impact force:45] HEX chuck system 16Kgs demolition breaker With 2pcs chisels With 1set extra carbon brushes Packed by BMC

LIST PRICE	Qty/Ctn
20373	1

Demolition breaker



Circular saw

Circular saw

PDB22 001

Voltage:220-240V-50/60Hz Input power:2200W Impact rate:950bpm Impact energy:75] Anti-vibration system Auto-stop carbon brushes HEX chuck system 30Kgs demolition breaker 4m rubber cable With 2pcs chisels With 1set extra carbon brushes Packed by carton box

LIST PRICE	Qty/Ctn
58378	1

CS18578

Voltage:220-240V~50/60Hz Input power:1200W No-load speed:5000rpm Blade diameter:185x20mm

Cutting capacity: 45 degree:45mm 90 degree:65mm Adjustable cutting depth Adjustable bevel cutting With 1pcs 185mm blade Packed by color box

LIST PRICE	Qty/Ctn
5546	2



Ø125mm

30kg(66lbs)

Multi function saw

Demolition breaker

2200W

750W

MFS1251

Voltage:220-240V~50/60Hz Input power:750W No-load speed:4700rpm

No-load speed:4700rpm Cutting capacity: 45 degree:31mm 90 degree:47mm With 1pcs 125x22.2mm TCT blade With 1pcs 125x22.2mm diamond cutting disc With 1set extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
9482	4

CS18538

Voltage: 220-240V~50/60Hz Input Power:1400W No-load speed:4800rpm Blade diameter:185x20mm Cutting capacity:

45 degree:45mm 90 degree:65mm Adjustable cutting depth Adjustable bevel cutting With 1pcs 185mm blade With 1set extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
6162	2



Jig saw

JS400285

Voltage: 220-240V~50/60Hz Input power: 400W No-load speed: 800-3000rpm Cutting capacity: Wood: 55mm Steel: 3mm Variable speed control With 1pcs saw blade Packed by color box

LIST PRICE	Qty/Ctn
3043	10

400W JIG SAW BLADES FREE

JS57028

Voltage: 220-240V~50/60Hz Input power: 570W No-load speed: 800-3000rpm Cutting capacity:

Wood: 65mm Steel: 8mm Variable speed control 4 step pendulum function Include: 3 Pcs saw blades 1 Set extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
3458	5

Jig saw



Jig saw

JS80028

Voltage:220-240V~50/60Hz Input power:800W No-load speed:800-3000rpm Cutting capacity: Wood:100mm Steel:10mm

July 2015 Aurian State S

LIST PRICE	Qty/Ctn
5423	5

800W



PS2416

Voltage: 220-240V~50/60Hz Input power: 240W No-load speed: 14000rpm Bottom base: 110mmx100mm

Include: 5 Pcs sand papers (AKFS140102) 1 Set extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
3292	10

110x100mm 240W 5PCS





Finishing sander

FS3208

Voltage:220-240V-50/60Hz Input power:320W No-load speed:14000rpm Bottom base:90mmx180mm Aluminum durable base With 5pcs sand papers(AKFS240101-1) With 1set extra carbon brushes Packed by color box

LIST PRICE Qty/Ctn 4014

320W 90x180mm



RS3208

Voltage:220-240V~50/60Hz Voltage:220-240V-50/60Hz Input power:320W No-load speed:12000rpm Dia of sanding pad:125mm Velcrops base With 5pcs sand papers(AKRS125051) With 15et extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
4464	8

Rotary sander



Rotary sander

RS4508

Voltage:220-240V-50/60Hz Input power:450W No-load speed:4000-13000rpm Dia of sanding pad:150mm Velcrops base Variable speed control With 5pcs sand papers With 1set extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
F2F7	
5357	6

Ø150mm 450W 150mm

Drywall sander DWS10501

Voltage:220-240V~50/60Hz Input power:1050W No-load speed:600-2600rpm Grinding pad diameter:215mm Sanding paper diameter:225mm Tube diameter:32mm Dust hose diameter:38mm

Dust hose diameter:38mm Integrated work light With 12pcs sand papers With 3pcs connection adapters With 2m flexible pipe With 1pcs extension bar With 1pcs dust bag With 1set extra carbon brushes

Qty/Ctn 13061



Electric planer

PL5508

Voltage: 220-240V-50/60Hz Input power: 550W No-load speed: 16000rpm Planning width&depth: 82x1mm Heavy duty aluminum base Aluminum side cover Include: 1 Pcs socket wrench 1 Pcs parallel guide Packed by color box

LIST PRICE	Qty/Ctn
4420	
4120	4



MAKITA TOTAL

Voltage:220-240V-50/60Hz Input power:750W No-load speed:17000rpm Planning width&depth:82x2mm Heavy duty aluminum base Aluminum side cover With 1 pcs socket wrench
With 1 pcs parallel guide
With 1 set extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
6200	

Electric planer



Thickness planer

Belt sander

PBS12001

Voltage:220-240V~50/60Hz Input power:1200W No-load speed:500rpm Sanding belt size: 610x100mm Quick release belt change system Dust suction facility Aluminum housing base With 1pcs sanding belt With 1set extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
12755	2

1200W

TP15003

PL7508

Voltage:220-240V-50/60Hz Input power:1500W No-load speed:9000rpm Max.cutting length:127mm Max.cutting width:318mm Max.cutting depth:2.5mm Cutting thickness:5-153mm Feeding speed:8m/min Packed by carton box

LIST PRICE	Qty/Ctn
37627	1



Jointer and planer **Scroll saw**

JAP15001

Voltage:220-240V~50/60Hz Input power:1500W Blade speed:9000rpm Blade size:210mmx16.5mm Max.cutting size:210fmin ios.cittin Max.cuting width:204mm Jointer table size:740mmx212mm Planer table size:270mmx204mm Range of cutting depth:5~120mm Feeding speed:6m/min Packed by carton box

LIST PRICE	Qty/Ctn
27114	1

Max.cutting width:204mm

SS852

Voltage:220-240V~50Hz Voltage:220-240V-50Hz Input power:85W No-load speed:1450rpm Blade size:133mmx2.6mmx0.25mm(18TPI) Max.cutting depth:50mm Max.cutting width:410mm Table size:375mmx250mm Table tilting range:0-45° Steel table tilts 45°left and right Packed by carbon box

LIST PRICE	Qty/Ctn
10209	1





350W

Band saw BAS3502

Voltage:220-240V~50Hz Input power:350W Max.cutting depth:80mm Max.cutting width:230mm Table size:300mmx300mm Table tilting range:0°-45° Blade length:1575mm Blade width:6.35mm

Blade teeth:6TPI Blade thickness:0.3mm Packed by carton box

LIST PRICE	Qty/Ctn
21920	1

RT160028

Voltage:220-240V~50/60Hz Input power:1600W No-load speed:22000rpm Collet size:6mm,8mm,12mm,1/4",1/2"

Plunge capacity:0-60mm With 1pcs guide holder With 1pcs template guide With 1pcs trimmer guide With 1pcs straight guide
With 1set extra carbon brushes
Packed by color box

LIST PRICE Qty/Ctn 8056

2

Electric router

Laminate trimmer



Laminate trimmer

PLM5002

Voltage:220-240V-50/60Hz Input power:500W No-load speed:33500rpm Chuck diameter:6mm and 1/4" With 1pcs template guide With 1set trimmer guide With 1set straight guide With 1set extra carbon brushes Packed by color box





PLM6001

Voltage:220-240V-50/60Hz Input power:600W No-load speed: 34500rpm Collet size: 6mm and 1/4" Include: 2Pcs wrenches 1Pcs template guide 1Pcs horizontal guide rail 1Pcs linear guide 1Set roller components 1Set extra carbon brushes Packed by color box

LIST PRICE

iil	10 (40)
nes	
Qty/Ctn	
	Mini grinder

600W

Mini grinder

130W

M G133 28

Voltage:220-240V-50/60Hz Input power:130W No-load speed:1000-35000rpm Collet size:3.2mm/2.3mm Variable speed control With 1pcs flexible shaft With 109pcs accessories With 1set extra carbon brushes Packed by BMC

LIST PRICE	Qty/Ctn
2694	5

Accessories for mini grinder

M G200 8

Voltage:220V-240V-50/60Hz Input power:200W No-load speed:10000-40000rpm Collet size:3.2mm/2.3mm LCD display Variable speed control With 1pcs flexible shaft With 14pps accessories With 1pcs cutting guide With 1pcs cutting guide With 1spc cutting guide With 1spc safe guard With 1spc safe speed control brushes Packed by BMC

200W	LCD Display
· (a)	
1	SILVE PROPERTY.
A	_0
140Pos Access	
140Pos Access	ordinor salar salar


LIST PRICE	Qty/Ctn
2046	
3846	5

Die grinder

AKB1012

Accessories for mini grinder, 3mm shank suitable for MG13328 MG2008 CMGLI2001 2 Pcs bullet type 10*18mm 4 Pcs cone 13*21mm 2 Pcs T-type 12*13mm 2 Pcs T-type 12*12mm Packed by double blister and color box

LIST PRICE	Qty/Ctn
148	200



BTINITINDUT

PDG5501

Voltage:220-240V~50/60Hz Input power:550W No-load speed:29000rpm Collet size:6mm Aluminum gear housing With 1set extra carbon brushes With 3pcs mounted points Packed by color box

LIST PRICE	Qty/Ctn
4834	10

Ø6mm(1/4") 550W all all

Tungsten carbide rotary burrs set

Accessories for die grinder

AKB0502

Suitable for Die grinder PDG5501,6mm shank 1 Pcs cylindrical 19*26mm 1 Pcs bullet type 14*25mm 1 Pcs cone 25*38mm 1 Pcs T-type 25*13mm 1 Pcs round 23*24mm Packed by double blister and color box

LIST PRICE	Qty/Ctn
149	100



HRRC0051

Tungsten carbide rotary burrs set 5Pcs/set (cylindrical shape,tree shape, cylindrical shape,ball shape,flame shape). Metarial:Tungsten Carbide Double Cut Shank:6mm Head size:8mm Carbide Burs are used for shaping, grinding and for the removal of sharp edges, burrs and excess material (deburring) Used on pneumatic or electric die grinders Packed by plastic box

LIST PRICE	Qty/Ctn
2958	60





Multi-function tools

MF3008

Voltage:220-240V-50/60Hz Input power:300W No-load speed:1000-20000rpm With 1pcs flexibel scraper blade With 1pcs cutting saw blade With 1pcs segment saw blade With 1pcs delta sand pad With 3pcs sand papers Pack by color box

LIST PRICE Qty/Ctn 3645 8

300W



AKTMT1502

15pcs/set
Suitable for CMLI2001, MF3008 and
UMF3008,
pcs BIM(M2) Segment saw blade,
Dia.87mm(3-7/16")
pcs Delta sanding Pad, size:80mm(3-1/8")
10pcs Aluminum-Oxide delta sandpaper for
Wood, size:80mm(3-1/8")
1pcs CRV Radial flush-cut wood saw blade,
size:84mm(1-5/16")

lpcs CRV Radial flush-cut wood saw bla size:34mm(1-5/16") lpcs Bi-Metal standard flush-cut metal

sawblade, size:34mm(1-5/16") 1pcs Rigid scraper, size:50mm(2") Packed by double blister

LIST PRICE	Qty/Ctn
000	
989	40



Marble cutter

1400W

1500W

M C140 08

Voltage:220-240V-50/60Hz Input power:1400W No-load speed:13000rpm Diameter of blade:110x20mm Max.cutting capacity:34mm Adjustable cutting depth Include 1pcs dry diamond disc Packed by color box

LIST PRICE	Qty/Ctn
4912	4

DM D011 10 2

Ø125mm(5")



110(4 3/8")X20mm Blade width:10mm Packed by color box

LIST PRICE	Qty/Ctn
195	100



Wall chaser

WLC15008

Voltage:220-240V-50/60Hz Input power:1500W No-load speed:10500rpm Disc diameter:125mm Spindle thread:M14 Cutting depth:3-29 mm Cutting width:8-30 mm With 1pcs chisel With 1pcs auxiliary handle With 1set extra carbon brushes With 4pcs cutting discs Packed by color box

LIST PRICE	Qty/Ctn
13557	2

DM D011 25 4

125(5")X22.2mm Blade width:7.5mm Match with WLC15008 & UWLC15008 Packed by double blister

LIST PRICE	Qty/Ctn
387	100

Dry diamond disc

Dry diamond disc

Multi tool blade set

Dry diamond disc



WLC30001

PC3558

Voltage:220-240V~50/60Hz Voltage:220-240V-50/60Hz Input power:3000W No-load speed: 6500rpm Disc diameter: 130mm Spindle thread: M20 Cutting depth: 9-30mm Cutting width: 10-40mm With 1pc auxiliary handle With 1set carbon brushes With 5ex cuttion disc. With 5pcs cutting discs With 1pcs socket wrench With 1pcs wrench With 1 pcs hex key With 1pcs water pump

LIST PRICE	Qty/Ctn
24377	1

Wall chaser

3000W Ø130mm



DM D011 30 1

130(5")X20mm Blade width:12mm Metal base thickness:1.6mm Universal Match with WLC30001 High concentration diamond Packed by double blister

LIST PRICE	Qty/Ctn
560	100

Blade width:12mm Fast cut WET * DRY WLC3908

Power cutter

Voltage:220-240V-50/60Hz Input power:2800W Blade size:355mmx25.4mm No-load speed:4800rpm Max.cutting depth:120mm With 1set settra carbon brushes With 1pcs 355mm cutting disc With 1pcs 5m water pipe Packed by carton box

LIST PRICE	Qty/Ctn
34282	1

2800W Ø355mm



Diamond disc for asphalt and concrete cutting

DM D033 55 1

355mm(14")X25.4mm Blade width:12mm Suitable for item PC3558 Packed by color box

LIST PRICE	Qty/Ctn
2768	10







Diamond drilling machine

DDM28001

Voltage:220-240V-50/60Hz Input power:2800W No-load speed:800rpm Max. drilling diameter:200mm Spindle thread:M22 With drilling stand With 1 set carbon brushes With leakage protection switch Packed by carton box

> LIST PRICE Qty/Ctn 25806

Spindle thread:

AB 40 38

Voltage: 220-240V-50/60Hz Input power: 400W No-load speed: 14000rpm Max.blowing rate: 3.2m³/min Cable length: 2m Include: 1Pcs dust bag Packed by color box

LIST PRICE	Qty/Ctn
LIST FRICE	Qty/Ctil
2117	4

40000

Aspirator blower



Aspirator blower

Aspirator blower

AB 60 08

Voltage:220-240V-50/60Hz Input power:600W No-load speed:0-16000rpm Blowing rate:0-3.5m³/min Variable speed control With 1 pcs dust bag Packed by color box

LIST PRICE Qty/Ctn 3678



AB 60 38

Voltage: 220-240V-50/60Hz Input power: 650W No-load speed: 0-16000rpm Blowing rate: 0-4.0m³/min Variable speed control Cable length: 2m Include: 1Pcs dust bag Packed by color box

LIST PRICE	Qty/Ctn
2739	4



Aspirator blower

AB 80 08

Voltage:220-240V-50/60Hz Input power:800W No-load speed:0-15000rpm Blowing rate:0-4.5m³/min Variable speed control With 1pcs dust bag With 1pcs flexible tube With 2pcs suction nozzles With steet extra carbon brushes Packed by color box

LIST PRICE	Qty/Ctn
F020	
5820	4



SPG3508

Voltage:220-240V-50/60Hz Input power:450W Spraying Pressure'0.1-0.2Bar Max. flow:380ml/min Max. viscosity:50DIN-s Container capacity:800ml With 1pcs viscosity measuring cup With 1pcs nozzle cleaning needle Packed by color box

LIST PRICE	Qty/Ctn
2616	8



Heat gun

Spray gun

HVLP spray gun

SPG5008

Voltage:220-240V-50/60Hz Input power:550W Spraying Pressure:0.1-0.2Bar Max. flow:850ml/min Max. viscosity:50DIN-s Container capacity:800ml Power cord length:2.0m With 1pcs viscosity measuring cup With 1pcs viscosity measuring cup With 1pcs shoulder strap Packed by color box

LIST PRICE	Qty/Ctn
3514	4

550W

HG20 00 78

Voltage: 220-240V-50/60Hz Input power: 2000W Temperature:50/450°C/550°C Airflow:450/300/450 L/min 3 temeprature settings Include: 1 Pcs reduction nozzle

1 Pcs reduction nozzle
1 Pcs reflector nozzle
1 Pcs flat nozzle
1 Pcs scraper
Packed by color box

LIST PRICE	Qty/Ctn
1909	10



Glue gun Electric soldering iron

GG1 48

Volts:220-240V-50/60Hz Input power:20W(100W) Gluing capacity:15-22g/min Glue stick diameter:11.2mm With 2 pcs 150mm glue sticks Packed by double blister

LIST PRICE	Qty/Ctn
621	36



SI016 83 1

Voltage:220-240V-50/60Hz Input power:60W Preheat.time:1-2minutes Straight, tip head Temperature can be adjusted by rotating Built-in ceramic heating element for fast and stable heating, easy to replace With a piece of stand Long life replaceble tip Packed by sliding card

LIST PRICE	Qty/Ctn
510	50







Soldering gun with solder feeder

Cut off saw

SI016732

Voltage:220-240V~50/60Hz Input power:90W Preheat.time:20 seconds Straight, tip head with Solder Wire Feeder Temperature can be adjusted by rotating and thermostatic

Built-in ceramic heating element for fast and stable heating, easy to replace Long life replaceble tip Packed by sliding card

LIST PRICE	Qty/Ctn
1173	48



SI016923

Voltage:220-240V~50/60Hz Input power:60W Preheat.time:1minutes Straight, tip head Digital display Temperature can be adjusted by rotating and thermostatic Built-in ceramic heating element for fast and stable heating, easy to replace With a piece of stand Long life replaceble tip Packed by color box

LIST PRICE	Qty/Ctn
4688	
4000	12



Cut off saw

Soldering station

COS223558

Voltage: 220-240V~50/60Hz Input power: 2200W No-load speed: 3700rpm Blade size: 355mmx25.4mm Max. cutting capacity: 100mm in round pipe 100x100mm in square steel 120x100mm in rectangle
Max. cutting steel bar: 50mm
With 1pcs 355mm cutting disc
Packed by color box

LIST PRICE	Qty/Ctn
10763	1

Ø355mm(14")

Ø355mm

COS35 53 8

Voltage:220-240V-50/60Hz Input power:2350W Blade size:355mmx25.4mm No-load speed:3800pm Max.cutting capacity: 100mm in round pipe 100mmx100mm in rectangle Max.cutting steel bar:50mm With 1set extra carbon brushes With 1pcs 355mm cutting disc Packed by color box

LIST PRICE	Qty/Ctn
12161	
12161	1



Cut off saw

2400W

COS243558

Voltage:220-240V-50/60Hz Input power:2400W No-load speed:3900rpm Blade size:355mmx25.4mm Max.cutting capacity: 100mm in square steel 120mmx100mm in square steel 120mmx100mm in rectangle Max.cutting steel bar:50mm With 1pcs 355mm cutting disc Packed by color

LIST PRICE	Qty/Ctn
12727	1

COS4051

Voltage:220-240V-50Hz Input power:3.0KW(4HP) No-load speed:2280rpm Blade size:405mmx25.4mm Max.cutting capacity: Steel tube:135mmx6mm Angle iron:100mmx10mm Channel steel:126mmx53mm Steel bar:50mm Tongs rotary angle:0°-45° With 1pcs abrasive cutting disc Packed by wooden case

LIST PRICE	Qty/Ctn
29108	1

Mitre saw

Ø405mm



Mitre saw

BM S1800 7

Voltage: 220-240V-50/60Hz Input power: 1800W No-load speed: 5300rpm Blade size: 255mmx25.4mm Cutting capacity: Mitre/Bevell-Heights/Wido 0°×0°:H70mm×W140mm 0 ×0 .170/mm/W190mm 0°×45°:H70mm×W100mm 0°×45°:H48mm×W135mm 45°×45°:H48mm×W95mm Mitre cuts 0-45° left and right Bevel cuts up to 45° to the left Include: 1 Set extra carbon brushes 2 Pcs extension bars

LIST PRICE	Qty/Ctn
17012	1



BM 2S180 01 7

Voltage: 220-240V-50/60Hz Input power: 1800W No-load speed: 5300rpm Blade size: 255mmx25.4mm Parallel dual sliding rails Max.cutting capacity: 89mmx320mm Cutting capacity: Mitre/Bevel:HeightxWidth 0°x0°:H89mmxW320mm W5x0°:H89mmxW320mm 0°x45°:H89mmxW210mm Witre cuts 0: 475°45°:H42mmxW310mm Mitre 45°×45°:H42mm×W210mm Mitre cuts 0-45°left and right Bevel cuts up to 45°to the

LIST PRICE	Qty/Ctn
23239	1



TCT saw blade for aluminum

TSB3305212

305mm(12") 120T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For item BM2S24007 Aluminum cutting Packed by color box

LIST PRICE	Qty/Ctn
3437	10



BM IS160 02

Voltage:220-240V-50Hz Input power:1600W No-load speed:2800rpm Blade size:305mmx30mm Induction motor Max.cutting capacity:60mmx185mm Mitre cuts 0-45°left and right Bevel cuts up to 45°to the left With 2pcs extension bars With 1pcs TCT blade With 1pcs dust bag Packed by color box

LIST PRICE	Qty/Ctn
35565	1







TCT saw blade for aluminum

Table saw

TSB3254210

254mm(10") 100T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For item BM2S180017 Aluminum cutting Packed by color box

LIST PRICE	Qty/Ctn
2272	25

100T incce

TS15007

Voltage: 220-240V-50/60Hz Input power: 1500W No-load speed: 4500rpm Blade size: 254mmx16mm Max.cutting capacity: 85mm(90°)x60mm(45°) Blade tilting range: 0°-45° Main table size: 430mmx638mm Extension table size (left/right): 638mmx150mm With rip fence, push sticker With miter gauge Packed by carton box

LIST PRICE	Qty/Ctn
28007	1

Table saw



Drill press

TS26005

Voltage:220-240V-50/60Hz power:2600W No-load speed:4800rpm Blade size:254mmx25.4mm Max cutting capacity: 45 degree:60mm 90 degree:86mm Main table size left:643mmx649mm Extension table size left:643mmx65mm Extension table size right:643mmx101mm Extension table size right:643mmx101mm Extension table size right:643mmx101mm Extension table size right:643mmx101mm Foxtierie stops at 90° and 45° 4-leg steel stand for rigidity and stability With 1set extra carbon brushes

LIST PRICE	Qty/Ctn
12576	
43576	1

2600W Ø254mm Table size: 540x643mm

DP133505

Voltage:220-240V-50Hz Input power:350W No-load speed:5:80-2650rpm Max.drilling capacity:13mm Adjustable working table Spindle speed settings:5 Spindle travel:50mm Column diameter:46mm Table size:160mmx160mm Base size:291mmx183mm Net weight:19Kgs Machine height:590mm Packed by color box

LIST PRICE	Qty/Ctn
10828	1



Bench grinder

Auto air compressor

Bench grinder

BG61 50 2

Voltage:220-240V-50Hz Input power:150W No-load speed:2950rpm Wheel size:150mm Adjustable work rest Heavy duty aluminum base Include 1set eye shields Include 1ps tool storage box Packed by carton box

LIST PRICE	Qty/Ctn
3750	1

150W 150mm(6")



Voltage:220-240V-50Hz Input power:350W No-load speed:2950rpm Wheel size:200mm Adjustable work rest Heavy duty aluminum base Include 1set eye shields Include 1pcs tool storage box Packed by carton box

BG83 50 2

LIST PRICE	Qty/Ctn
7370	1



Auto air compressor

AAC1408

Voltage:12V Current:10A Max pressure:140PSI/10BAR Max air flow:35L/min Integrated work light With 1pcs 3m cord with cigarette lighter With 1pcs battery clips With 4pcs adapters Packed by color box

LIST PRICE	Qty/Ctn
2742	8

DC 12V

AAC1601

Voltage:12V Max pressure:160PSI/11Bar Max air flow:35U/min Integrated work light With 1pcs 3m cord with cigarette lighter With 3pcs adaptors Packed by color box

LIST PRICE	Qty/Ctn
4011	10



Air spray gun Air spray gun

ASG4041

Standard nozzle:1.5mm
Pattern width:180-250mm
Paint capacity:400cc
Suitable for base coat
With Europe type connector, USA type connector, Nitto type connector and Italy type
connector.
Optional nozzle:1.2-1.8mm
Operating pressure:3-4bar
Air cons:42-7.1cfm(119-200l/min)
Packed by color box

LIST PRICE	Qty/Ctn
1446	10



ASG3101

Standard nozzle:1.5mm
Pattern width:140-180mm
Paint capacity:1000cc
Suitable for base coat
With Europe type connector, USA type connector, Nitto type connector and Italy type
connector. Optional nozzle:1.2-1.8mm
Operating pressure:3-4bar
Air cons:4.2-7.1cfm(119-200l/min)
Packed by color box

LIST PRICE	Qty/Ctn
1559	10



Air washing gun

Air blow gun





Air spray gun

Standard nozzle:1.4mm
Pattern width:180-250mm
Paint capacity:600cc
Suitable for finishing coat
With Europe type connector, USA type connector, Nitto type connector and Italy type connector.
Optional nozzle:1.3-2.5mm
Operating pressure:2-3.5bar
Air cons:4.2-7.1cfm(119-2001/min)
Packed by color box

ASG1061

LIST PRICE	Qty/Ctn
2020	10



AWG1001

Nozzle size:215mm Washing capacity:0.75L With Europe type connector, USA type con-nector, Nitto type connector and Italy type connector. connector. connector.
Operation pressure:4bar
Packed by color box(one color box packs two pieces of AWG1001)

LIST PRICE	Qty/Ctn
843	10



Air tire inflating gun

5 Pcs air tools set

Max 8-5Bar

ATG 060 1

Max pressure:8.5Bar(120PSI) With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Packed by sliding card

LIST PRICE	Qty/Ctn
1070	20

AB G0 31 -3

Nozzle length:16mm Only with Nitto type connector. Packed by sliding card

LIST PRICE	Qty/Ctn
278	50



AK T0 05 3 -3

Air tools 5pcs set Only with Nitto type connector. Recoil hose

hose Length:4m,Diameter:8mm Air blow gun Nozzle length:16mm Air spray gun Operating pressure:3-4bar Paint capacity:600cc Pattern width:180-250mm Air washing gun Operation pressure:4bar Washing capacity:750cc Air tire inflating gun

LIST PRICE	Qty/Ctn
2724	10

SPCSISET

0000	Only with Mills
	Type connector

AIW 12 31 2

Square drive:12.5mm(1/2") No-load speed:7000 rpm Max.torque:312Nm(230ft) Weight: 4.2KG With 10 pcs socket (9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm)

With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Air Consumption:142.5l/min(5.0cfm)

Air Consumption: 142.3/m Air Pressure: 6.3bar(90psi) Length: 187mm(7.3") Weight: 4.2kgs(9.3lbs)

nlet:1/4"	,
LIST PRICE	Qty/Ctn
5785	6



Air impact wrench

AIW 12 56 2

Square drive:12.5mm(1/2") No-load speed:7000/min Max.torque:610Nm(450Ft-lb) Weight: 2.6KG Twin hammer mechanism With 3 pcs socket (17mm,19mm,21mm)
With Europe type connector, USA type connector, Nitto type connector and Italy type connector. connector. Air Consumption:142.5l/min(5.0cfm) Air Pressure:6.3bar(90psi) Length:187mm(7.3") Weight:2.6kgs(5.7lbs) Air Inlet:1/4"

LIST PRICE Qty/Ctn 6540 6



HKISSD12101

10 Pcs 1/2"DR. impact socket set Material:CrMo Size:10.12.13.14.15.17.19.21.22.24mm بوهد (reatment Packed by BMC

LIST PRICE	Qty/Ctn
1402	12



Air impact wrench

10 Pcs 1/2" deep impact socket set

HKISSD12102L

10 Pcs 1/2"DR. deep impact socket set Size:10.12.13.14.15.17.19.21.22.24mm length:78mm Material:CrMo Heat treatment Packed by BMC

LIST PRICE	Qty/Ctn
2211	10



AIW341302

Square drive:19mm(3/4")
No-load speed:4000 rpm
Max.torque:1600Nm(1180ft)
Twin hammer mechanism
With universal connector.
Air Consumption:256/min(9cfm)
Air Pressure:6.3bar(90psi)
Length:234mm(9.2")
Weight:5.9kgs(13lbs)
Air Inlet:3/8"
Air hose:1/2"
Packed by color box

LIST PRICE	Qty/Ctn
12526	4







Air impact wrench

Square drive:25mm(1")
No-load speed:4000 rpm
Max.torque:1800Nm(1328ft)
Twin hammer mechanism
With universal connector.
Air Consumption:256/min(9cfm)
Air Pressure:6.3bar(90psi)
Length:234mm(9.2")
Weight:5.9kgs(13lbs)
Air Inlet:3/8*
Air hose:1/2"
Packed by color box

AIW 11 22 3



AIW 11 22 2

Square drive:25.4mm(1") No-load speed:3600/min Max.torque:3100Nm(2220Ft-lb) Weight: 18.5KG With universal connector. Air Consumption:36Cfm(1019l/min) Anvil:200mm(8") Capacity bolt Size:45mm(1-3/4") Air inlet:1/2' Air hose:5/8" Packed by BMC

LIST PRICE	Qty/Ctn
24297	1



Air impact wrench

Air ratchet wrench

Air grease lubricator

Air sander

150mm (6

Ga18

APS1512

Sanding pad:6"(150mm) Air Inlet(PT):1/4" With Europe type connector, USA type connector, Nitto type connector and Italy type connector.
No-load Speed RPM:10500

Air Hose(ID):3/8" Air Cons:3cfm(84l/min) Air pressure:90PSI,6.3bar Packed by color box

LIST PRICE	Qty/Ctn
4887	10

ARW 12 1

Square Drive: 12 7mm(1/2") No-load speed:160RPM Max.torque:68N.m(50Ft-Lb) With Europe type connector, USA type connector, Nitto type connector and Italy type connector.
Front Exhaust rionic EXNAUST
Capacity Bolt Size:1/2"(13mm)
Air Inlet (NPT): 1/4"
Air Hose(ID): 3/8"
Packed by color box

LIST PRICE Qty/Ctn



2 In 1 combo brad nailer

ACN 50 40 1

Load capacity:100Pcs
Brad size:15-50mm
Ga18,1.25X1.0mm
Staple size:16-40mm
Ga18,1.25X1.0mm
Staple crown:5.7mm
With Europe type connector, USA type connector, Nitto type connector and Italy type connector.
Operation pressure:0.4-0.7Mpa(60-100Psi)
With 1000pcs brad nails
With 200pcs staples
Packed by color box

LIST PRICE	Qty/Ctn
3936	5

AGL02301

LIST PRICE

AGSC51 80 1

Capacity:30L
Drum application:330*430mm
Pressure ratio:50:1
Working pressure:6-8bar
Max.fixed pressure:400bar
Cylinder dia:70mm
Air consumption:250L/min@6.2bar
1/4" inlet and outlet air regulator with water
filtering device
Grease hose:5M
Packed by carton box

box	× ·	
		10 8
	Qty/Ctn	提升
	1	



	Saw cha
20310	

GCS54 51 81 1

AGSB51801

1412

Displacement:46cc Rated power:1.8kW
Engine idle speed:3100±300rpm
Max. cutting diameter:445mm(18") Max. cutting diameter:445mm(1 Easy start Fuel tank capacity:550ml Oil tank capacity:260ml Powerful 2-stroke motor 13° chain saw With saw chain AGSC\$1801 With chain saw bar AGSB\$1801 Packed by color box

LIST PRICE	Qty/Ctn
13205	2



18" Saw chain Suitable for GCS5451811 gasoline chain saw Packed by double blister

The state of the s	18"
A STATE OF THE PARTY OF THE PAR	Para.
	89

LIST PRICE	Qty/Ctn
1440	50

Gasoline chain saw

Chain saw bar

18" Chain Saw Bar Suitable for GCS5451811 gasoline chain saw Packed by double blister

LIST PRICE	Qty/Ctn

25



Gasoline grass trimmer and brush cutter

GBC5 434 42 1 Displacement:42.7cc

Rated power:1.25Kw(2HP) Max speed:8000rpm Max cutting path:420mm Fuel inlet pipe:double-deck PUR pipe Easy start Spool liner:2.4mmx4m Blade diameter:255mm(3teeth) Fuel tank capacity:1200ml
Powerful 2-stroke motor
With 2 function:trimmer and cutter Air cooled engine, single cylinder With line spool ALS25405 With bush cutter blade ABCB05

LIST PRICE	Qty/Ctn
15660	2







Earth auger

Rated power(cc./wattolt):52cc/1.4kw Auger speed:0-265/min With GEA55221-2 Used Together, GEA55221-2 sold separately. Fuel inlet pipe:double-deck PUR pipe

Fuel inlet pipe:double-deck PU 2-stroke Fuel tank capacity: 1200ml Max. engine speed: 9000/min Max. idle speed:3300±300 Packed by carton box

GEA55 22 1 -1

LIST PRICE Qty/Ctn 20723



GEA55 22 1 -2

Auger bit length:Ф150mm*80cm Suitable for GEA55221-1 Packed by carton box

LIST PRICE Qty/Ctn



Gasoline tiller

GC6101

Petrol Engine Engine power:4.8kW(6.5HP) Tilling Scope(mm):900 Driving model:Belt Tilling depth(mm):150-300 Gear shifting:-1,02,1 Max. torque(N:m/rpm):11/2500 Transmission oil capacity(L):0.95 Packed by carton box

LIST PRICE Qty/Ctn 68146



Voltage:220V-240V-50/60Hz Input Power:1600W No-load speed:3500rpm Carbon brush motor Cutting width:380mm Cutting height:28/48/68mm Grass box size:45L With 0.35m power cord Packed by color box

LIST PRICE Qty/Ctn 10624



Vacuum cleaner

VC10101

Voltage: 220V-240V~50/60Hz Input power:1000W Dust capacity:10L Vacuum pressure: ≥15KPa Wet and dry cleaning Sponge&cloth bag filter Air flow:≥1.3m³/min
Product size:270*255*342mm
With thermo fuse 1.2m flexible hose 1pcs small brush 1pcs cloth dust bag 1pcs sponge 1pcs paper dust bag

LIST PRICE Qty/Ctn



VC14122

LM 38 5

Voltage: 220V-240V~50/60Hz Input power: 800W Copper wire motor Metal tank Dust capacity:12L Air flow:1.7m3/min Vacuum pressure:16KPa 1.5m flexible hose Plastic three parts tube 1pcs plastic floor brush 1set 2 in 1 brush 2.3m cord length HEPA fliter Wet and dry cleaning

LIST PRICE	Qty/Ctn
6204	

Vacuum cleaner

Earth auger bits

Electric lawn mower



Air-inlet HEPA

Vacuum cleaner

VC14301

Voltage: 220V-240V~50/60Hz Input power: 14 flow:1.9CBM/Min pressure:16-18KPa 1400W Air Vacuum Dust flexible pressure:16-18KPa capacity:30L 1pcs flexible hose 1pcs floor brush 1set plastic tube 1pcs HEPA filter Tank material:stainless steel Power calble:1.8m With power tools socket Wet and dry cleaning Packed by carton box

LIST PRICE	Qty/Ctn
13378	1

VCAIHP02

Suitable for VC14122 UVC14122 VC14301 UVC14301 Vacuum cleaner Filter level:F8 Packed by plastic bag

LIST PRICE	Qty/Ctn
385	24

HEPA

12L/30L





High pressure washer

HPWR12008

Voltage: 220-240V~50/60Hz Carbon brush motor Input power:1200W Max Pressure:90Bar (1300PSI) Flow rate:5.5L/min Aluminum wire motor Auto stop system 1 set unique design spray gun 3m high pressure hose Packed by carton box

LIST PRICE	Qty/Ctn
7525	1

1200W 90Bar 5.5L/min Carbon Brush Motor



HPWR14008

Voltage: 220-240V~50/60Hz Carbon brush motor Pure copper wire Input power:1400W Max Pressure:130Bar (1900PSI) Flow rate:5.5L/min Auto stop system 1 set water spray gun (AMSG028) 5m high pressure hose(AHPH5028) Packed by color box

LIST PRICE	Qty/Ctn
8426	1

High pressure washer







High pressure washer

Foam producer

High pressure washer

HPWR18008

Voltage: 220-240V~50/60Hz Carbon brush motor Pure copper wire Input power:1800W Max Pressure:150Bar (2200PSI) Flow rate:6.0L/min Auto stop system 1pcs soap bottle 1 set water spray gun (AMSG028) 5m high pressure hose(AHPH5028) Packed by color box

LIST PRICE	Qty/Ctn
13129	1

1800W 150Bar 6L/min Carbon Brush Motor

AMSG028

Material:Plastic body Quick connector Suitable for HPWR14008 UHPWR14008 HPWR18008 UHPWR18008 HPWR20008 HPWR25008 UHPWR25008 Packed by color box

LIST PRICE	Qty/Ctn
2076	14



High pressure hose(Quick connector)

Spray gun(Quick connector)

AM FP 40 02

Capacity:400mL With adjustable function Suitable for AMSG028 Demension:125*85*196mm Packed by label

LIST PRICE	Qty/Ctn
613	25

400m

AHPH5028

Length:5 Meters Dength 3 Meters
Material:PVC
Quick connector
Suitable for HPWR14008 UHPWR14008
HPWR18008 UHPWR18008 HPWR20008 Packed by color box

LIST PRICE	Qty/Ctn
1262	16



High pressure washer(For commercial use)

HPWR15028

Voltage: 220-240V-50Hz Copper wire induction motor Input power:1500W Max Pressure:100Bar (1450PSI) Flow rate:6.71/min 1 set water spray gun 8m high pressure metal hose Packed by color box

LIST PRICE	Qty/Ctn
13381	1

100Bar 6.7L/min 1500W Induction Motor

00	

HPWR30018

Voltage: 220-240V~50Hz Voltage: 220-240V~50Hz
Copper pump
Copper wire induction motor
Input power: 2400W
Max Pressure: 100Bar (1450PSI)
Flow rate: 101/min
500 hours lifetime 1 set metal spray gun
4 types of nozzles
8m high pressure hose(steel wired)
Net weight: 24kg
Packed by carton box

LIST PRICE	Qty/Ctn
34057	1



Spirit level

HCLR0 13 0

Chalk line reel Length:30m With 1 bottle chalk With 1 pcs spirit bubble With1 pcs blue powder bottle: 4oz/113g Packed by double blister

LIST PRICE	Qty/Ctn
354	40



HSL18030

Length: 30cm Aluminum Aluminum thickness:1mm Packed by color sleeve

LIST PRICE	Qty/Ctn
297	40

30cm







8 Pcs HSS twist drill bits set

Chalk line reel

AKDB0801

8PCS/SET Size: 2X49,3X61, 3X61, 4X75, 4X75, 5X86,6X93,8X117 8pcs HSS rolling twist drill bits set Packed by double blister

LIST PRICE	Qty/Ctn
167	80



12 Pcs HSS twist drill bits set

AKDB1125

12pcs HSS twist drill bits set Size: 2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,8mm Packed by double blister

LIST PRICE	Qty/Ctn
359	40







5 Pcs masonry drill bits set

AKDB3055

Size: 4X75, 5X85, 6X100 , 8X120, 10X120 5PCS Masonry drill bits set Packed by double blister





5 Pcs SDS plus hammer drill bits set

6X110mm,8X110mm,8X160mm,10X160mm,1 2X160mm 5 pcs SDS Plus hammer drill bits set Packed by plastic box

LIST PRICE	Qty/Ctn
579	30



19 Pcs drill bits & screwdriver bits set

AKSDB1901

19PCS drill bits & setscrewdriver bits set 7pcs HSS Rolling twist drill bits SIZE.2,3,3.5,4,4,5,6mm 4pcs Masonry drill bits SIZE.4,5,6,8mm 8PCS 25mm Screwdriver bits SIZ-4,5,5,5,PH1,PH2,PZ1,PZ2,720,T30/Packed by double bilster

LIST PRICE	Qty/Ctn
369	40

19PCS/SET



Impact socket adaptor

AMN365A01

AKD2052

3pcs/set 1/4", 3/8", 1/2" Shank:1/4" Hex Material:50BV30 Length I:65mm(1/4", 3/8") Length II:73mm(1/2") Packed by sliding card

LIST PRICE	Qty/Ctn
209	100



6 Pcs screw extractor set

ASE106

Material:Cr-V Size:3~6mm(1#),6~8mm(2#),8~11mm (3#),11~14mm(4#),14~18mm(5#),18~25mm (6#)

Hardness:48~52HRC Coarse thread
Packed by double blister

LIST PRICE	Qty/Ctn
560	50



Bi-metal hole saw set

AKH0071

7Pcs Bi-metal hole saw set Size: 19mm(3/4"),22mm(7/8"),29mm(1-1/8"),32mm(1-1/4"),35mm(1-3/8")

1 Pcs adapter: 1/2"-20" threads to fit hole saws 5/8"~18"thread

1 pcs arbor: 3/8" Hex Shank, Fit Size: 9/16"~1-3/16" Packed by doulble blister

	_	-		
unoco	18	1	1	4
25/mm	Direct	23rear	Zinn	The same

BIM

Arbor for hole saw

7PCS SET

AND IN	ט ש	U	ı	Ü	LIST PRICE	Qty/Ctn
000000	K4-477		175		1402	40

Bi-metal hole saw set

AKH0121

HSA02

Hole saw 12pcs set Size:20mm(25/32"),22mm(7/8"),25mm (1"),29mm(1-1/8"),32mm(1-1/4"),35mm(1-3/8"),38mm(1-1/2"),44mm(1-3/4"),48mm(1-7/8"),50mm1-31/32')

7/8 ,50film1-3/52) 1 pcs arbor: 1/4" Round Shank, Fit Size: 9/16"-1-3/16" 1 pcs arbor: 7/16" Hex Shank, Fit Size: 1-1/4"~8-17/64"

Packed by Aluminum case

LIST PRICE	Qty/Ctn
4845	10



HSA01

Arbor for hole saw Hex shank 3/8" Fit hole saws 14mm to 30mm Packed by double blister

LIST PRICE	Qty/Ctn
262	120



Arbor for hole saw

Arbor for hole saw Hex shank 7/16" Fit hole saws 32mm to 210mm. Packed by double blister

LIST PRICE	Qty/Ctn
541	60



HSS bi-metal hole saw

HSB10161

Diameter:16mm (5/8") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Veriable teeth 4/6 Packed by double blister

LIST PRICE	Qty/Ctn
191	50









Diameter:19mm (3/4") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Veriable teeth 4/6 Packed by double blister

LIST PRICE Qty/Ctn 227 50

19mm(3/4) BIM

HSB10221

Diameter:22mm (7/8") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Veriable teeth 4/6 Packed by double blister

LIST PRICE	Qty/Ctn
257	50

HSS bi-metal hole saw



HSS bi-metal hole saw

HSS bi-metal hole saw

HSB10251

Diameter:25mm (1") Cutting depth:38mm Material:HSS M3 Bi-metal Veriable teeth 4/6 Packed by double blister





HSB10321

Diameter:32mm (1-1/4") Cutting depth:38mm Material:HSS M3 Bi-metal Veriable teeth 4/6 Packed by double blister

LIST PRICE	Qty/Ctn
361	50



HSS bi-metal hole saw

HSS bi-metal hole saw

HSB10351

Diameter:35mm (1-3/8") Cutting depth:38mm Material:HSS M3 Bi-metal Veriable teeth 4/6 Packed by double blister

LIST PRICE	Qty/Ctn
392	50



HSB10381

Diameter:38mm (1-1/2") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Veriable teeth 4/6 Packed by double blister

LIST PRICE	Qty/Ctn
416	50



HSS bi-metal hole saw

HSB10441

Diameter:44mm (1-3/4") Cutting depth:38mm (1-1/2") Material:HSS M3 Bi-metal Veriable teeth 4/6 Packed by double blister

LIST PRICE	Qty/Ctn
461	50



HSB10461

Diameter:46mm (1-13/16") Cutting depth:38mm (1-1/2") Material:HSS M3 Bi-metal Veriable teeth 4/6 Packed by double blister

LIST PRICE	Qty/Ctn
466	50



HSS bi-metal hole saw

Diameter:51mm (2") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Veriable teeth 4/6 Packed by double blister

HSB10511

LIST PRICE	Qty/Ctn
484	50



HSB10641

Diameter:64mm (2-1/2") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Veriable teeth 4/6 Packed by double blister

LIST PRICE	Qty/Ctn
609	50









Diameter:76mm (3") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Veriable teeth 4/6 Packed by double blister





HBPH81016

Weight:16oz/450g Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for com-fortable gripe Packed by label

LIST PRICE	Qty/Ctn
121	19

Ball pein hammer





Drop forged

Claw hammer

HCH81016

Weight:16oz/450g Magnetic nail function Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable grip Packed by label

LIST PRICE	Qty/Ctn
458	18

16oz Fibreglass handle

Qty/Ctn

Machinist hammer

HM H822 00

Weight:200g Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label

LIST PRICE	Qty/Ctn
268	48

200g Fibreglass handle

Drop forged

Machinist hammer

Machinist hammer







HM H823 00

Weight:300g Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label

LIST PRICE	Qty/Ctn
319	36

Fibreglass handle





nning	hammer	

HM H825 00

HRUH8208

Weight:500g Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label

LIST PRICE	Qty/Ctn
404	24

500g Fibreglass handle Drop forged

HSTHS81000

Weight:1000g Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label Drop-forged Heat arbon steel

LIST PRICE	Qty/Ctn
580	12

Fibreglass handle







Rubber hammer

Weight:8oz/220g Rubber hammerhead Non-spark Non-spark Non-marring plastic faces Protect workpiece surface Unique design fiberglass handle Packed by label

LIST PRICE	Qty/Ctn
272	40

Fibreglass handle



	_
Rubber	

HRUH8216

Weight:16oz/450g Rubber hammerhead Non-spark Non-spark Non-marring plastic faces Protect workpiece surface Unique design fiberglass handle Packed by label

LIST PRICE	Qty/Ctn
334	24

Rubber hammer





8oz





Dead blow mallet

Dead blow mallet Weight: 2LB Non-marring plastic faces

HDBM01028

HBPHS8016

Non-rebounding Non-spark Unique design fiberglass handle Packed by label

LIST PRICE Qty/Ctn 24

Fibreglass handle




160Z



7 Pcs Body And Fender Hammer Set Genuine Hickory handle 1Pcs Chisel end hammer 1Pcs Pick hammer 1Pcs Bumping hammer 1Pcs Shrinking dolly 1Pcs Double end dolly 1Pcs Curved dolly 1Pcs Heel dorry Drop-forged hammerhead Heat treatment, 45# carbon steel Packed by BMC

HBAFH0712


LIST PRICE	Qty/Ctn
4367	2



Ball pein hammer


Axe

HBPH88032



Weight:16oz/450g Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label

LIST PRICE	Qty/Ctn
429	18





Drop forged

Weight: 32oz/900g Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label

LIST PRICE	Qty/Ctn
681	18

7 Pcs Body And Fender Hammer Set

Ball pein hammer








HAX 08 160 0

Weight:600g Innovated drop-forged axe head Heat treatment,45# carbon steel Strong three-color fiberglass handle for com- fortable gripe Packed by label







Weight:600g Drop-forged axe head Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label

HAX S 206 00 1

Fiberglass handle





LIST PRICE	Qty/Ctn
665	12

LIST PRICE	Qty/Ctn
679	12

Combination pliers

HCP12 200



Long nose pliers

HCP08 168

HCP08 208

Size:6"/160mm Polish and anti-rust oil Two color handle Packed by sliding card



Qty/Ctn 36 310



Size:8"/200mm Polish and anti-rust oil One color handle Packed by sliding card

LIST PRICE	Qty/Ctn
372	60



Combination pliers

HLNP12160

200mm(8)




LIST PRICE	Qty/Ctn
367	36



Size:6"/160mm Polish and anti-rust oil One color handle Packed by sliding card

LIST PRICE	Qty/Ctn
270	60









Size:6"/160mm Polish and anti-rust oil Two color handle Packed by sliding card

LIST PRICE Qty/Ctn 36

160mm(6)

160mm(6)



Long nose pliers HLNP08208

Size: 8"/200mm Polish and anti-rust oil Two color handle Packed by sliding card

> LIST PRICE Qty/Ctn 319 36



End cutting pliers

Mini long nose pliers

Mini combination pliers

Mini needle nose pliers

Diagonal cutting pliers

Size:6"/160mm Polish and anti-rust oil Two color handle Packed by sliding card

HDCP08168



HECP28160

Size: 6"/160mm Cr-V,black finish and polish TPR two color handle Packed by PP hanger

LIST PRICE	Qty/Ctn
431	36



Rabbet pliers

HRP02 230

Size: 9"/228mm Cr-V,black finish and polish With plastic handle Packed by PP hanger





HM LNP 08 11 5

Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card

LIST PRICE	Qty/Ctn
220	120



Mini end cutting pliers

Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card

HM BCD081 15

LIST PRICE	Qty/Ctn
223	120





HMCP08115

Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card

LIST PRICE	Qty/Ctn
215	120



Mini diagonal cutting pliers

HM DCP081 15

Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card

LIST PRICE	Qty/Ctn
215	120



HMNNP08115

Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card

LIST PRICE	Qty/Ctn
215	120







Plastic cutting pliers

HDCP38160

Size: 6"/160mm Black finish and polish With plastic handle Packed by sliding card

 LIST PRICE
 Qty/Ctn

 325
 36

Cut plastic

HKPS08318

Size: 8" Combination pliers 6" Long nose pliers 6" Diagonal cutting pliers Poish and anti-rust oil Two color handle Packed by sliding card

LIST PRICE	Qty/Ctn
891	20

3 Pcs pliers set



Slip joint pliers

Straight jaw plier

HPP28258

Size:10"/250mm Max clamping open:40mm Cr-V,black finish and polish TPR two color handle Packed by PP hanger

LIST PRICE Qty/Ctn

HSPJP02200

Size: 8"/200mm Black finish and polish Packed by PP hanger

HSJP0110

LIST PRICE	Qty/Ctn
280	36



Curved jaw locking plier

Pump pliers

HCJLW 02 10

Carbon steel Size: 10" Openings range: 0-50mm HRC38°-HRC48° Nickel plated Packed by half double blister

LIST PRICE	Qty/Ctn
460	30

Carbon steel Size: 10" Openings range: 0-50mm HRC38°-HRC48° Nickel plated Packed by half double blister

LIST PRICE	Qty/Ctn
406	30



Long nose locking plier

Carbon steel Size: 9"

HLNP0209

Carbon steel Size: 9" Openings range: 0-60mm HRC38°-HRC48° Nickel plated Packed by half double blister

LIST PRICE	Qty/Ctn
469	30



HCCLW 021 1

Carbon steel Size: 11" Openings range: 0-95mm Weight: 710g Nickel plated Same function as HCCLW0111 Packed by plastic hanger

LIST PRICE	Qty/Ctn
709	20



Wire stripper

HWSP15608

Stripper diameter:0.5mm~6mm With cutting function PP covered TPR handle 65Mn material blade Product size:175*85mm Packed by double blister

LIST PRICE	Qty/Ctn
621	48

178mm(7°)



Automatic wire stripper

3 in 1 multi-function Stripping,cutting and crimping Stripping wires range:10AWG~24AWG (0.2~6mm²)

(0.2~omm²) Cutting function:Copper and aluminum wires Crimping function: Crimp the insulated terminals 0.5-6mm² (10-22 AWG);

AWG); Crimp the non-insulated terminals: 0.5-6mm² (4-22 AWG); Crimp the ignition terminals: 7-8mm² Durable and comfortable handle Packed by sliding card

LIST PRICE Qty/Ctn

932



Wire stripper

Ratchet crimping plier

Circlip pliers





215mm(8.5

Wire stripper

HWSP851

Size:8.5"/215mm With sharp edge for cutting wire With push down wire function With wire stripping function

Can strip seven kinds of Wire size

Can cut five kinds of copper screw size

Packed by sliding card



HWSP101

Size:10"/254mm With sharp edge for cutting wire With push down wire function With wire stripping function
Can strip six kinds of wire size
Can cut five kinds of copper screw size
Packed by sliding card

LIST PRICE	Qty/Ctn
639	72



-		V
4		
A		
11	10.000 EE	4

Modular plug crimper

HMPC1468P

Modular Plug Crimper Used for crimping terminals of network line and telephone line

Crimping range: 4P, 6P, 8P

Length: 8"

HCCP261801

Three functions: Crimping, Stripping,

Cutting
Unique Design PVC handle
Packing by blister card

LIST PRICE	Qty/Ctn
549	36



HRCPG05210

Crimping range: 0.25-10mm²
For tubular bare terminals and pre-insulated

terminals AWG:23-7 Length: 6'

Unique design handle

Pressure force can be adjusted, fit for various terminals
Packing by sliding card

> Qty/Ctn 40

Crimping range: 0.25-10mm*	160mm(6)
	neco
Tubular be & pre-insel forminals	re terremula

ST PRICE	Qty/Ctn
549	36

Circlip pliers

Straight head circlip Plier Straight Head Circlip piler
Size: 7"/180mm
Diameter of the head: 1.8mm
Material: Cr-V Surface treatment: black finish and polish Packed by sliding card

LIST PRICE	Qty/Ctn
362	60



HCCP261802

LIST PRICE

Bent head circlip Plier External circlip plier Size: 7"/180mm Diameter of the head: 1.8mm Material: Cr-V Surface treatment: black finish and polish Packed by sliding card

LIST PRICE	Qty/Ctn
362	60



Circlip pliers Circlip pliers

HCCP261803

Straight head circlip Plier Internal circlip plier Size: 7"/180mm Diameter of the head: 1.8mm Material: Cr-V Surface treatment: black finish and polish Packed by sliding card

LIST PRICE	Qty/Ctn
362	60



HCCP261804

Bent head circlip Plier Internal circlip plier
Size: 7"/180mm
Diameter of the head: 1.8mm Material: Cr-V Surface treatment: black finish and polish Packed by sliding card

LIST PRICE	Qty/Ctn
362	60



4 Pcs circlip pliers set

HCCPS26180

4Pcs circlip plier set 2Pcs of 180°,2 pcs of 90° Size: 7"/180mm Material: Cr-V
Surface treatment: black finish and polish
Packed by canvas bag

LIST PRICE	Qty/Ctn
1440	30



Cable stripping knife HPK82001

Size:200mm Curved blade Material: Stainless steel With plastic protective cover Unique design handle Sand blast surface Packed by double blister

LIST PRICE	Qty/Ctn
243	72



Electrician's scissors

Pipe wrench

Pipe wrench

Pipe wrench

Pipe flaring tool set





Electrician's scissors

Size:145mm(5.5") Material: Stainless steel Blade thickness:3 0mm Unique design handle Sand blast surface Packed by double blister

HES02855

LIST PRICE Qty/Ctn 212 100

145mm(5.5 Stainless Steel

HES0188

Size:200mm(8") Material: stainless steel With cutting function Unique design handle Blade with teeth Sand blast surface Packed by double blister

LIST PRICE	Qty/Ctn
353	72



Pipe wrench

HPW0812

Size:12" (300mm)
Max clamping diameter:42mm
Mobile jaw drop-forged with high quality
carbon steel
Inactivate leatment
Body material:ductile cast iron
Black finish and polish
Colid rivet Solid rivet Packed by paper card





vet	Stronger	Max D42mm

HPW0814

Size:14" (350mm)
Max clamping diameter:50mm
Mobile jaw drop-forged with high quality
carbon steel
Inactivate treatment
Body material:ductile cast iron
Black finish and polish
Solid rivet

Solid rivet Packed by paper card

LIST PRICE	Qty/Ctn
841	12









Pipe wrench

Pipe wrench

HPW0818

Size:18" (450mm)
Max clamping diameter:60mm
Mobile jaw drop-forged with high quality
carbon steel
lnactivate treatment
Body material:ductile cast iron
Black finish and polish
Solid rivet
Packed by paper card









HPW0824

Size:24"
Max clamping diameter:76mm
Mobile jaw drop-forged with high quality
carbon steel
Inactivate treatment
Body material:ductile cast iron
Black finish and polish
Solid rivet
Packed by paper card

LIST PRICE	Qty/Ctn
1719	4







HPW0836

Size:36" Max clamping diameter:85mm Mobile jaw drop-forged with high quality carbon steel lnactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet Packed by paper card

LIST PRICE	Qty/Ctn
3266	3





HPW0848

Size:48"
Max clamping diameter:110mm
Mobile jaw drop-forged with high quality
carbon steel
Inactivate treatment
Body material:ductile cast iron
Black finish and polish
Solid rivet
Packed by paper card

LIST PRICE	Qty/Ctn
4065	2









Stronger Max 0110mm

Ratcheting pipe wrench

HPW1414

Size: 14"/350mm Clamping diameter:18-52mm Carbon steel black finish and polish Packed by paper card

LIST PRICE	Qty/Ctn
1383	12



HPFT71

Diameter of pipe: 5mm/6mm/8mm/10mm/12mm/14mm/16mm Chrome plated steel backplane Forged steel frame Packed by sliding card

LIST PRICE	Qty/Ctn
899	24









Unique design two tone soft handle Aviation snip(Straight) Length:250mm (10")
Max.cutting thickness:
Carbon steel ≤1.2mm
Stainless steel ≤0.7mm
Packed by half double blister



HMBC0808



300mm(123)

Comfortable

Size:8" Cr-MO blade Black finish and polish TPR two color handle A lock at the end of handle

Packed by sliding card

LIST PRICE	Qty/Ctn
388	48

Mini bolt cutter





Bolt cutter

HBC0812

Size:12" Cr-V blade Black finish and polish TPR two color handle Packed by paper card

LIST PRICE	Qty/Ctn
894	20

HBC08 14

Size:14" Cr-V blade Black finish and polish TPR two color handle Packed by paper card

LIST PRICE	Qty/Ctn
980	16

Bolt cutter



0
Comfortable Rubber Handle

HBC0818

Size:18" Cr-V blade Black finish and polish TPR two color handle Packed by paper card

LIST PRICE	Qty/Ctn
1269	12

Bolt cutter





Robber Handle

Size:24" Cr-V blade Black finish and polish TPR two color handle Packed by paper card

HBC08 24

LIST PRICE	Qty/Ctn
1679	6

Bolt cutter





Bolt cutter

Size:30" Cr-V blade Black finish and polish TPR two color handle Packed by paper card

HBC0830

HBC0842

LIST PRICE	Qty/Ctn
2369	4

750mm(30)

HBC08 36

Size:36" Cr-V blade Black finish and polish TPR two color handle Packed by paper card

LIST PRICE	Qty/Ctn
3050	3

Bolt cutter

Cable cutter



Bolt cutter

Size:42" Cr-V blade Black finish and polish TPR two color handle Packed by paper card





HCCB0206

Size:6"/160mm Black finish and polish 55# Carbon steel Packed by half double blister

LIST PRICE	Qty/Ctn
330	90



250mm(402)





Cable cutter

HCCB0208

Size:8"/200mm Black finish and polish 55# Carbon steel Packed by half double blister



HCCB0210

Size:10"/250mm Black finish and polish 55# Carbon steel Packed by half double

eel double bl	ister			-	_
		Į.	1	len d	8
	Qty/Ctn				
	48				

Cable cutter

Cable cutter

LIST PRICE	Qty/Ctn
410	60

Heavy duty cable cutter

HHCCB0 210

Heavy duty cable cutter Size:10"/250mm Black finish and polish 55# Carbon steel Packed by half double blister



HCCB0124

LIST PRICE 456

Size:24" Blades material:65Mn Used for cutting copper and aluminum cable Not for cutting ACSR , wire rope,steel or self supporting strand Cutting area:240mm2 Body heat treatment,cutting edges induction quenched Packed by paper card

Qty/Ctn

240mm ²	(600mm(24)
hand.	
n	Comfortable Rubber Handle
G.E.	Tooley W.

Cutting Hongs

LIST PRICE	Qty/Ctn
504	36

Cable cutter

HCCB0136

Size:36" Blades material:65Mn Used for cutting copper and aluminum cable Not for cutting ACSR, wire rope,steel or self supporting strand Cutting area:450mm2 Body heat treatment cutting edges induction quenched Packed by paper card



HPC0535

LIST PRICE

Length:210mm Cutting diameter:3-35mm Material: Alum packed by doub

ninum ble blist	er	
	Qty/Ctn	
	72	n (n (n) (n)
	Di	to all a succession

PVC pipe cutter

Actoratic

Open

LIST PRICE	Qty/Ctn
3356	2

PVC pipe cutter

HPCS05428

Length:203mm Material: 4cr13 Cutting diameter:3-42mm Auto-open function New unique handle design Packed by double blister

HPC0232

LIST PRICE	Qty/Ctn
519	48



HPC0442

LIST PRICE 345

Length:230mm Cutting diameter:3-42mm Auto-open function Packed by double blister

LIST PRICE	Qty/Ctn
763	24

PVC pipe cutter



Copper and aluminum pipe cutter Cutting diameter:3-32mm With high Quality blade Aluminium knob Packed by sliding card

LIST PRICE	Qty/Ctn
580	48



HGTS6 86 15 0

1pcs screwdriver with 1pcs plastic hanger S2 industrial steel , Hex shank

Slotted: 6.5mm Shank: 6.0mm Length: 150mm Packed by plastic hanger

LIST PRICE	Qty/Ctn
205	144







Slotted go-through screwdriver

HGTS688200

1pcs screwdriver with 1pcs plastic hanger S2 industrial steel , Hex shank

Slotted: 8mm Shank: 8.0mm Length: 200mm Packed by plastic hanger

LIST PRICE	Qty/Ctn
277	72



Phillips go-through screwdriver

6Pcs go-through screwdriver set

1pcs screwdriver with 1pcs plastic hanger S2 industrial steel , Hex shank

Size: PH2 Shank: 6.0mm length: 150mm Packed by plastic hanger

HGTS68PH2150

LIST PRICE	Qty/Ctn
LIST FRICE	Qty/ctil
205	144



Phillips go-through screwdriver

HGTS6 8PH3 20 0

1pcs screwdriver with 1pcs plastic hanger S2 industrial steel , Hex shank

Size: PH3 Shank: 8.0mm length: 200mm Packed by plastic hanger






пэ	GIDC	10 00	UI

6 Pcs Go-through Screwdriver set

6 Pcs Go-through Screwc Material: Cr-V 1pcs SL5.5*75mm 1pcs SL6.5*100mm 1pcs SL8.0*150mm 1pcs PH1*75mm 1pcs PH2*100mm 1pcs PH2*100mm with 1 pcs plastic frame Packed by double blister

LIST PRICE Qty/Ctn



8 IN 1 Stubby ratchet screwdriver set

AKISDS1728

8 IN 1 Stubby ratchet screwdriver set Material:Cr-V
Include:

1 Pcs ratchet handle,high quality ratchet

7 Pcs 1/4"*25mm screwdriver bits Size:SL5,SL6,PH0,PH1,PH2,T10,T20 Packed by display color box

LIST PRICE	Qty/Ctn
252	48



AKISD1208

665

13 IN 1 Ratchet Screwdriver set Include: 1 Pcs Unique design ratchet handle

Folding handle, high quality ratchet 12 Pcs 6.35*25mm screwdriver bits Size: SL4,SL5,SL6,SL7, PH0, PH1,PH2,PH3,PZ0,PZ1,PZ2,PZ3 Material: CR-V

Packed by display color box

	931101
<u>e</u>	
C	
The same of the sa	

/Ctn	1000	THEFT	LIST PRICE	Qty/Ctn
8	0.5	-	393	48

9 Pcs interchangeable screwdriver set

AKISD0901

Interchangeable screwdriver set Include: 3pcs SL3X65 SL5X65 SL6X65 3pcs PH0X65 PH1X65 PH2X65 1pcs 5X65 tack remover 1pcs 3X65 scratch awl Material:CR-V
with 1pcs Unique design Interchangeable Handle

LIST PRICE	Qty/Ctn
542	48







7 Pcs precision screwdriver set

HKSD0718

7PCS precision screwdriver set new design handle,New plastic box Include:

SL2.0*50, SL2.5*50, SL3.0*50, PH00*50, PH0*50, T6*50, T8*50
Material:CR-V
Ergonomic comfort-grip handle
Packed by plastic box

> Qty/Ctn 120

	je S	Й	ì	
1	H	ш	Į	
匓	a	f	1	
А	Ē)	h	١.	

00



D	cicion coveraduiros cot	
3		446

32 Pcs precision screwdriver set

HKSDB0348

Packed by plastic box

32PCS precision screwdriver set 1Pcs unique design handle 1Pcs 4X60mm bits holder 30PCS 4X28mm bits: 5U1-5,5L2,5L2,5L3,5L3,5L4,PH000,PH00 ,PH0,PH1,T4,T5,T6,T7,T8,T9,T10,T15,T20,H0 .9,H1.3,H1.5,H2,H2.5,H3,H4,Y2,U2.6,Five Star0.8, Five Star1.2 Five Star0.8, Five Star1.2 is suitable for iPhone and ipad Packed by plastic box

LIST PRICE	Qty/Ctn
737	120



24 Pcs t-handle wrench screwdriver set

HKSDB0188

LIST PRICE

24PCS T-handle wrench screwdriver set Include:

Tistude. 15pcs 6.35x25MM CR-V screwdriver bit:SI.3,SI.4,SI.5,SI.6,PH0,PH1,PH2,PH3,PZ1, PZ2,T15,T20,H4,H5,H6 1PC 5X100MM bit holder with strong magnet-

1PC unique design T-handle Ratchet wrench 1PC 4-6mm(25mm)bits adaptor 6PC 1/4" socket: 5,6,7,8,9,10 Packed by plastic box

LIST PRICE	Qty/Ctn
466	36







47 Pcs t-handle wrench screwdriver set

HKSDB0478

47 Pcs T-handle wrench screwdriver set Include: 35Pcs 6.35X25mm screwdriver bits:

SL3 SL4 SL5 SL6 SL7 PH0 PH1X3 PH2X5 PH3X3 PZ0 PZ1 PZX2X PZ3X2 T10 T15 T20 T25 T27 T30 T40 H2 H3 H4 H5 H6 9Pcs 1/4"X20.5mm socket:4 5 6 7 8 9 10 11

12mm 1Pcs adaptor

1Pcs 6.3X139mm bits holder 1Pcs ratchet handle Packed by plastic box

LIST PRICE	Qty/Ctn
1145	24









OPCS SET

OPCS SET

Hex key HHK11091

9pcs hex key set Material:S2 Size:1.5mm,2mm, 2.5mm, 3mm, 4mm, 5mm,

6mm, 8mm, 10mm. Long arm Heat treatment and chrome plate Packed by double blister

LIST PRICE	Qty/Ctn
352	48



Torx kev

Hex key

Torx key

Hex key

HHK11 09 2

9pcs hex key set Materia:S2 Size:1.5mm,2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm. Extra-long arm
Heat treatment and chrome plate Packed by double blister

LIST PRICE	Qty/Ctn
151	//8

HHK13 09 1

9pcs torx key set Material:S2 viate i.dl.52 Size:T-10,T-15,T-20,T-25,T-27,T-30,T-40,T-45,T-50. Long arm

Heat treatment and chrome plate Packed by double blister

LIST PRICE	Qty/Ctn
434	48



Tory key

HHK13 09 2

9pcs torx key set Material:S2 Size:T-10,T-15,T-20,T-25,T-27,T-30,T-40,T-45,T-50. Extra-long arm Heat treatment and chrome plate Packed by double blister

LIST PRICE	Qty/Ctn
514	48

HHK14 08 1

HHK14 08 3

8pcs hex key(Pocket) Size: 2mm, 2.5mm,3mm,4mm,5mm,6mm,7mm,8mm. Material: Cr-V Heat treatment and chrome plate Packed by plastic hanger

LIST PRICE	Qty/Ctn
2.47	
347	96



Ball point hex key

HHK14 08 2

8pcs ball point hex key set(Pocket) Size: 2mm, 2.5mm,3mm,4mm,5mm,6mm,7mm,8mm.

Material: Cr-V Heat treatment and chrome plate Packed by plastic hanger

LIST PRICE	Qty/Ctn
338	96

aV

BPCS/SET

2mm, 2.5mm,3mm,4mm,5mm,6mm,



Material: Cr-V Heat treatment and chrome plate Packed by plastic hanger

Size: T9,T10,T15,T20,T25,T27,T30,T40.

8pcs torx key set(Pocket)

LIST PRICE	Qty/Ctn
338	96

SPCS SET T9,T10,T15,T20,T25,T27,T30,T40

8 Pcs T-handle hex wrench set

HHKT8 08 18

8 Pcs T-handle hex wrench set Size:2X100,2.5X100,3X100,4X150,5X150,6X1 50,8X200,10X200 50,8X200,100,200 Material:S2,Heat treatment and chrome plate Brand exclusive shelf Packed by double blister

LIST PRICE	Qty/Ctn
1038	10



8 Pcs T-handle torx wrench set

HHKT8 08 38

8 Pcs T-handle torx wrench set Size:T10X100,T15X100,T20X100,T25X150,T3 0X150,T40X150,T45X200,T50X200 Material:S2,Heat treatment and chrome plate Brand exclusive shelf Packed by double blister

LIST PRICE	Qty/Ctn
1087	10







6 Pcs insulated screwdriver set

HKISD0608

6 PCS Insulated Screwdriver Set SI.3.0×75 SI.4.0×100 SI.6.5×150 PH0×60 PH1×80 PH2×100 new design handle Use Aluminum frame with 4pcs Screw and 4pcs Screw Plug Round shank 1000 V/DE+GS Certification Packed by double blister



© 1007 202000

26 Dec	inculated	hand	tools set	i
26 Dcs	insulated	hand	tools set	

HKITH 16 01

16PCS Insulated hand tools set 1000V,VDE/GS Certification Include:

1Pcs 200mm insulated combination pliers:

Pres 200mm insulated long nose pliers; 1Pcs 100mm insulated long nose pliers; 1Pcs 160mm insulated diagonal cutting pliers; 1Pcs 160mm insulated wire stripping pliers; 4Pcs insulated slotted screwdrivers:

SL3x75mm; SL4.0x100mm; SL5.5x125mm;

SL6.5x150mm:

SL6.5X15Umm; SPcs insulated phillips screwdrivers: PH00x50mm; PH0x60mm; PH1x80mm; PH2x100mm; PH3x150mm;

LIST PRICE	Qty/Ctn
8062	4



7 Pcs insulated open end spanners set

24 Pcs 1/2" socket set

16 Pcs insulated hand tools set

HKITH 26 01

LIST PRICE

878

26PCS Insulated hand tools set 1000V,VDE/GS Certification Include:

1Pcs 180mm insulated combination pliers:

Qty/Ctn

24

1Pcs 160n 1Pcs 160n 3Pcs insul

SL3.0x75 2Pcs insul PH1x80m

14Pcs insu 1/2" (10mr 16mm, 17i 27mm, 30i

LIST PRICE	Qty/Ctn

mm insulat ilated slotte mm; SL4.0x ilated phillip nm; PH2x10 iulated hexa nm, 11mm,	agon sockets 12mm, 13mm, 14mm, n, 19mm, 22mm, 24mm,	
PRICE	Qty/Ctn	-Heat
603	4	
	7 Pcs insulat	ed ring wrench set

20 Pcs 1/4" socket set

20 Pcs 1/2" socket set

HKISPA0701

7Pcs insulated open end spanners set 1000V, VDE/GS certification

Include: 8mm, 10mm, 12mm, 13mm, 14mm, 17mm,

Packed by canvas bag

7000	50 <u>∧</u> 1000V (SIST)	A.
/PCS		VY
1000	UVYY	1
	mm, 12mm, 13mn	1/1

LIST PRICE	Qty/Ctn
5043	10

HKISPA0702

286

7Pcs insulated ring wrench set 1000V, VDE/GS certification Include: 8mm, 10mm, 12mm, 13mm, 14mm, 17mm,

Packed by canvas bag

LIST PRICE	Qty/Ctn
5823	10



8mm, 10mm, 12	mm. 1	amm,	4mm,
17mm, 19mm			

HKTS12242

24 Pcs 1/2" socket set

Include: 18 Pcs 1/2"DR. Cr-V Sockets: 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24, 27,30,32mm

2 Pcs 1/2"DR. Extension bar:125mm&250mm

1 Pcs 1/2"DR. Sliding T-bar:250mm 1 Pcs 1/2"DR. Universal joint 1 Pcs 1/2"DR. Quick ratchet handle 1 Pcs 1/2"DR. Flexible handle:375mm

Material:Cr-V(50BV30) Heat treated Chromed plated

аскей by metal box	
LIST PRICE	Qty/Ctn
4907	4



46 Pcs 1/4" socket set

HKTS14201

20 Pcs 1/4" socket set Include:

Include: 1pcs 1/4" DR. Ratchet handle,45T 13pcs 1/4" DR. Sockets: 4,4,5,5,5,5,6,7,8,9,10,11,12,13,14mm 1pcs 1/4" DR. Extension bar,2"(50mm) 1pcs 1/4" DR. Screwdriver handle 4pcs 1/4" DR. Deep hexagonal sock-

4pts 174 Dr. Deep nexagonal sock-ets:8,10,12,13mm Material:50BV30 High quality Cr-V steel With three-color soft handle

Chromed plated Heat treated Packed by BMC

LIST PRICE	Qty/Ctn
1484	12



١	 20	8
d	 -	4
1		1
- 60	1	
-	į.	

HKTS14462

46 Pcs 1/4" socket set

Include: 1 pcs 1/4" 72T quick release ratchet handle 13 Pcs 1/4"Dr Socket: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm

1 Pcs 1/4"Dr Universal joint 2 Pcs 1/4"Dr Extension bar: 2"(50mm)

2 Pcs 1/4"Dr Extension bar: 2"(50mm) 8:4"(100mm) 1 Pcs 1/4"*150mm Spinner handle 22 Pcs 1/4" Bit socket: H3-4-5-6-7-8;T8-10-15-20-25-30-40;SL4-5.5-6.5;PH1-2-3;P21-2-3 1 Pcs 1/4"*150mm Flexible extension bar 1 Pcs 1/4"*114mm Sliding T bar 4 Pcs Hex key wrench: 1.5-2.0-2.5-3.0mm

LIST PRICE	Qty/Ctn
2401	6



25	Pcs	1/2"	sock	cet	SE

HKTS12201

20 Pcs 1/2" socket set

20 Pcs 1/2" socket set Include: Include: Include: Ipcs 1/2" DR. Ratchet handle,72T 12pcs 1/2" DR. Sockets:10.11,12.13,14,15,16,17,18,19.22,24mm 1pcs 1/2" DR. Spark Plug Socket:16mm 1pcs 1/2" DR. Universal joint Ipcs 1/2" DR. Extension bar:10"(250mm) 1pcs 1/2" DR. Three way joint 3pcs 1/2" DR. Deep hexagonal sockets:13,17,19mm Material:50BV30 High quality Cr-V steel With three-color soft handle Chromed plated

LIST PRICE	Qty/Ctn
3222	6



HKTS12251

25Pcs 1/2" Socket set

25PCS 1/2" SOCKET SET Include: 1Pcs 1/2"Dr Ratchet wrench,72T 18Pcs 1/2"Dr Socket:10-11-12-13-14-15-16-17 -18-19-20-21-22-23-24-27-30-32mm 1Pcs 1/2"Dr Extension Bar:125mm & 250mm 2Pcs 1/2"Dr Extension Bar:125mm & 250mm

2Pcs Spark Plug Socket:16mm & 21mm 1Pcs 1/2**250mm Sliding T bar Material:50BV30 High quality Cr-V steel With three-color soft handle

Chromed plated Heat treated Packed by BMC

LIST PRICE	Qty/Ctn
5764	4







14 Pcs E-Type socket set

14 Pcs E-type socket set 14 Pts E-type stocket Set Include: 5 Pcs 1/4" socket:E4-5-6-7-8mm 5 Pcs 3/8" socket:E10-11-12-14-16mm 4 Pcs 1/2" socket::E18-20-22-24mm Material:Cr-V(50BV30) Heat treated Chromed plated Packed by BMC





3 Pcs 1/2" non-marring lug nut socket set

HNMLNS031

3 Pcs non-marring lug nut socket set Material:CrMo

size: 17.19.21mm size: 17,19,21mm Heat treatment with nylon sheath Color mirror Processing Protect premium car's hub Packed by BMC

LIST PRICE	Qty/Ctn
1546	20



142 Pcs combination tools set

100 Pcs tools set

20

HKTHP21001

1006

HKTETS0114

100 Pcs Tools Set Include:

Triction 1. Pcs 1/2" ratchet wrench,45T 18Pcs 1/2" Hexagonal Socket: 10-11-12-13-14 -15-16-17-18-19-20-21-22-23-24-27-30-32MM

2 Pcs 1/2" Extension bar:125mm (5") /

2 Pcs 1/2" Extension bar:125mm (5") / 250mm(10") 1 Pcs 1/2" Dr. Universal joint 2 Pcs 5park plug socket 1/2"Dr.16MM&21MM 1 Pcs 1/2"*2/8" three way adaptor 1 Pcs 1/4" ratchet wrench,45T

13Pcs 1/4" Hexagonal	Socket:4-4.5-5-5.5-6-
8-9-10-11-12-13-14	

-9-10-11-12-13-14	
LIST PRICE	Qty/Ctn
11244	2



HKTHP21421

142 Pcs Combination Tools Set

Include:

5Pcs 1/2" Star Socket:E10 12 14 16 20

1Pcs 1/2"Dr.Flex handle, 375MM 1Pcs 1/2" ratchet wrench,45T 2Pcs 1/2" Extension bar:75mm(3") 250mm (10") 1Pcs 1/2" Dr. Universal ioint

1Pcs 1/2" Dr. Universal joint 1Pcs 1/2"(F)*3/8"(M) three way adaptor

LIST PRICE	Qty/Ctn
20813	1



15 Pcs 3/4" socket set

HKTS0 34 151

15 Pcs 3/4"DR. Socket set Include: 10 Pcs 3/4" socket:30-32-34-36-38-41-46-50-

55-60mm 1 Pcs 3/4" 24T ratchet handle, 1 Pcs 3/4" 500mm sliding T-bar

1 Pcs 3/4"100mm extension bar, 1 Pcs 3/4" 200mm extension bar Material:Cr-V(50BV30)

Heat treated, Cold extrusion, Chromed plated Packed by metal box

LIST PRICE	Qty/Ctn
15151	1



₹	
N	
242	

HTCS15591

59 Pcs Tool Chest Set

12Pcs Combination sp.:8-10-11-12-13-14-15-16-17-18-19-22MM, 8Pcs Screwdriver: S13X75MM, 4x100MM, 5x125MM, 6x100MM,8x200MM;PH1X80MM,PH2X100M

6x100MM,8x200MM;PH1X80MM,PH2X100M M,PH3X200MM 18Pcs 1/2" Hexagonal Socket: 8-10-12-13-14-15-1 6-1 7-1 8-1 9-2 0-2 1- 2 2-2 3-2 4-2 7-3 0-32MM,1Pcs 1/2" ratchet wrench, 2Pcs 1/2" Extension bar:125mm(5"),250mm (10"), 2Pcs Spark plug socket 1/2"Dr.16MM&21MM, 1Pcs 1/2" Dr. Universal joint, 1Pcs 1/2"Dr.Flex handle 375MM, 1Pcs

LIST PRICE	Qty/Ctn
19224	1



328 Pcs tool chest set

59 Pcs tool chest set

HTCS151081

108 Pcs Tool Chest Set Include: 1Pcs Ratchet wrench: 1/4" 13Pcs 1/4" socket 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 2Pcs Extension bar:1/4"Dr. x 50mm,1/4"Dr. x

150mm 1Pcs Spinner handle:1/4"x150mm 1Pcs bit holder:1/4"*6.35mm

20 Pcs screwdriver bits: SL3,SL4,SL5,SL6,PH0,PH1,PH2,PH3,PZ0,PZ 1,PZ2,PZ3,T10,T15,T20,T30,H3,H4,H5,H6 1Pcs Ratchet wrench: 1/2 1Pcs 1/2"Universal joint

LIST PRICE	Qty/Ctn
17935	1



14" Plastic tool box

108 Pcs tool chest set

HTCS273281

328 Pcs Tool Chest Set Chest part: With 7pcs drawers - Overall size:65x465x812mm Overall with casters size:765x465x976mm, Casters size:5"*2'

Casters size:5"*2"
Thickness of Cabinet:0.8-1.0mm, Thickness of drawer:0.7mm
With 5pcs 536x410x74.5mm drawer,2pcs
536x410x153.5mm drawer
5Pcs iron hooks(for hanger tools)
Packed in EVA foam + carton box + Pallet Tools part: 1Pcs Ratchet wrench: 1/4"

13Pcs 1/4" socket 4-4.5-5-5.5-6-7-8-9-10-11-

LIST PRICE	Qty/Ctn
85936	1



17" Plastic tool box

PBX1401

14" Plastic Tool Box Size: 356mm(14")*168mm (6.6") *150mm (6")

Material: PP weight: 720g PP plastic buckle Max Load: 10KG High-strength Handle Upper cover with three storage areas Upper cover with scale function Contains 1Pcs plastic tray Packed by label

LIST PRICE	Qty/Ctn
781	8



PBX1701

17" Plastic Tool Box

Size: 436mm(17")*220mm (8.7") *205mm (8") Material: PP

weight: 1390g PP plastic buckle Max Load : 15KG High-strength Handle Upper cover with three storage areas Upper cover with scale function Contains 1Pcs plastic tray Packed by carton box

LIST PRICE	Qty/Ctn
1154	8







20" Plastic tool box

PBX2001

20" Plastic Tool Box Size: 508mm(20")*296mm (11.7") *261mm (10.3")

Material: PP

Material: PP
weight: 2150g
PP plastic buckle
Max Load: 20KG
High-strength Handle
Upper cover with three storage areas
Upper cover with scale function
Contains 1Pcs plastic tray
Packed by label

1955

LIST PRICE	



2 Pcs plastic tool boxes set

Tools bag

Tools bag

PBXK0201

2 Pcs plastic tool boxes set: 14"+17" 14" Size: 356mm(14")*168mm (6.6")

*160mm(6.3")

17" Size: 436mm(17")*220mm (8.7")

*205mm(8") PP plastic buckle

Pr plastic buckle
Material: PP
High-strength Handle
Upper cover with three storage areas
Upper cover with scale function
Each box contains 1 pcs plastic tray
Packed by label

LIST PRICE	Qty/Ctn
1620	6



3 Pcs Plastic tool boxes set

PBXK0301

3 pcs Plastic Tool Boxes Set: 14"+17"+20" 14" Size: 356mm(14")*168mm (6.6")

Qty/Ctn

8

*160mm(6.3")

17" Size: 436mm(17")*220mm (8.7")

*205mm(8")

20" Size: 508mm(20")*296mm (11.7")

*261mm(10.3") PP plastic buckle Material: PP

High-strength Handle

Upper cover with three storage areas

LIST PRICE	Qty/Ctn
3320	4



HTBG 28 132 8

Size: 13"
Max load: 12kg
Size(L*W*+1):33*21*18cm
Rigid frame for easy opening and access external pockets for additional storage capaci-

ty With 6 pockets outside Packed by paper card

LIST PRICE	Qty/Ctn
478	40



With 6 Pockets Max Load 12 kgs

Tools bag

Tools backpack

HTBG 28 162 8

Size: 16" Max load: 15kg Size(L*W*H):41*29*21cm Rigid frame for easy opening and access Internal & external pockets for additional storage capacity With 6 pockets outside and 8 pockets inside Packed by paper card





With	94 Pockets
14	oad 15 kes

HTBG 08

Size: 16" Material: 1680D polyester Max load: 20kg Size(L*W*H):41*25*26cm Rigid frame for easy opening and access Reinforced plastic base for durability Internal pockets for additional storage capaci-

ty Adjustable shoulder strap included Packed by paper card

LIST PRICE	Qty/Ctn
1630	10



Tools bag

G clamp

HBP0101

Size: L38* W17*H46cm Max load: 8kg Material: polyester oxford 600D Rigid frame for easy opening and access Internal External pockets for additional storage capacity Packed by paper card





Size: 2 Pcs L26*W23cm 1 Pcs L15*W13cm Adjustable belt (92-127cm) 14 Pcs pockets 2 Pcs hammer holders Max load: 10kg Material: S00D polyester Various pockets for tools Packed by paper card

LIST PRICE	Qty/Ctn
1112	20



G clamp

Size:4"/100mm Body malleable cast iron T-shaped thread Packed by paper card

LIST PRICE

HGC0 104



100mm(4)

HGC0 106

HTBP02031

Size:6"/150mm Body malleable cast iron T-shaped thread Packed by paper card

LIST PRICE	Qty/Ctn
842	

150mm(6)



Qty/Ctn

Spring clamp

F clamp with plastic handle

F clamp with plastic handle

F clamp with plastic handle







Size:4"

Length: 110mm Clamping force:12KGS Black clip body Max open mouth: 50mm

Packed by label

LIST PRICE Qty/Ctn



300mm(12)

HQSC0206

Size:6" Length: 150mm Clamping force:15KGS Black clip body

Max open mouth: 68mm Packed by label

LIST PRICE	Qty/Ctn
105	120



F clamp with plastic handle

HFC0 21 20 1

240

Clamp size:120x300mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card



HFC0 21 20 2

Clamp size:120x500mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card

LIST PRICE	Qty/Ctn
1214	6



F clamp with plastic handle

Qty/Ctn

HFC0 21 20 4

LIST PRICE

1032

HFC0 20 50 1

HFC0 20 50 3

Clamp size:120x400mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card



HFC0 21 20 5

Clamp size:120x600mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card



LIST PRICE	Qty/Ctn
1063	6

F clamp with plastic handle

Clamp size:50x150mm Max clamp force: 170KGS Thickness and width of iron ruler:5X15mm Diameter of screw thread:11mm Packed by paper card



HFC0 20 50 2

LIST PRICE

1389

Clamp size:50x200mm Max clamp force: 170KGS Thickness and width of iron ruler:5X15mm Diameter of screw thread:11mm Packed by paper card

17	Okgs	
Somm	T	mitto •
8		

200mm(8)

LIST PRICE	Qty/Ctn
349	50

LIST PRICE Qty/Ctn 50 339

F clamp with plastic handle

Clamp size:50x250mm Max clamp force: 170KGS Thickness and width of iron ruler:5X15mm Diameter of screw thread:11mm Packed by paper card



250mm (10°)

150mm(6")



F clamp with plastic handle HFC0 21 20 3

Qty/Ctn 6

Clamp size:120x800mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card

LIST PRICE	Qty/Ctn
1456	6



F clamp with plastic handle


Quick bar clamp

Quick bar clamp

4 Pcs wood chisel set







HFC021404

Clamp size:140x1000mm Max clamp force: 550KGS Thickness and width of iron ruler:10X35mm Diameter of screw thread:17.8mm Packed by paper card





HFC021401

Clamp size:140x1200mm Max clamp force: 550KGS Thickness and width of iron ruler:10X35mm Diameter of screw thread:17.8mm Packed by paper card

LIST PRICE	Qty/Ctn
2711	6



Quick bar clamp

HQBC0 16 01

Clamp size:63x150mm Max clamp force:60KGS Thickness and width of iron ruler:5X18mm Packed by label

LIST PRICE	Qty/Ctn
202	12



HQBC0 16 02

Clamp size:63x300mm Max clamp force:60KGS Thickness and width of iron ruler:5X18mm Packed by label

LIST PRICE	Qty/Ctn
472	12



Quick bar clamp

60kgs

HQBC0 16 03

Clamp size:63x450mm Max clamp force:60KGS
Thickness and width of iron ruler:5X18mm Packed by label


LIST PRICE	Qty/Ctn
550	12

HQBC2 48 02

450mm(18")

Clamp size:80x600mm Max clamp force:135KGS Thickness and width of iron ruler:6X18mm Packed by label

LIST PRICE	Qty/Ctn
1415	8



Quick bar clamp

HQBC3 68 03

HRS108

Clamp size:80x900mm Max clamp force:135KGS Thickness and width of iron ruler:6X18mm Packed by label

LIST PRICE	Qty/Ctn
1677	8

900mm 36 135kgs

Alu: 0

Ф2.4, 3.2, 4.0, 4.8mm

HKTWC 040 1

4 pcs Wood Chisel Set Width:6mm,12mm,19mm,25mm Length:140mm Wood Chisel,Cr-V Packed by Sliding card

LIST PRICE	Qty/Ctn
1153	16



Hand riveter

Size:10.5" Applicable aluminum rivet size:Φ2.4mm, 3.2mm,4mm,4.8mm Packed by sliding card

LIST PRICE	Qty/Ctn
414	24

HR10 5

10.5

Size:10.5" Aluminium alloy body Applicable rivet size:2.4mm, 3.2mm,4mm,4.8mm Packed by double blister

LIST PRICE	Qty/Ctn
655	





Hand riveter

Size:13" Applicable to steel, aluminum and steel rivet stainless

Stainless steel rivet: ω3.2mm.4.0mm.4.8mm.6.0mm

Aluminum&steel rivet: φ3.2mm,4.0mm,4.8mm,6.0mm,6.4mm Hand riveter material:Steel+Aluminium Packed by color box

LIST PRICE	Qty/Ctn
1345	20

Aluanteel: Ф3.2, 4.0, 4.8, 6.0, 6.4mm Stainless steel: Ф3.2, 4.0, 4.8, 6.0m Aluminium body

HR171

Size:420mm,17" Applicable rivet size:3.2mm,4mm,4.8mm Material: Steel+Aluminum With Unique Design Rubber hand Packed by color box

LIST PRICE	Qty/Ctn
935	20



Folding hand riveter

HFOR 32 1

HR131

Size:815mm,32" Applicable rivet size:3.2mm,4mm,4.8mm,6mm,6.4mm Packed by color box





Leather hole punch

Staple gun

3 In 1 staple gun

Snap-off blade knife

Hand riveter

HLHP028

Punch hole sizes : 2.5mm, 3mm, 3.5mm, 4mm 4.5mm, 5mm comfortable PVC handle

Qty/Ctn

Qty/Ctn 20

30% save energy thickness: 2.0mm

Packed by Half double blister

· // 📉
110
11 1

_		

GRG0 15 00 1

Heavy-Duty Grease Gun Taiwan Quality Capacity: 400CC / 14Oz

Loading way: 14Oz Cartridge / 400CC Bulk

Working Pressure: 4500psi Burst Pressure: 10000psi

Material: 1.2mm Steel tube + Aluminum-Cast

Standard Accessory:

Jess 12" High Pressure Flexible Nylon Hose 1pcs Metallic Bend Spout Packed by color box

HSG14018

LIST PRICE	Qty/Ctn
1252	



HSG14012

staple gun Staples: Wire:0.7mm, Crown: 11.3mm,

LIST PRICE

Length: 4-8mm Matched with Staple items:STS0108 Packed by double blister



made in Taiwan Top	IST PRICE
quality in the world	507

Staple gun

Staple gun Adjustable driving force Wire:0.7mm Crown:11.3mm Length: 4-14mm Matched with Staple items: STS0108,STS0110 and STS0112 Packed by double blister

LIST PRICE	Qty/Ctn
662	20



HSG1405

3 in 1 staple gun Adjustable driving force Staples:Wire:1.2mm,Crown:11.3mm,Length: 4-14mm

U-Shape Staples:

Wire:1.2mm,Crown:6.3mm,Length: 10-12mm Brad Nails:Wire:1.2mm,Length: 10-14mm With 200pcs Staples/200pcs U-Shape Sta-

ples/200pcs Brad Nails Matched with Staple items: STS0208/STS0210/STS0212 U-Shape Staples: STS0412

(A) E	
	- In
17.1	10000
152	-
	-
	20 0

4-14mm

LIST PRICE	Qty/Ctn
724	20

Light concrete saw

HCBS016001

Size:24"/600mm Material: 65MN 17T (Tungsten steel tooth)
For cutting cellular concrete/Autoclaved Fly
Ash Brick /gypsum board/ice Block
Heat treatment teeth

Surface Electrophoretic paint Treatment Two color soft handle Packed by paper card

LIST PRICE	Qty/Ctn
1256	12



HKNS11815


Blade Size:18mmx100mm With 1 pcs SK4 blade (HKNSB112) Length:179mm With flat push button Packed by sliding card

LIST PRICE	Qty/Ctn
118	96









Aluminium alloy body With 1 pcs SK4 blade (HUKB61001) Auto-Lock Blade:61mm(L)X19mm(W) Packed by sliding card

LIST PRICE	Qty/Ctn
155	144

19x61mm SK4 Aluminum Alloy

HUK615

Zinc alloy body With 1 pcs SK4 blade (HUKB61001) Auto-Lock Blade:61mm(L)x19mm(W)x0.6(T) Weight:110g Packed by sliding card

LIST PRICE	Qty/Ctn
288	72



Multi-function knife

Utility knife

HM FK81 58

Multi-function Knife Multi-function Knife
With 15 Function
1.Large knife 2.Can opener 3.Phillips screwdriver 4.Leather punch 5.Bottle Opener
6.Scissors 7.Needle 8.Slotted Screwdriver
9.Fish scaler 10.Hook remover 11.Saw
12.corkscrew 13.Nail cleaner 14.Nail file 15.Key ring Strong Aluminium Handle Product size: 9.5cm Packed by display color box

LIST PRICE	Qty/Ctn
580	48

Multi-function hammer



Foldable multi-function tool

Utility knife

Stainless steel handle with soft rubber grip Foldable, easy to carry, Includes 1pcs nylon belt pouch

Overall size: 155mm, closed size: 100mm

Overall size: 155mm, closed size: 100mm With 15 Function
1.Flat nose Pliers 2. Regular pliers
3. Wire Cutters 4.Sharp knife 5. Screwdriver
6.Bottle opener
7. Screwdriver 8. Screwdriver 9.Serrated knife 10.Wood Saw
11.Multi-functional Hook 12.Hook remover
13.Phillips Screwdriver 14.Can Opener
15.Metal/Wood File

HFMFT0115

LIST PRICE	Qty/Ctn
1184	36



444		
100	1184	

HM FH01 21

Multi-function hammer With 12 Functions 1.Claw hammer 2.Flat nose Pliers 3.Regular pliers 4.Wire Cutters 5.Large knife 6.Wood Saw 7.Hook remover 8.Phillips Screwdriver 9.Metal File 10.Wood File 11.SL5 Slotted screwdriver 12.Hex key Strong Aluminum Handle Packed by double blister

LIST PRICE	Qty/Ctn
1957	24



HGCT 02

Wooden handle Glass cutter with 6pcs wheels blade Total cutting length: 3000x6=18000m length:130mm Packed by sliding card

LIST PRICE	Qty/Ctn
173	240



Sucker

Glass cutter

HSU012501

Handle material: ABS Max. pull: 25kg Cup diameter: 115mm Packed by color sleeve

LIST PRICE	Qty/Ctn
301	36



Sucker



HSU025001

Handle material: ABS Max. pull: 50kg Cup diameter: 115mm Packed by color sleeve

LIST PRICE	Qty/Ctn
558	18



Ratchet spanner

HCSPAR 08 1

Size-8mm Length: 140mm Material:Cr-V Chrome plated,matt finish Packed by paper card

LIST PRICE	Qty/Ctn
206	120

8 m m

HCSPAR 101

Size:10mm Length: 159mm Material:Cr-V Chrome plated,matt finish Packed by paper card

LIST PRICE	Qty/Ctn
214	120









8 Pcs ratchet spanner set

Ratchet spanner set

Bent wrench

Adjustable wrench

Ratchet wrench





Ratchet spanner

Size:27mm

HCSPAR271

Length: 359mm Material:Cr-V Chrome plated,matt finish Packed by paper card

LIST PRICE	Qty/Ctn
822	30

HKSPAR1082

8pcs Ratchet Spanner Set High quality Cr-Mo Ratchet Size-8-19mm Size.o-1911111 8mm,10mm,12mm,13mm,14mm,15mm,17mm, 19mm Fine polished ,CR-V

LIST DDICE	Oty/Ctn

10



8mm, 10mm, 12mm, 13mm, 54mm, 15mm,17mm,19mm

8 Pcs flexible ratchet spanner set

HKSPAR1083

8pcs Flexible Ratchet Spanner Set High quality Cr-Mo Ratchet Size:8-19mm 8mm,10mm,12mm,13mm,14mm,15mm,17mm, 19mm

Fine polished ,CR-V Packed by plastic hanger

LIST PRICE	Qty/Ctn	0
2562	10 Double soc	ket ratchet wrench
	Double 300	ACC TOCCITCE WITCHCIT

BPCS SET eW 72T 🗷 188

6pcs Ratchet Spanner Set Size:19-32mm

Packed by plastic hanger

2049

HKSPAR1061

19mm,22mm,24mm,27mm,30mm,32mm Fine polished ,CR-V Packed by canvas bag

LIST PRICE	Qty/Ctn
4206	4



19mm,22mm,24mm,27mm,36mm, 32mm

HRSTW19211

Size: 19x21mm Cr-V socket with 12 points Drop forged steel body Black finished Heat treatment Packed by paper card

LIST PRICE	Qty/Ctn
806	40

19mm+21mm

8mm, 10mm, 12mm, 13mm, 14mm,

HBWS09 328

Chrome plated Two color handle Packed by sliding card 1 Pcs double open end wrench, 9-14mm,15-22mm 1 Pcs single open end wrench, 23-32mm Bent wrench

LIST PRICE	Qty/Ctn
534	20



djustable wrench

HADW 13 10 88

Length:200mm(8"),CrV Adjustable clamp size:0-34mm Unique design two tone soft handle Packed by double blister

LIST PRICE	Qty/Ctn
E00	26

200mm(8**)

HADW 13 11 08

Length:250mm(10"),CrV Adjustable clamp size:0-40mm Unique design two tone soft handle Packed by double blister

LIST PRICE	Qty/Ctn
809	24



Adjustable wrench

HADW 13 11 28

Length:300mm(12"),CrV Adjustable clamp size:0-45mm Unique design two tone soft handle Packed by double blister

LIST PRICE	Qty/Ctn
1181	16



HRTH0 81 4

Size:1/4" 45T Size: 174" 451 Length: 155mm Material : Cr-V+CrMo Heat treatment Packed by plastic hanger

LIST PRICE	Qty/Ctn
466	80





Tile cutter

Tile cutter

Tile cutter





Size:1/2" 72T Length:260mm Material : Cr-V+CrMo Heat treatment Packed by plastic hanger

LIST PRICE Qty/Ctn
927 24

eV 112

MPP5511

Size: ¢55*120mm Head fits Schrader, Presta, Dunlop With Bar and PSI double units High pressure durable hose 60cm Steel cylinder and frame Rubber pedal Packed by color box

LIST PRICE	Qty/Ctn
1129	20

Foot pump

Ø55

SOPSI

55 Steel Marketon



Tile cutter blade

HTC0 46 00

Tile cutter Max cutting length:600mm Max cutting thickness:12mm Steel base size:815x195cm Thickness of the base:2mm With 2 pcs tungsten carbide blade, Blade size:16x6x3mm Multi-function:direct line cutting, diagonal line cutting plameter of sliding bar:19mm Packed by carton box



HTC0 46 00B

Tile cutter blade Material:tungsten carbide Blade size:Ø16xØ6x3mm Suitable for HTC04600 Packed by blister card

LIST PRICE	Qty/Ctn
229	50



Tile cutter blade

HTC0 48 00 AG

Tile cutter
Max cutting length:800mm
Max cutting thickness:14mm
With 1 pcs bag
Steel base size:993x165mm
2pcs steel support frame
Thickness of the base:2.5mm
With 1 pcs tungsten carbide ball bearing blade
Blade size:22x10.5xzmm
Multi-function:direct line cutting,diagonal line
cutting
With aluminium gauge
Packed by carton box

LIST PRICE	Qty/Ctn
9432	2

800mm

1200mm

HTC0 48 00B

Tile cutter blade With ball bearing Material:tungsten carbide Blade size:022x06x2mm Suitable for HTC04800AG Packed by blister card

LIST PRICE	Qty/Ctn
616	50



Measuring wheel

HTC0 41 20 0

Tile cutter
Max cutting length: 1200mm
Max cutting thickness: 12mm
Non-slip handle grip

Thickness of the base: 2mm Diameter of sliding bar: 20mm Multi-function: direct line and diagonal line cutting Packed by carton box

LIST PRICE	Qty/Ctn

2

Wax conting 1200mm

HDMW45

Display resolution:0.1m Tolerance: < 0.5% Measuring range:0-9999.9m Wheel diameter: 320mm Wheel perimeter: 1000mm With stand Packed by color box

LIST PRICE	Qty/Ctn
2917	6



Test pencil Test pencil HSDT2201

HSDT1408

12138

Test Voltage:AC 100-500V Slotted size: 3x140mm Packed by plastic hanger

LIST PRICE	Qty/Ctn
59	360



Test Voltage:AC100-500V /Digital:12-220V Size:135mm*23mm*17mm Induction test to find phase line,ground line and breakpoint of phase line No need to install battery Packed by double blister

LIST PRICE Qty/Ctn135 96



0.05-60m



SP9

AC voltage detector

VD100026

AC Voltage: 12V-1000V(High sensitivity)
48-1000V(Low sensitivity)
Frequency:50/60Hz
Alarm mode: Sound and light alarm
Flash light: White LED
Low battery indication
Auto power off
With 2Dcs RO3 AAA batteries
Packed by color box





15m

INCCO

AC GOOD

HLDD0608

Measuring Range:0.05-60m
Measuring Accuracy:±2.0mm
Laser Type:635nm, <1mW, Class 2
Operating temp:-10°C - +50°C
Function:Distance, area,volume, height
With power off function
With 1pcs canvas bag
Packed by color box

LIST PRICE	Qty/Ctn
5081	20

Digital multimeter

Electrical test kit

Pruning shear

Laser distance detector

Self-leveling line laser

Digital AC clamp meter

HLL 15 65 08

Working Range: 0~15 m
Levelling accuracy:±1.5mm at 5 m
Line accuracy ±1.5mm at 5 m
Levelling time<4s, Self-levelling angle ≤4°

Laser Type 650nm, Laser Class | , < 1mW
With magnet, With hanging hole
Without tripods, match with HLLT01152 tripods
With Laser Cross Function
With Horizontal and Vertical Line Function
With Forso Lock Function
With Laser Gain Function
Operating temperature

With Laser Gain Function Operating temperature Operating temperature 2-+40 Batteries AA(1.5V)*3 20~+70

LIST PRICE	Qty/Ctn
5335	20

DM 601 1

Display:True RMS 2000 counts Smart Function AC/DC Voltage: 0.8–600V Resistance: $600k\Omega$ NCV Continuity Auto Range Auto Power off With 2pcs R03 AAA batteries Packed by Color box

LIST PRICE	Qty/Ctn
780	40

2500 Courses CATAIN GOOV

0

DCM 600 3

Data Hold Display :6000 counts LCD with double color backlight AC Current:4A/40/A00A/600A AC Voltage:4A/40V/400V/600V AC Voltage:40/MV/4V/40V/40V/600V Resistance: $400\Omega/4kD/40kD/400kD/4MD/4DM\Omega$ Capacitance:4Aff/40nf/40nf/4uF/40plF/400plF/4Mf Non-contact voltage detection, Diode test, Auto power off With backlight function, With flash light function With lower battery indication function, With

LIST PRICE	Qty/Ctn
2173	20

DM 302 8

3pcs/set, including as follow: 1pcs Digital AC clamp meter 1pcs Digital multimeter 1pcs AC voltage detector 1pcs Test lead With 6pcs R03 AAA batteries Packed by double blister

LIST PRICE	Qty/Ctn
2462	20



Auto-darkening welding helmet

AHM009

Viewing area:90×35mm
Cartridge size:110×90×10mm
Arc sensor:2, Light state:DIN 4, Dark
state:fixed shade 11
Shade control:unadjustable, Power ON/
OFF:fully automatic
Sensitivity control:unadjustable,auto, UV/IR
protection:DIN 16
Power supply:solar cells. re-chargeable
battery .no battery change required, Switching
time:1/500.9from light to dark
Dark to light:0.15-0.45s auto
Low amperage TIG:≥20amps(DC), ≥20amps
(AC)


LIST PRICE	Qty/Ctn
2259	6

Wheeling or can Street and April 1997.

HPS0109

Aluminium body pruning shear blade Handle non slip treatment Max cutting diameter 12mm Size:8"(200mm) Packed by Blister card

LIST PRICE	Qty/Ctn
391	60



Plastic trigger nozzle

HWSG032

3-Way Plastic Nozzle TPR insulated comfortable soft grip Nylon lever Packed by paper hanger

LIST PRICE	Qty/Ctn
270	48



56002

HWSG092

9-spray patterns TPR insulated comfortable soft grip Nylon Lever Packed by paper hanger

LIST PRICE	Qty/Ctn
354	48





Let's Get In Touch

Contact Us

- +91 9811579961
- +91 8595503657
- +91 7011218105
- 011-47002673

Email Us

staplespackagingsolutions@gmail.com

Office Location

Plot 60, Shop No.4, Furniture Block, Kirti Nagar, New Delhi- 110015

