

# RaII Wolf

Power Tools | Welding Equipment | Air Tools | Motors | Farm Equipment



## Contact Us

Sales-  
+91 9811579961

Sushil Mishra-  
+91 7011218105

Varun Tiwari-  
+91 8595503657

Phone-  
011-47002673

## Email Us

[staplespackagingsolutions@gmail.com](mailto:staplespackagingsolutions@gmail.com)

## Office Location

Plot 60, Shop No.4, Furniture Block, Kirti Nagar, New Delhi- 110015

## CORDLESS



**Ratti Wolf**

12V CORDLESS DRIVER DRILL  
RCD12V

NEW



12V, 1500Mah, 10mm/15mm  
0-400/0-1450r/min, 25Nm, 0.8 kg.

21V CORDLESS DRIVER DRILL  
RCD21V

NEW



21V, 1500Mah, 10mm/15mm  
0-400/0-1450r/min, 30Nm, 1.1 kg.

21V CORDLESS IMPACT WRENCH  
RIW21V

NEW



21V, Applicable Bolt Dia-  
upto M20, 2060rpm,  
380N.m, 4000Mah,  
1.62kg with battery



## ELECTRIC POWER TOOLS

## DRILL

COMPACT DRILL  
12110 10mm



235V - 50Hz

550 Watts, 0-2500 r.p.m.,  
Variable / Reversible, 1.9 Kg.



PLAIN DRILL  
RD10 10mm



235V - 50Hz

500 Watts, Variable & Reversible,  
0-2800 r.p.m., 1.3 kg.



ROTARY DRILL  
RW10 10mm



235V - 50HZ

650 Watts, 1250 r.p.m.,  
1.7 kg. (Supply is without chuck)



SCREW DRIVER DRILL  
RWSD10 10mm



235V - 50Hz

400W, 0-750r/min,  
1.7Amps., 20+1, 1.3kg



IMPACT DRILL  
RW13 13mm



235V - 50HZ

650 Watts, 1800 r.p.m., 2 kg.  
Also suitable for skirt polisher.



IMPACT DRILL  
16130 13mm  
18130 13mm



235V - 50Hz

550 Watts, 0-2650 r.p.m.,  
Variable & Reversible, 1.8 kg.  
700 Watts, 0-2800 r.p.m.,  
Variable & Reversible, 2 kg.



PROFESSIONAL IMPACT DRILL KIT  
RDK13 13mm

235V - 50Hz

Variable & Reversible,  
500 Watts, 0-3000 r.p.m.,  
0-48000 BPM, 4 kg.



PROFESSIONAL IMPACT WRENCH  
RW300-I

235V - 50Hz

450W, 2600r.p.m.  
300N.m, 1/2 2 Amps, 3.3kg.

NEW



## GRINDER

DIE GRINDER  
RDG25 6mm

235V / 115V - 50Hz

6mm (collet), 420 Watts  
25000 r.p.m., 1.9kg.



DIE GRINDER  
RDG600 6mm

235V - 50Hz

6mm (collet), 550 Watts  
27000 r.p.m., 1.5kg.



## GRINDER



**RaPi Wolf**

LIGHT DUTY ANGLE GRINDER  
25100 100mm

235V - 50Hz



ø100xø16x5.5mm, 650 Watts  
M10, 11000 r.p.m., 1.6kg.



ANGLE GRINDER  
RG8-100 100mm

235V / 115V-50Hz



ø100xø16x6mm, 850 Watts,  
M10, 10500 r.p.m., 3.7kg.



ANGLE GRINDER  
RF9-100 100mm

235V



**NEW**

ø100xø16x5.5mm, 900 Watts,  
M10, 11000 r.p.m., 3.6A, 1.7kg.



ANGLE GRINDER  
RWG610E  
100mm

235V



**NEW**

ø100xø16x5.5mm, 750 Watts,  
M10, 11000 r.p.m., 3.2A, 1.5kg.



ANGLE GRINDER  
AG100 100mm

235V / 115V - 50Hz



ø100xø16x6mm, 1020 Watts,  
M10, 10500 r.p.m., 2kg.



ANGLE GRINDER  
45100 100mm  
45125H 125mm

235V - 50Hz



ø100xø16x5mm, 850 Watts  
M10, 11000 r.p.m., 1.6kg.  
ø125xø22.23x6mm, 850 Watts  
M14, 11000 r.p.m., 1.8 kg.



LIGHT DUTY ANGLE GRINDER  
AG125 125mm

235V AC -50Hz



**NEW**

ø125xø22x6mm, 1020 Watts  
M14, 10500 r.p.m., 4.8A, 2kg.

ANGLE GRINDER  
60145 125mm

235V - 50Hz



**NEW**

Electronic overload protection, Soft start feature,  
1400W, 3000-11000r/min, 22.2mm,  
M14, 7.6Amps., 2.8kg



LIGHT DUTY ANGLE GRINDER  
35135 125mm 55145 125mm

235V / 115V-50Hz



ø125xø22x5.5mm, 1350 Watts  
M14, 9000 r.p.m., 3.1 kg.  
ø125xø22.0x5.5mm, 1400Watts,  
M14, 10000 r.p.m., 3.2 kg



ANGLE GRINDER  
AG180 180mm /  
AG230 230mm

235V - 50Hz



ø180xø22x5.5mm / ø230xø22x5.5mm,  
m14, 2400 Watts, 8500 r.p.m. / 6800 r.p.m.,  
5.1 kg.



ANGLE GRINDER  
22180 180mm /  
24180 180mm

235V - 50Hz



ø180xø22x5.5mm, 2200 W/2400 W,  
M14, 8500 r.p.m., 4.62 kg./ 5.91 kg.



ANGLE GRINDER  
55180 180mm

235V - 50Hz



ø180xø22x5.5 mm, 2200 Watts  
M14, 8400 r.p.m., 5.1 kg.



ANGLE GRINDER  
77180 180mm /  
77230 230mm

235V - 50Hz



ø180xø22x5.5 mm / ø230xø22x5.5 mm, M14  
2500 Watts, 8200 r.p.m. / 6500 r.p.m., 5.4 kg.

ANGLE GRINDER  
77180M 180mm /  
77230M 230mm

220V / 235V



ø180xø22x5.5 mm/ø230xø22x5.5 mm, M14  
2500 W, 8000 r.p.m./6500 r.p.m., 5.9 kg.



## CONSTRUCTION TOOLS

PROFESSIONAL ROTARY HAMMER  
RW22H 22mm

235VAC - 50Hz

650, 0-850 RPM,  
0-3900 BPM, 1.5J,  
22mm, 2.9Amps., 2.7kg.



PROFESSIONAL ROTARY HAMMER  
RW26H 26mm, SDS Plus

235VAC - 50Hz

800W, 3.4Amps  
0-4900 BPM, 3J  
Variable & Reversible  
0-1100 /min, 3.1kg.



DEMOLITION HAMMER  
RW11EH 11kg

235VAC - 50Hz

1500 Watts, 1300 BPM  
120-250 / min, 6-25J, 11kg.



CONCRETE VIBRATOR  
RWCV35

235V

850W, 4000 r.p.m., 35mm,  
1.5M, 3.7 Amps, 2kg.



ELECTRIC MIXER  
RPM16 120mm

235V - 50HZ

1000W, 1000r/min,  
M12, 4.5Amps., 3.5kg



## HAMMERS

**Ratli Wolf**

PROFESSIONAL ROTARY HAMMER  
RW22-3M 22mm

235VAC - 50Hz

800W, 0-1400 RPM,  
0-4400 BPM, 2.2 J,  
22mm, 2.6 Amps., 2.5kg



NEW

DEMOLITION HAMMER  
RW-5EH 5kg

235VAC - 50Hz

1200 Watts, 1400 BPM  
4100 / min-1, 10J, 6.07kg.



DEMOLITION HAMMER  
RW15H 15kg

235VAC - 50Hz

1500W, 1850 BPM  
45 J, 6.38A, 15kg



CONCRETE VIBRATOR  
RWCV35-3

235V - 50HZ

1100W, 4400r/min, 35mm,  
3M, 5Amps., Double insulated, 2.4kg

NEW



## DIAMOND CORE DRILL

DIAMOND CORE DRILL  
RDD110

12-110mm, 230V,  
2080W, 2100 r.p.m.

NEW



## CHOP SAW

DIAMOND CORE DRILL  
RDD200

15-205mm, 230V,  
3900W, 580  
r.p.m.

CUT-OFF SAW  
RC14D

235V - 50Hz

D handle and soft start  
355 mm, 2600 Watts  
3900 r.p.m., 11A, 18 kg.



NEW



RW14E 355mm

235V / 115V - 50Hz

355 mm, 2300  
Watts 3900 r.p.m.,  
17.2 kg.

CUT-OFF WHEEL  
BROWN SERIES  
14" 2NET  
355X2.8X25.4mm

Max. 4400 rpm  
Max. 80m/s

NEW



**MARBLE CUTTER**

MARBLE CUTTER  
RW4 110mm  
RW110 110mm

235V - 50Hz



Double Insulated, 235V AC, 1050 Watts,  
13000 r.p.m., 4.5A, 3.2 kg.  
1050 Watts, 14000 r.p.m., 3 kg.



MARBLE CUTTER  
WW110 110mm

230V

**NEW**



1200 Watts, Max Cutting Depth 34mm,  
11000 r.p.m., 5.2 Amps, 2.9 kg.



MARBLE CUTTER  
RW4-SB 110mm

235V - 50Hz



1200 Watts, 11000 r.p.m., 3 kg.



MARBLE CUTTER  
RW125-FB 125mm /  
TB 125mm

235V AC - 50Hz



1300 Watts, 13000 r.p.m., 3.4 kg.  
Options: Fixed / Tilted type base plate



**WOOD WORKING**

CIRCULAR SAW  
RS180 NEW 185mm  
RCS180 180mm

235V - 50Hz



1400 Watts, 5600 / 5800 r.p.m., 4.3kg / 5.5 kg.



PLANER  
RW2-82 2-82mm  
28200 82X2mm

235V



82mmX2mm, 710 W /  
500 W, 15000 r.p.m., 4 kg. / 2.6 kg.



ROUTER  
RW8-12 6mm, 8mm, 12mm  
RW-RT12 12mm

235V / 115V



1600 Watts / 1800Watts  
23000 r.p.m., 6.1 kg. / 4.1 kg.



TRIMMER  
RT6 6mm / 6.35mm

235V - 50Hz



600W, 30000 RPM  
6mm/6.35mm, 2.6Amps., 1.9kg



JIG SAW  
RJS60 60mm

235V AC 50HZ



600W, 26mm (1 ), 500-3000 spm  
2.55A, 2.5kg



HEAT GUN  
RG2100 2000W

235V - 50Hz



2000W, 8.5 A  
1-2, 1- 3500C / 2-5500C, 0.6 kg



HIGH PRESSURE WASHER  
RHP100

235V



1400 Watts, 100 Bar  
330 l/h, 4 kg

1600W INDUSTRIAL QUALITY HIGH  
PRESSURE WASHER  
RHP130



Induction Motor, 130 Bar, 480 L/H  
230V AC, 1600W, 12 kg.

**BLOWER**

ELECTRIC BLOWER  
RB500

235V AC



3.8 m<sup>3</sup>/min, 600 Watts, 2.55A  
6000-16000 r.p.m., 1.8kg.



ELECTRIC  
BLOWER  
RB500PRO  
RB60V

235V AC



3.8 m<sup>3</sup>/min, 600 Watts, 2.55A  
16000 r.p.m., 1.6 kg./1.8kg.



## MAGNETIC CORE DRILL



**RaPi Wolf**

### MAGNETIC CORE DRILL YUVA38

38mmx50mm

**NEW**



220 / 230 V

1300W, 700r/min, 12000N,  
8Amps. 38mm dia x 50mm depth  
13mm, Grounding (to earth), 10.5 kg

### MAGNETIC CORE DRILL ENOVA 40 40mmx50mm

235V

40mm diax50mm depth,  
1200 Watts, 400 r.p.m.,  
1100 KGF, 165mmx80mm, 13.7 kg.



### MAGNETIC CORE DRILL COMMANDO 40S

40mmx50mm

235V

40mm diax50mm depth,  
1100 Watts, 270-610 r.p.m.,  
8000N, 165mmx80mm, 13.2 kg.



### MAGNETIC CORE DRILL MEGA - 45

45mmx50mm

220V

Core Drill 12mm-45mm  
Cutting Depth 50mm, 1380  
Watts, 100-470 r.p.m.,  
16500 N, Moser Taper -  
MT2 Stroke - 210mm, 17 kg.

**NEW**



### MAGNETIC CORE DRILL COMMANDO 50

50mmx50mm

235V

50mm Dia x 50mm depth,  
1500 Watts, 100-265 r.p.m.,  
200-500 r.p.m., 13500 N,  
200mmx98mm, 15.8 kg.



### PERMANENT MAGNET CORE CUTTING DRILL COMMANDO 50PM

235V

50mm dia x 50mm depth,  
1500 Watts, 100-265 RPM,  
200-500 RPM, 8430 N  
2770mm x 190mm  
110V/18kg / 230V/17.7kg



### LOW PROFILE MAGNETIC DRILL 50mm COMMANDO 50LP

235V

50mmX 50mm, 30mm\*  
250-500RPM, 1200W, 10000N  
L-334mm, H-179mm, W-100mm  
192mm x 82mm, 11kg, 62mm



### MAGNETIC CORE DRILL NW 50S 50mmx50mm

235V

50mm dia x 50mm depth  
1600 Watts, 450 r.p.m.,  
1500 KGF, 200mmx100mm, 31 kg.



### MAGNETIC CORE DRILL COMMANDO 75

75mmx75mm

235V

75mm dia x 75mm depth  
1800 Watts, 70-180 r.p.m.,  
200-500 r.p.m., 18500 N,  
220mmx114mm, 22.8 kg.



### MAGNETIC CORE DRILL COMMANDO 100 (NEW)

100mmx100mm

235V 100mm dia x 100mm  
depth  
2000 Watts, 45-129 r.p.m.,  
70-208 r.p.m., 140-434 r.p.m.,  
240-700 r.p.m., 20000 N,  
228mmx114mm, 24.8 kg.



### MULTIFUNCTION MAGNETIC DRILL MEGA-150

150mmx150mm

235V

150mm, 57mm ,M50  
3080W, 40-100rpm(1),  
70-180rpm(2), 180-450rpm(3),  
290-720rpm (4), 24500N, 32Kg.



**NEW**



## CUTTERS

### TCT ANNULAR CUTTER



Sizes : Dia 12mm to 100mm  
in depths 35mm/50mm/  
75mm/110mm

### HSS ANNULAR CUTTER



sizes : Dia 12mm to 100mm  
in depths 35mm/50mm/  
75mm/110mm

## ACCESSORIES



Fast fixture

Drill Chuck  
Adaptor  
(Morse Taper  
shank)

Drill Chuck  
Adaptor  
(Shank type)

Twist Drill Chuck

## METAL BODY / INDUSTRIAL TOOLS



**Raif Wolf**

LIGHT DUTY DRILL  
EG2C 6mm /  
EJ3C 10mm



235V / 115V -50Hz

6mm / 10mm, 235 Watts,  
2800 r.p.m. / 700 r.p.m., 2 kg. / 2.3 kg.

HEAVY DUTY DRILL  
WD2C 6mm /  
WD3C 10mm /  
WD34C 13mm



235V / 115V -50Hz

6mm / 10mm / 13mm, 475 Watts / 550 Watts /  
500 Watts, 2400 r.p.m. / 1000 r.p.m. / 550 rpm,  
3.1 kg. / 3.6 kg / 3.9 kg

LIGHT DUTY DRILL  
SD4C 13mm



235V / 115V -50Hz  
13mm, 435 Watts  
700 r.p.m., 4.4 kg.

HEAVY DUTY DRILL  
14130 13mm



235V / 115V -50Hz

750 Watts, 750 r.p.m., 4.4 kg.

TWO SPEED DRILL  
TS35C 10mm/16mm



235V / 115V -50Hz  
10mm / 16mm, 600 Watts  
1380 r.p.m. / 560 r.p.m., 5.4 kg.

HEAVY DUTY DRILL  
WDH / WDH12  
13mm to 23mm



235V / 115V -50Hz  
13mm to 23mm, 595/1200 Watts  
560 r.p.m./450 r.p.m., 7 kg./ 7.2 kg.

HEAVY DUTY DRILL  
WDHC / WDHC12 20mm  
(Chuck Model)



235V-50Hz  
20mm, 595 Watts/1200 Watts  
560 r.p.m./ 450 r.p.m., 8.2 kg. / 8.4 kg

HEAVY DUTY DRILL  
NW8 25mm /  
NW10 31mm



235V -50Hz  
25mm/31mm, 660 Watts/850 Watts  
380 r.p.m./280 r.p.m., 9.9 kg / 10 kg.

HIGH SPEED GRINDER  
HSG / HSG BR 6mm



235V / 115V-50Hz

6mm (collet), 300 Watts/500 Watts  
16000 r.p.m./20000 r.p.m., 1.9 kg

FLEXIBLE SHAFT GRINDER  
FF2 Two Speed /  
FSG2 Single Speed



235V / 115V-50Hz

6mm (collet), 370 Watts  
1200/11500 r.p.m./  
12800 r.p.m., 5.4 kg./4.9 kg

STRAIGHT GRINDER  
GQ4 / GQ4 BR11 /  
36100 / GQ6



235V / 115V

ø100xø20x12.7mm, 775W / 1100W 5000 r.p.m.  
/ 5600 r.p.m., 5.6 kg. / 6.5kg  
ø100xø20x12.7mm, 1000W, 5800 r.p.m., 5.1kg.  
ø150xø25x15.9mm, 1200W, 5600 r.p.m., 9.2kg.

LATHE GRINDER  
GL3 75mm



235V / 115V

ø75xø13 x19mm, 400 Watts, 8000 r.p.m.  
(ext grinding) / 19000 r.p.m., (int grinding), 9.8 kg.

ANGLE GRINDER  
AG7 180mm /  
AG9 230mm



235V

ø180xø22x6mm / ø230xø22x6mm, 2200 Watts,  
M14, 7000 r.p.m. / 5600 r.p.m., 9.5 kg.

BENCH GRINDER  
TG6 1ph & 3ph



235V (1ph) / 440V (3ph)

ø150xø16x12.7 mm, 265 Watts / 285 Watts  
2950 r.p.m., 12.2 kg. / 12 kg

SINGLE SPEED AIR BLOWER  
NWB



235V

1.5 m<sup>3</sup>/min, 350 Watts  
308 kmph, 4.5 kg.

TWO SPEED AIR BLOWER  
77750



235V

2.0 m<sup>3</sup>/min / 1.6 m<sup>3</sup>/min, 750 Watts /  
450 Watts, 400 kmph / 315 kmph, 3.4 kg.

VERTICAL SANDER  
VSM 180mm



235V

180mm, 500 Watts  
2200 r.p.m., 5.4 kg.

HORIZONTAL SANDER  
HS7AR / HS7BR 180mm



235V

180mm, 600 Watts/1000 Watts  
4200 r.p.m./ 5200 r.p.m., 5.2 kg./ 5.7 kg.

PORTABLE TAPPING MACHINE  
TP8 3mm-10mm



235V

3mm to 10mm, 450 Watts  
550 r.p.m., 3.9kg.



## WELDING EQUIPMENT



**Ralli Wolf**

ARC SERIES (INVERTER)  
ARC 200 (R76), ARC 200 (WA20),  
ARC 200 (RA20), ARC 200 (MA20),  
ARC 200 (ECO200N)  
General Fabrication, Maintenance Works



ARC SERIES (INVERTER)  
ARC 250 (RA25S), ARC 250  
(RA25), ARC 250 (ECO-250),  
ARC 300 (RA30-1&2)  
General Fabrication,  
Maintenance Works



ARC SERIES (INVERTER)  
ARC 400HK (RA40HK), ARC 400HK  
(RA40H), ARC 400 IJ (RA40), ARC  
(RA50), ARC 600I (RA60), ARC 630 (RA63)  
Suitable for General Purpose, Low  
Hydrogen, Stainless Steel Electrodes etc.



ARC SERIES  
(FULLY THYRISTORISED)  
ARC 400 (RT400),  
ARC 600 (RT600)



Suitable for General Purpose,  
Low Hydrogen, Stainless  
Steel Electrodes etc.

### FCT SERIES

ARC 400 (FCT 400),  
ARC 450 (FCT 450),  
ARC 600 (FCT 600)



ENGINE DRIVEN WELDING  
GENERATOR  
RWG-350  
RWG-400 (4-CYLINDER)  
RWG-500



### SUBMERGE ARC WELDING

MZ 1000 (RS100),  
MZ 1250 (RS125)



Pressure Vessels /  
Structural Fabrications /  
Ship Building / Locomotives etc.

### AIR PLASMA CUTTING

CUT 60G (RC60),  
CUT 100 IJ (RC120)  
CUT 160 (RC16)



General Fabrication / Constructions &  
Other Engineering Industries.

### MIG SERIES

MIG 200S  
(RM20),  
MIG 250 (RM25),  
MIG 400 IJ (RM40N),  
MIG 500 IJ (RM50),  
MIG 630 I (RM63)



General Fabrication / Pipe Welding / Construction /  
Automobile / Railways / Furniture Industries etc

### TIG SERIES

TIG 200 A (RT20),  
TIG 200 AC/DC (RT20A)  
TIG 250 A (RT25),  
TIG 315P AC/DC (RT31PA)  
TIG 400 IJ (RT40),  
TIG 500 IJ (RT50)  
TIG 630 (RT63)



Ship Building / Pipe Welding / Furniture /  
Automobile Industries / Railways etc

### CNC FLAME / PLASMA CUTTING MACHINE

Cantilever Type  
RCN 1500,  
RCN 1500 P



### CNC FLAME / PLASMA CUTTING MACHINE

Gantry Type Flame / Plasma Cutting Machine  
RWG2506  
RWG3506  
RWG3508  
RWG4008



### CNC FLAME / PLASMA CUTTING MACHINE

Bench Type Plasma Cutting Machine  
RWB1503  
RWB1506



### STUD WELDING MACHINE

C.D 208 Microprocessor Based  
C.D 208



### LASER WELDING MACHINE

- Easy to Weld with clean Welds and Accurate
- Portable
- Low cost of ownership
- Homogenous fusion of material



### LASER MARKING MACHINE

Solar Industry, Tools & Tooling  
Medical & Surgical,  
Die & Mould Engraving  
Kitchen Ware & Bath Fitting  
Color Marking in SS Material



\* In view of continuous development RALLIWOLF reserves the right to modify / alter the design / modification without prior notice

\* For complete range please refer separate catalogue for WELDING EQUIPMENT or visit our website.



## PNEUMATIC TOOLS



**Ralli Wolf**

3/8" Reversible Drill  
RAD-302



3/8", 1800 r.p.m., 180mm  
1/4", 3/8", 6 cfm, 1.1 kg

1/2 " Reversible Drill  
RAD-402



1/2", 800 r.p.m., 203 mm  
1/4", 3/8", 8 cfm, 1.6 kg

Air Die Grinder  
PG-1101H



1/4 , 28000 r.p.m., 6.3 mm,  
3.5 cfm, 160mm, 0.4 kg

Air Screw Driver  
SD-5MA



5 - 7 mm, 9000 r.p.m. 25-30 N. m.,  
2.0 cfm, 190mm, 0.7 kg

1/4" HD 90° Angle Grinder  
ADG - 1106H



1/4" or 6 mm, 20000 r.p.m.  
1/4", 3.5 cfm, 160 mm, 0.49 kg

5" Extended Die Grinder  
EDG - GR2205



1/4", 22,000 r.p.m.  
3.1 CFM, 280 mm, 0.80 kg

Air Impact Wrench IW-  
2500T-2 (1" Sq. Drive) IW-  
2500T-8 IW-2570  
2500 r.p.m., 1/2", 50 mm 345  
kg/m, 8.5 cfm, 622 mm 1  
inch, 14.6 kg.



10x330 mm Belt Sander  
BS 003



10 x 330mm, 16,500 r.p.m.  
1/4", 4 cfm, 326mm, 0.88 kg.

Air Micro Die Grinder  
DG-56



3 mm, 56000 r.p.m., 1/4 , 7.0 cfm  
5 mm, 156 mm, 0.2 kg

Composite Impact Wrench  
IW-098IT (3/8" Sq. Drive) /  
IW-1281 (1/2" Sq. Drive) / IW-  
1930T (3/4" Sq. Drive)



Bolt Capacity - 13mm / 16mm / 19mm  
Max Tourque-380N-M / 1356N-M / 1356N-M  
Weight-1.2Kg / 2.2Kg / 2.2Kg

Dust Free Orbital Sander  
OS-303



5" velcro type,  
10,000 r.p.m.  
1/4", 3/8", 12 cfm  
5 mm, 0.9 kg

Pneumatic Concrete  
Breaker  
CB 117 / CB1210

540mm / 740mm,  
1400BPM / 1200 BPM  
6BAR, 25x108mm / 32x160mm,  
22Kg / 37kg

**NEW**



Industrial Air Die Grinder  
DG 6-35

**NEW**



6mm, 35000 r.p.m., 165mm  
1/4 NPT, 0.45 Kg.

Pneumatic Chipping Hammer  
CH3

**NEW**



Blower 2100 per min.,  
Length of Stroke 76.2  
1.2 BSP, 6.5 Kg.

Pneumatic Bench Sand Rammer  
BSR1  
FSR1

**NEW**



Blows 850 per min.,  
Length 530mm/1258mm  
Stroke 102mm/152mm  
Air Inlet 3/8 NPT / A 1/2 BSP, 5.7 Kg.

Pneumatic Weld Flux Chipper  
WFC42

**NEW**



Blows 4200 Per Minute,  
Length 257 mm,  
Length of Stroke 25.4 mm  
Air Inlet 1/4" NPT, Weight 2 kg.

AIR SCREW DRIVER  
SD-SR208

**NEW**



1/4", 700 Rpm, 220 Mm  
45-145 In-lb, 7.5 Cfm, 1.23 Kg

FOR CONCRETE BREAKERS CHIPPING  
HAMMERS AND WELDFLUX CHIPPER



\* For complete range please refer separate catalogue for AIR TOOLS or visit our website.

## STANDS & ATTACHMENT



**Ralli Wolf**

MAGNETIC STAND  
HEXAGONAL BASE  
- WDH WITH MS



Suitable for Mounting  
WDH / WDHC / WDH12 /  
WDHC12 / NW8 / NW10

MAGNETIC STAND  
ROUND BASE -  
WDH WITH MS10



Suitable for Mounting  
WDH / WDHC / WDH12 /  
WDHC12 / NW8 / NW10

MAGNETIC STAND  
RECTANGULAR BASE -  
WDH WITH MS 50



Suitable for Mounting -  
WDH / WDHC / WDH12 /  
WDHC12 / NW8 / NW10

MAGNETIC STAND  
HEXAGONAL BASE -  
NW10 with MS



Suitable for Mounting  
NW8 / NW10

MAGNETIC STAND  
ROUND BASE -  
NW10 with MS10



Suitable for Mounting  
NW8 / NW10

MAGNETIC STAND  
RECTANGULAR BASE -  
NW10 with MS50



Suitable for Mounting  
NW8 / NW10

### MECHANICAL STANDS

ES 1 For EG2C/EJ3C,  
ES 3 for NW8 / NW10



ES 14 For WD2C, WD3C,  
WD34C, SD4C & TS35C  
ES 23 for WDH / WDHC



### ATTACHMENT



Internal Grinding  
Attachment,  
IGA, Suitable for GL3



Flexible Shaft 10 FD  
Suitable for FF2/FSG2

## MOTORS

UMG 5



PMDC 58 / 59



UMG 27



PMG 20



SPM 25G



PMG 26



UM 15



PMG 3



UM 4B



PMG 2



\* For complete range please refer separate catalogue for MOTORS or visit our website.

## FARM EQUIPMENT

GASOLINE WATER PUMP  
RP30 3"



6.5HP, 76mm,  
7M, 28M, 3600 r.p.m.

GASOLINE EARTH AUGER  
ED52D / ED63D



1E44F / 1E48F,  
1.45KW/2.2KW,  
52CC/63CC, 6500 r.p.m.  
\*Drill bits Optional accessory

CHAIN SAW  
RS58  
CS58



2 stroke, single cylinder, 50.8 CC, 2.2 kwx,  
9000 r/min, 20 / 22 / 24 , 5.8 kg

THERMAL FOGGER  
RF02 AUTO  
RF01 MINI



6 Ltr., 10-50 Microns, 9 kg., 18.5 KW  
2 Ltr., 5-30 Microns, 1.4 kg

GASOLINE BRUSH CUTTER  
BC-52 (2-STROKE)



1E44F 2 Stoke, 1.45 KW  
51.7CC, 6500 r.p.m.

GASOLINE BRUSH CUTTER  
BC-43SP / BC-38BP (4-STROKE)



G35 4 Stoke, 0.85 KW,  
35.8CC, 6500 r.p.m.

\* For complete range please refer separate catalogue for AGRICULTURAL EQUIPMENT or visit our website.



# Let's Get In Touch

## **Contact Us**

+91 9811579961  
+91 8595503657  
+91 7011218105  
011-47002673

## **Email Us**

staplespackagingsolutions@gmail.com

## **Office Location**

Plot 60, Shop No.4, Furniture Block, Kirti  
Nagar, New Delhi- 110015



VISIT US at: [www.spspneumatictools.com](http://www.spspneumatictools.com)